

Nowodvorski
LIGHTING

DESIGN LAB

Za każdym pomysłem stoi człowiek.

Nasz zespół projektantów i konstruktorów tworzy Dział Rozwoju Produktu Nowodvorski Design LAB - serce marki, w którym kiełkują i dojrzewają wszystkie projekty.

Godziny rozmów, szkice i makiety - to one dają początek produktom, które zdobią Wasze wnętrza. Dopracowane wzornictwo, idące w parze z dobrze przemyślaną funkcjonalnością, zaowocowało kolekcją nagród międzynarodowej rangi. Jedną z nich jest The Red Dot Design Award przyznana za projekt lampy Q LED autorstwa Łukasza Jaworskiego.

Nieskończone pokłady kreatywności i uważność skierowana na użytkownika sprawiają, że nasze produkty wymykają się utartym kryteriom. Tworzymy nie tylko lampy, ale i światło, które pisze codzienne scenariusze.

Behind every idea is a person.

Our team of designers and constructors make up the Nowodvorski Design LAB Product Development Department - the heart of the brand, where all projects germinate and mature.

Hours of conversations, sketches and mock-ups - they give rise to the products that adorn your interiors. Refined design, going hand in hand with well thought-out functionality, has resulted in a collection of awards of international standing. One of these is The Red Dot Design Award, awarded for the design of the Q LED lamp by Łukasz Jaworski.

Infinite creativity and user-oriented attention make our products escape the usual criteria. We create not just lamps, but light that writes everyday scenarios.



Borys Nowodvorski | Łukasz Jaworski



Małgorzata Nowodvorska | Łukasz Jaworski



Natalia Smela



Agnieszka Solecka



Wiola Imiolczyk



Wojciech Paul | Damian Olszak | Łukasz Jaworski























































































Aleksandra Kania-Biegus



Natalia Smela | Wiola Imiolczyk | Damian Olszak | Aleksandra Kania-Biegus | Łukasz Jaworski | Wojciech Paul

COLLECTIONS

											
CIRCOLO LED 18-29	VERTIC LED 30-31	SPIN LED 32-33	MOTIVE LED 34-35	SABER LED 36	ARM LED 37	LAGUNA 115	CROCO 116-117	MIST 118	FORM 119	CAMERON 120-121	VIVIANE 122
											
BAR LED 38-41	LASER 42-53	STALACTITE 54-55	FOURTY 56-61	EYE 62-69	EYE SUPER 70-73	VIOLET 123	FALCON 124	HAWK 125	VIPER 126-127	ALICE 128-131	HOTEL 132-133
											
SLING 74-75	MORE EYE 76	MORE TONE 77	IMBRIA 78	BATON 79	KARO 80-81	HOTEL PLUS 134	FLEX 135	MOSS 136-138	FLEX SHADE 139	CHILIN 140-141	PETIT 142-143
											
KIER 82	PIK 83	SPHERE 84-87	PEAR 88-89	CYLINDER 90-91	MONACO 92-93	CADILAC 144-145	TRIFLE 146	ZELDA 147	SUNSET 148-150	SUNSET NATURAL 151	SUNRISE LED 152
											
CRANE 92	VETRO 94-95	AMALFI 96-97	POLARIS 98-99	GLOBE PLUS 100	SALVA 101	SUN LED 153	SUNSET 153	WHEEL 154-156	WHEEL LUX 157	HEFT 158-159	DISK 160
											
NUNTUCET 102-103	NEWPORT 104-105	BOSTON 106	HAMPTON 107	CRISTAL 108-109	TURDA 110-114	MINIMAL 161	OSLO 162-163	AWINION 164	COBA ANTIQUE 165	KYMI 166-167	IKA 168
											
BIO 168	ACROSS 169	DOVER 170-173	ORBIT 174-177	PILLS 178-179	RADIUS 180-181	BIO 168	ACROSS 169	DOVER 170-173	ORBIT 174-177	PILLS 178-179	RADIUS 180-181



ROTOR 182-183



STICKS 184



AXIS 185



ROD 186-187



PILE 188



MILL 189



BULLET 245



KAREN 246



CAMILLA 246



NESS 247



CAGE 247



ALLAN 247



MANUFACTURE 190-191




WORKSHOP 192



SILICONE 193



SPIDER 194



TWIG 195



GEOMETRIC 196



UMBRELLA 248



AVEIRO 249



MARGARET 250



ARES 251



REMBRANDT LED 252-254



GIOTTO LED 255



SHY 196



VOLCANO 197



LAVA 197



GIPSY 198-199



SOLID 200



SHY 201



VAN GOGH LED 256-257



IMPULSE LED 258-259



STRAIGHT CEILING LED 260-261



STRAIGHT WALL 262



ION LED 263



SOFT CEILING LED 264



BOLD 201



CRATE 202-203



PLANT 204-205



HERMANOS 206-209



ZENITH 210-211



PERM 212-213



SOFT WALL LED 265



SOFT LED 266-267



CL Q LED PRO 268



CL H LED PRO 269



CL OFFICE LED PRO 270-271



CL OFFICE PRO/HALL PRO SUSPENSION KIT 270-272



TECHNO 214-215



PANTOGRAPH 216



CRAFT 217



HARMONY 218



HIGH-BAY 219



GARRET 220-221



CL OFFICE PRO/HALL PRO POWER SUPPLY KIT 270-272



CL HALL LED 272-273 PRO



BERGEN 274-275



MALMO 274-275



HAGA 275



RING LED 276-277



HEMISPHERE RUST 222-223



WORKS 224



HEMISPHERE HIT 225



CANDY 228



HEMISPHERE SUPER 229-231



CANOE 234



RING WOOD 278-279 LED



RING MIRROR 280-281 LED



ORGANIC 282-283



SATELLITE 284-287



LID LED 288-291



ARENA 292-293



EGG 235-237



WAVE 241



LUKSOR 240



ABI 242



PICO 243



GSTAR 244



QUAD 294



KASAI 295



WING LED 296



TUBE 297



CUBE 297



LIA LED 297



CL ITAKA 298-299
LED



CL ITAKA 298
POWER
SUPPLY KIT



CL ITAKA 298
SUSPENSION
KIT



COSMO 300 -301



STYLE LED 302-303



SMART LED 304



CHIC LED 305



PLANE 306-307

SPOTLIGHTS



MONO 310-318,
321- 323



MONO CORNER 319



MONO LONG 320



MONO SURFACE 324-327



MONO SURFACE LONG 328-329



MONO DEEP 330-333



MONO SLIDE 334-335



MONO SLIDE TRIMLESS 335



EYE SPOT 336-339



EYE FIT 340



IRIS LED 340-341



CROSS 342



VESPA 343

DOWNLIGHTS



MIDI LED 346-351



MIDI LED RECESSED 352-353



MINI LED RECESSED 354-355



FOCUS MINI LED 356-357



COBBLE 358



GROOVE MINI LED 358-359



GAP 358



PAG 358



OVAL 359



CL IOS LED 360- 363



HALO 364-365



FLEA 366



POINT TONE 366



INDIA 367



MIKE 367



SET 368



EYE TONE 369-371



POINT PLEXI 372



BIT 372



POINT 373



SILBA 374



CRES 374



MURTER 374



MLJET 374



VIS 375



HVAR 375



SOLTA 375



UNO 376



CUP 377



MYKONOS LED 378



EGINA LED 379



CL KOS LED 380-381



CL DIA LED 382



CL KEA LED 383



MOD 384



MOD PLUS 384



DOWNLIGHT ES111 385



BOX ES111 385



EYE MOD 386



DOT 387

LVM LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



LVM FOCUS 398-399 LED



LVM FOCUS 400-401 OUT LED



LVM LINE 404-405 LED



LVM SPOT 406-407 LED



LVM ROLLER 410-411 LED



LVM SLOT 414-415 LED



LVM LID LED 416-417



LVM - TRACKS AND SURFACE MOUNTING ELEMENTS



LVM - RECESSED TRACKS AND MOUNTING ELEMENTS

CTLS COMMERCIAL TRACK LIGHT SYSTEM



CTLS MILO LED 428-429



CTLS NEA LED 430-433



CTLS TINOS LED 434-437



CTLS MONO LED 438



CTLS CAMELEON ADAPTER 439



CTLS - TRACKS AND SURFACE MOUNTING ELEMENTS



CTLS - RECESSED TRACKS AND MOUNTING ELEMENTS

PROFILE TRACK LIGHT SYSTEM



PROFILE TINOS LED 450-453



PROFILE IRIS LED 454-455



PROFILE STORE PRO LED 456-457



PROFILE MIKE 458



PROFILE INDIA 458



PROFILE FOCUS LED 458



PROFILE ZOOM LED 459



PROFILE EYE SUPER 462



PROFILE EYE FLEX 462



PROFILE EYE 463



PROFILE BIT 463



PROFILE BIT PLUS 463



PROFILE EYE SPOT 464



PROFILE MONO 464



PROFILE PUCK 464




PROFILE VESPA 465



PROFILE CAMELEON ADAPTER 465



TRACKS AND SURFACE MOUNTING ELEMENTS 466-469



RECESSED TRACKS AND MOUNTING ELEMENTS 470-473

BATHROOM LIGHTING



ICE BALL 476



ALOE 476



ARALIA 478



AGAVE 478



NATALIE 479



ICE TUBE LED 480-481



TORCH 482



BALI 482



PALMAS LED 483



VISTA 484



PAN LED 485



ICE EGG 486-487



BRAZOS 488-489



SIMI 489



CAYO 490



SIS 491



CEARA 492




PARANA 492



BRAVO 492 BOL 493 MAUN 493 ALPHA 493 FOXTROT 494 - 495 CHARLIE 496



DELTA 496 GOLF 497 ECHO 497 HELIOS LED 498 EOL LED 498 ACRE 499



BAHIA 499 JULIET 499 PIN LED 500-501 CEZANNE 502-503 LED PICASSO LED 504 LATH LED 504



KAGERA LED 505 BASSA LED 507 MALAKKA 506 - 507 LED AGNES LED 508-509 LED

OUTDOOR LIGHTING




PATIO 512-513 STONE 514-517 CUMULUS 518-521 FLOWERPOT 522-523 CUMULUS CUBE 524 STAR 525




GALAXY 525 MARGOT 526-527 STRUCTURE 528-529 LED SYMMETRY 530-531 LED PICNIC LED 532-533 HANGING SET FOR PICNIC LED 532



MAHE LED 534-535 OTTAWA 536 SOUL 537 TUBINGS 538-541 SPIKE LED 542 BUSH 543



THIKA LED 544-545 RIO 546-547 MEKONG 548 MISTRAL 549 LHOTSE LED 550 POLE LED 550



TEPIC LED 551 MONTERREY LED 551 NORIN 552 HORN 552 OIR 553 SIROCCO 553



PATHWAY FOUNDATION KIT 554 PATHWAY LED 554-555 PATHWAY LED PRO 556 PATHWAY LED PRO HEAD 557 ROCK PRO 558-559 SIERRA 560











FOG 561 NEGRO 562 EXE 563 QUARTZ 564 INDUS 564 BRICK 565



ORINOKO 565 UNIT LED 565 ASSOS 566 ARRIS 567 PRIMM 569 FALLON 568-569




SEMI LED 569 TRIANGLES LED 570 ELLIPSES LED 570 SINUS 571 PATRAS LED 571 MUNO LED 571

					
PUEBLA LED 572	MERIDA LED 572	LIMA LED 573	KHUMBU 573	LENS LED 576	HEXA 577
					
EDESА LED 577	ANA 578	AMELIA 579	AMUR 580	TYBR 581	TAY 582
					
LANTERN 583	DON 583	NOOK 584	TAHOE 585	BAY LED 586	SIDEWALK SQUARE LED 587
					
SIDEWALK ROUND LED 587	BASALT 588	ASSAM 588	INA 588	STEP LED 589	OIA LED 589
					
PICCO LED 590	PAOLI 591	MON LED 591	PAT LED 591	CIRCLET LED 591	POWER CORD FOR FESTOON LIGHTS 593
					
FESTOON LIGHTS 593					

LIGHT SOURCES AND ACCESSORIES

					
BULB LED G9, 7W 596	BULB LED G9, 4W 596	BULB LENS LED, G9, 3W 596	REFLECTOR LED, GU10, R35, 4W 597	REFLECTOR LED, GU10, R50, 7W 597	BULB GLASS BALL LED, E27, 8W 598
					
BULB LED, GX53, 8W 598	REFLECTOR LENS LED, GU10, ES111, 9W 599	REFLECTOR DIFFUSER LED, GU10, ES111, 9W 599	BULB VINTAGE LED, E14, 6W 600	BULB VINTAGE LED, E27, 6W 600	BULB VINTAGE LED, E27, 4W 600
					
BULB VINTAGE LED, E27, 4W 600	BULB VINTAGE LED, E27, 4W 600	BULB LED E14, C35, 6W 601	BULB LED E27, A60, 7W 601	BULB LED E27, A60, 10W 601	BULB LED, E27, A60, 2W, 5 PC SET 601
					
TUBE LED T8 602	WATERPROOF CONNECTOR IP68 603	WATERPROOF „Y“ CONNECTOR IP 68 603	MICROWAVE SENSOR 603	DUPLEX 603	



Collections


VERTIC LED 10362

CIRCOLO LED M
10811

CIRCOLO LED S
10810

CIRCOLO LED S
10810






CIRCOLO LED S
painted aluminum, painted steel, plastic PC

■ 10810 3000K ■ 10860 4000K

●




CIRCOLO LED M
painted aluminum, painted steel, plastic PC


■ 10811 3000K ■ 10861 4000K

●

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10810	18W LED	3000K	560 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10860	18W LED	4000K	600 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10811	21W LED	3000K	660 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10861	21W LED	4000K	700 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED S
10813




CIRCOLO LED S
painted aluminum, painted steel, plastic PC

■ 10813 3000K ■ 10863 4000K

●

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10813	18W LED	3000K	560 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10863	18W LED	4000K	600 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10812	21W LED	3000K	660 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10862	21W LED	4000K	700 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED M
painted aluminum, painted steel, plastic PC

■ 10812 3000K ■ 10862 4000K


●



CIRCOLO LED S
10928




CIRCOLO LED M
10815



CIRCOLO LED S

painting aluminum, plastic PC

10928 3000K 10930 4000K




CIRCOLO LED M

painting aluminum, plastic PC

10815 3000K 10865 4000K



CIRCOLO LED XS
10858



CIRCOLO LED XS

painting aluminum, plastic PMMA


10808 3000K 10858 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10808	9W LED	3000K	190 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10858	9W LED	4000K	200 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10928	18W LED	3000K	560 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10930	18W LED	4000K	600 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10815	21W LED	3000K	660 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10865	21W LED	4000K	700 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED
10817



CIRCOLO LED
10814



CIRCOLO LED
painted aluminum, painted steel, plastic PC


■ 10814 3000K ■ 10864 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10814	35W LED	3000K	1200 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10864	35W LED	4000K	1300 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED
10867



CIRCOLO LED
painted aluminum, painted steel, plastic PC


■ 10817 3000K ■ 10867 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10817	45W LED	3000K	1600 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10867	45W LED	4000K	1800 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED 10816



CIRCOLO LED

■ painted aluminum, plastic PC

■ 10816 3000K ■ 10866 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10816	33W LED	3000K	1100 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10866	33W LED	4000K	1200 lm	70 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

■ BLACK P013 RAL 9005




CIRCOLO LED 10866



VERTIC LED

■ painted aluminum, painted steel, plastic PMMA

■ 10362 3000K ■ 10857 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10362	19W LED	3000K	650 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10857	19W LED	4000K	700 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

■ BLACK P013 RAL 9005




SPIN LED M 10370




SPIN LED S
painted aluminum, plastic PC

10368 3000K 10620 4000K



SPIN LED M
painted aluminum, plastic PC

10370 3000K 10621 4000K




SPIN LED L
painted aluminum, plastic PC

10371 3000K 10622 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10368	10W LED	3000K	360 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10620	10W LED	4000K	390 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10370	14W LED	3000K	520 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10621	14W LED	4000K	550 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10371	16W LED	3000K	600 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10622	16W LED	4000K	630 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



MOTIVE LED M


painted aluminum, plastic PC

10311

3000K

10852

4000K



MOTIVE LED L

painted aluminum, plastic PC

10313

3000K

10851

4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10311	11W LED	3000K	380 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10852	11W LED	4000K	410 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10313	16W LED	3000K	540 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10851	16W LED	4000K	570 lm	100 °	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


BLACK P013 RAL 9005

MOTIVE LED M 10311

MOTIVE LED L 10313




SABER LED L 10314




SABER LED M
painted aluminum, plastic PC

10312 3000K 10853 4000K




SABER LED L
painted aluminum, plastic PC

10314 3000K 10854 4000K



ARM LED M
painted aluminum, plastic PC

10366 3000K 10855 4000K



ARM LED L
painted aluminum, plastic PC

10367 3000K 10856 4000K



ARM LED L 10856

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10312	11W LED	3000K	380 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10853	11W LED	4000K	410 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10314	16W LED	3000K	540 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10854	16W LED	4000K	570 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10366	10W LED	3000K	360 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10855	10W LED	4000K	390 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10367	14W LED	3000K	520 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10856	14W LED	4000K	550 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



BAR LED L 10365



BAR LED M 10364




BAR LED S

10363

3000K

10847

4000K




BAR LED M

10364

3000K

10848

4000K



BAR LED L

10365

3000K

10850

4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10363	21W LED	3000K	1000 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10847	21W LED	4000K	1300 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10364	24W LED	3000K	1150 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10848	24W LED	4000K	1500 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10365	27W LED	3000K	1300 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10850	27W LED	4000K	1700 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



LASER 1000
10444

LASER 490
10453

LASER 1000
10446

LASER 750
10447




LASER 490 10453

LASER 750 10447

LASER 1000

painted steel



10444 10445 10446



LASER 490

painted steel

10451 10452 10453



LASER 490

painted steel

 8796 8797



solid brass, painted steel

8798



LASER 490 8796

LASER 750 8433

LASER 1000

painted steel

8435 8436



solid brass, painted steel

8434






LASER 490 10704



LASER 490 10705



LASER 490

painted steel

- 8922

8923


10705

10xG9, max 10W only LED

solid brass, painted steel

- 8924

10xG9, max 10W only LED



LASER 490

painted steel

- 8918

8920

10704

7xG9, max 10W only LED


solid brass, painted steel

- 8921


7xG9, max 10W only LED



LASER 490 10704



LASER 1000 7668



LASER 1000

Painted steel

7667

7xG9, max 10W only LED

Solid brass, painted steel

7668

7xG9, max 10W only LED



LASER 750

Painted steel


10907 10908 10910

10911 10912

1xG9, max 10W only LED



LASER 750 10910



LASER 900

Painted steel

10913 10914 10915

10916 10917

1xG9, max 10W only LED

LASER 900 10917



LASER 1100

Painted steel

10918 10920 10921


10922 10923

1xG9, max 10W only LED

LASER 1100 10922



LASER WALL XL 10828



LASER WALL XL

painted steel


- 10826 10827 10830
10831 10832

2xG9, max 10W only LED

solid brass, painted steel

- 10828

2xG9, max 10W only LED



LASER WALL

painted steel

- 8048 8047 10562
10563 10564

2xG9, max 10W only LED

solid brass, painted steel

- 8308

2xG9, max 10W only LED



LASER WALL 10562


LASER WALL 10563

LASER WALL 10564





STALACTITE 9054



STALACTITE

■ painted steel

■ 8355

■ 13xG9, max 10W only LED


■ solid brass, painted steel

■ 9054

■ 13xG9, max 10W only LED



STALACTITE 8352



STALACTITE

■ painted steel, flexible stem

■ 8351

■ 1xG9, max 10W only LED


■ solid brass, painted steel, flexible stem

■ 8352

■ 1xG9, max 10W only LED



STALACTITE 9055



STALACTITE

■ painted steel, flexible stem

■ 8353

■ 2xG9, max 10W only LED

■ solid brass, painted steel, flexible stem

■ 9055

■ 2xG9, max 10W only LED



LASER WALL XL 10826

FOURTY WALL XL 10893


FOURTY WALL XL 10892

FOURTY XL 10899





FOURTY S 10734

FOURTY M 10821



FOURTY L 10895



FOURTY XL 10825




FOURTY M 10770





FOURTY WALL S 10746



FOURTY WALL S

painting steel

10746 10747

10888 10889

1xGU10 R35, max 10W only LED


solid brass, painting steel

10748

1xGU10 R35, max 10W only LED



FOURTY WALL M 10891



FOURTY WALL M

painting steel

10752 10753


10890 10891

2xGU10 R35, max 10W only LED

solid brass, painting steel

10754

2xGU10 R35, max 10W only LED



FOURTY WALL XL

painting steel

10758 10759

10892 10893

2xGU10 R35, max 10W only LED


solid brass, painting steel

10760

2xGU10 R35, max 10W only LED

FOURTY WALL XL 10759






EYE M 5397

EYE L 6841

EYE L 8800



EYE M

painting steel

5397 6840


5398

1xGU10, max 10W only LED

solid brass, painting steel

8914

1xGU10, max 10W only LED



EYE L

painting steel

5455 6841

5456

1xGU10, max 10W only LED


solid brass, painting steel

8800

1xGU10, max 10W only LED



EYE 7863



EYE

painting steel

6481 7862

3xGU10, max 10W only LED


solid brass, painting steel

7863

3xGU10, max 10W only LED



EYE L 8917



EYE L

8916
 8917

- 8916
 8917
- 3xGU10, max 10W only LED
 3xGU10, max 10W only LED

solid brass, painted steel

- 8915
 3xGU10, max 10W only LED



EYE L 8916



EYE L 8915




EYE L 6838



EYE M 5463



EYE S 5256



EYE S

painting steel

5255 6836


5256

1xGU10, max 10W only LED

solid brass

8911

1xGU10, max 10W only LED



EYE M

painting steel


5463 6837

1xGU10, max 10W only LED

solid brass

8912

1xGU10, max 10W only LED



EYE L

painting steel

5471 6838

1xGU10, max 10W only LED


solid brass

8913

1xGU10, max 10W only LED



EYE WALL 8072



EYE WALL

painting steel

8073 8072

2xGU10, max 10W only LED


solid brass, painting steel

8074

2xGU10, max 10W only LED



EYE WALL CUT 7995



EYE WALL CUT

painting steel

7993 7994

2xGU10, max 10W only LED


solid brass, painting steel

7995

2xGU10, max 10W only LED




EYE FLEX 8935



EYE FLEX

painted steel, flexible stem

- 8934 8935
- 1xGU10, max 10W only LED




EYE

painted steel

- 5654 5655 6842
- 1xGU10, max 10W only LED



EYE 6842




EYE FLEX S

painted steel, flexible stem

- 9070 9068
- 1xGU10, max 10W only LED
- solid brass, flexible stem, painted steel
- 9067
- 1xGU10, max 10W only LED



EYE FLEX S 9067




EYE SUPER

painting steel

6493 6506


1xGU10, max 10W only LED



EYE SUPER 6506



EYE SUPER B 6490




EYE SUPER A

painting steel

6488 6502

1xGU10, max 10W only LED



EYE SUPER B


painting steel

6490 6503

1xGU10, max 10W only LED



EYE SUPER 6501





EYE SUPER

painting steel, chrome

6487 6501

1xGU10, max 10W only LED

EYE SUPER 6491






EYE SUPER
painted steel, chrome

6491 6504

3xGU10, max 10W only LED

EYE SUPER 6505




EYE SUPER
painted steel, chrome

6492 6505

6xGU10, max 10W only LED



SLING IV 10354




SLING V 10355



SLING IV
glass, painted steel

10354

4xG9, max 12W only LED



SLING V
glass, painted steel

10355

5xG9, max 12W only LED


BLACK P013 RAL 9005 WHITE



MORE EYE 7825



MORE TONE 7817



MORE EYE

painting steel


7824 7822

4xGU10, max 10W only LED

solid brass, painting steel

7610

4xGU10, max 10W only LED



MORE EYE

painting steel


7826 7825

5xGU10, max 10W only LED

solid brass, painting steel

7608

5xGU10, max 10W only LED




MORE TONE

painting steel, plastic ABS

7816 7814

4xGU10, max 10W only LED




MORE TONE


painting steel, plastic ABS

7821 7817

5xGU10, max 10W only LED



IMBRIA 7956




IMBRIA
painted steel, braided cable

9192
4xGU10, max 10W only LED

solid brass, braided cable, painted steel

7957
4xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

9675
6xGU10, max 10W only LED

solid brass, braided cable, painted steel

7955
6xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

9677
6xGU10, max 10W only LED

solid brass, braided cable, painted steel

7956
6xGU10, max 10W only LED



IMBRIA
painted steel, braided cable

9680
10xGU10, max 10W only LED

solid brass, braided cable, painted steel

7954
10xGU10, max 10W only LED



BATON 7851

BATON 7852




BATON
painted steel

7852
1xE27, max 10W only LED

solid brass, painted steel

7851
1xE27, max 10W only LED



BATON
painted steel

7856
3xE27, max 10W only LED


solid brass, painted steel

7855
3xE27, max 10W only LED



BATON 7856


KARO 10304



KARO
painted steel, glass

10304


• 3xG9, max 12W only LED



KARO
painted steel, glass

10305

• 1xG9, max 12W only LED




KARO
painted steel, glass

10303

• 5xG9, max 12W only LED

KARO 10934



KARO
painted steel, glass

10934


• 8xG9, max 12W only LED



KIER L 10308




KIER M 10307




KIER M
painted steel, glass

- 10307 10306
- 1xG9, max 12W only LED



KIER S
painted steel, glass

- 10302 10623
- 1xG9, max 12W




KIER L
painted steel, glass

- 10310 10308
- 1xG9, max 12W only LED




PIK 10301




PIK
painted aluminum, glass

- 10299
- 1xG9, max 12W only LED



PIK
painted aluminum, glass

- 10300
- 2xG9, max 12W only LED



PIK
painted aluminum, glass


- 10301
- 3xG9, max 12W only LED



SPHERE XL 7846


SPHERE L 7850

SPHERE M 7848




SPHERE S
glass, painted steel

- 7847
- 1xG9, max 10W LED




SPHERE M
glass, painted steel

- 7848
- 1xE27, max 25W only LED



SPHERE L
glass, painted steel

- 7850
- 1xE27, max 25W only LED




SPHERE XL
glass, painted steel

- 7846
- 1xE27, max 25W only LED



SPHERE 7788




SPHERE
glass, painted steel

- 7788
- 3xE27, max 25W only LED



PEAR S 8673



PEAR S

glass, brass-plated steel, painted steel

8673

1xE27, max 25W only LED


glass, painted steel

7800

1xE27, max 25W only LED



PEAR M 8672



PEAR M

glass, brass-plated steel, painted steel

8672

1xE27, max 25W only LED


glass, painted steel

7798

1xE27, max 25W only LED



PEAR L 8671



PEAR L

glass, brass-plated steel, painted steel

8671

1xE27, max 25W only LED


glass, painted steel

7797

1xE27, max 25W only LED



PEAR 7794



PEAR

glass, brass-plated steel, painted steel

7794

3xE27, max 25W only LED



CYLINDER L 7864

CYLINDER M 7865

CYLINDER S 7866



CYLINDER S

glass, painted steel

7866

1xGU10, max 10W only LED

glass, solid brass, painted steel

7870

1xGU10, max 10W only LED

CYLINDER M

glass, painted steel

7865

1xGU10, max 10W only LED

glass, solid brass, painted steel

7868

1xGU10, max 10W only LED

CYLINDER L

glass, painted steel

7864

1xGU10, max 10W only LED


glass, solid brass, painted steel

7867


1xGU10, max 10W only LED



CYLINDER M 7865



MONACO 9363




MONACO

glass, braided cable, painted steel

9363

2xE27, max 25W only LED



MONACO


glass, braided cable, painted steel

9364

1xE27, max 25W only LED



MONACO 9364




MONACO

glass, painted steel

9362

2xE27, max 25W only LED




CRANE

glass, painted steel, solid brass

9374

1xE27, max 25W only LED




MONACO

painted steel, glass

8794

1xE27, max 25W only LED



MONACO

glass, painted steel

9308

1xE27, max 25W only LED



MONACO 9308




VETRO 7641



VETRO 7642




VETRO 9131



VETRO
glass, painted steel

■ 7641


● 3xE27, max 25W only LED



VETRO
glass, painted steel

■ 7642


● 5xE27, max 25W only LED



VETRO
glass, painted steel

■ 9132

● 1xE27, max 25W only LED



VETRO
glass, painted steel

■ 9131

● 7xE27, max 25W only LED




AMALFI M 9153



AMALFI 9155



AMALFI 9154



AMALFI

metallized glass, steel, solid brass

9154 9155


1xE27, max 25W only LED



AMALFI M 9152



AMALFI L 8381




AMALFI M

metallized glass, steel, solid brass

9152 9153

1xE27, max 25W only LED



AMALFI L

metallized glass, steel, solid brass

8380 8381

1xE27, max 25W only LED

GOLD SILVER BLACK



POLARIS 9060

POLARIS

metallized glass, painted steel

9060

1xE27, max 25W only LED




POLARIS 9057



POLARIS 9058



POLARIS 9056



POLARIS

metallized glass, painted steel

9056

9057

9058

1xE27, max 25W only LED

SMOKED GOLD COPPER CHROME BLACK P013 RAL 9005




POLARIS 9056



GLOBE PLUS S 7605


GLOBE PLUS 7607

GLOBE PLUS M 7606




GLOBE PLUS M
metallized glass, painted steel

- 7606
- 1xE27, max 25W only LED



GLOBE PLUS S
metallized glass, painted steel

- 7605
- 1xE27, max 25W only LED




GLOBE PLUS
metallized glass, painted steel

- 7607
- 3xE27, max 25W only LED




SALVA C 5424



SALVA C
glass, stainless steel


- 5424
- 3xGU10, max 10W only LED

SALVA G 6845



SALVA G
glass, stainless steel

- 6845
- 4xE27, max 25W only LED



SALVA E
glass, stainless steel


- 5428
- 5xGU10, max 10W only LED



NUNTUCET 8150



NUNTUCET 8150




NUNTUCET
chrome plated steel, fabric

8150

6x E14, max 10W only LED



NUNTUCET 8151



NUNTUCET
chrome plated steel, fabric


8151

1x E14, max 10W only LED

CHROME WHITE



NEWPORT 8156




NEWPORT

glass, fabric, chrome plated steel

8157

1xE14, max 10W only LED



NEWPORT

glass, fabric, chrome plated steel

8156


6xE14, max 10W only LED



NEWPORT 8156




BOSTON 8153



BOSTON
chrome plated steel, glass

- CHROME
- TRANSPARENT
- 8153
- 1xE14, max 10W only LED


BOSTON 8152



BOSTON
chrome plated steel, glass


- CHROME
- TRANSPARENT
- 8152
- 4xE14, max 10W only LED

HAMPTON 8154



HAMPTON
chrome plated steel, glass

- CHROME
- TRANSPARENT
- 8154
- 6xE14, max 10W only LED




HAMPTON
chrome plated steel, glass

- CHROME
- TRANSPARENT
- 8155
- 2xE14, max 10W only LED




CRISTAL M 7616



CRISTAL M
crystal, painted steel

7628 7627


9xE14, max 25W only LED



CRISTAL
crystal, painted steel

7632 7633


2xE14, max 25W only LED



CRISTAL M
crystal, painted steel

7617 7616


9xE14, max 25W only LED



CRISTAL L
crystal, painted steel

7631 7630

12xE14, max 25W only LED



CRISTAL L
crystal, painted steel

7615 7614

12xE14, max 25W only LED



CRISTAL L 7631



TURDA 8802



TURDA 8802





TURDA 8952




TURDA 8958



TURDA 8955




TURDA 8802




TURDA
fabric, plastic, painted steel

- 8945
- 3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8952
- 3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8958
- 7xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8950
- 3xE27, max 15W only LED



TURDA
fabric, plastic, painted steel

- 8955
- 4xE27, max 15W only LED



TURDA
fabric, plastic, painted steel

- 8802
- 7xE27, max 15W only LED



TURDA 8946




TURDA 8947



LAGUNA 8962






LAGUNA 8954



TURDA
fabric, plastic, painted steel



8946


 3xE27, max 15W only LED



TURDA
fabric, plastic, painted steel



8947


 3xE27, max 15W only LED



TURDA
fabric, plastic, painted steel



8953


 3xE27, max 15W only LED



TURDA
fabric, plastic, painted steel



8960


 7xE27, max 15W only LED



LAGUNA
velvet, plastic, painted steel



8954


 3xE27, max 15W only LED



LAGUNA
velvet, plastic, painted steel



8957

 4xE27, max 15W only LED



LAGUNA
velvet, plastic, painted steel

8962


 9xE27, max 15W only LED




CROCO 8948



CROCO 8956



CROCO
velvet, plastic, painted steel
8948
3xE27, max 15W only LED



CROCO
velvet, plastic, painted steel
8956
4xE27, max 15W only LED




MIST 8944



MIST 8943




MIST 8942

**MIST**

fabric, plastic, painted steel

8944


3xE27, max 15W only LED

**MIST**

fabric, plastic, painted steel

8943

7xE27, max 15W only LED

**MIST**

fabric, plastic, painted steel

8942


3xE27, max 15W only LED



FORM L 9672




FORM M 9673

**FORM L**

fabric, painted steel

9672

4xE27, max 25W only LED

**FORM M**

fabric, painted steel

9673

2xE27, max 25W only LED



CAMERON 9606




CAMERON 9685



CAMERON 9682




CAMERON 9683



CAMERON
fabric, plastic, painted steel

9605


2xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9685


1xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9684


3xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9606


4xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9682


4xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9683

3xE27, max 15W only LED



CAMERON
fabric, plastic, painted steel

9687

2xE27, max 15W only LED



VIVIANE 6772



VIVIANE 6773



VIOLET 7958




VIOLET 7960



VIOLET 7961



VIVIANE 6390




VIVIANE

fabric, glass, chrome

6772 6773 6774

3xE27, max 25W only LED




VIVIANE

fabric, glass, chrome

6391 6532 6390

3xE27, max 25W only LED



VIOLET

fabric, plastic, painted steel

7958 7960 7961


3xE27, max 25W only LED



FALCON 7950



HAWK 8843




FALCON

fabric, plastic, painted steel

7951 7948 7950

6xE27, max 25W only LED




HAWK

fabric, glass, painted steel

8843 6541

6xE27, max 25W only LED




VIPER

fabric, painted steel

6640 6641

1xE27, max 25W only LED








VIPER

fabric, painted steel, chrome

6512 6513

1xE14, max 10W only LED





ALICE

fabric, painted steel

9084

1xE27, max 10W only LED

ALICE

fabric, painted steel

9091

1xE27, max 10W only LED

ALICE L

fabric, painted steel

4961

1xE27, max 25W only LED


ALICE M

fabric, painted steel

4962

2xE27, max 25W only LED

ALICE 9091




ALICE L

painted steel, fabric

4963

1xE27, max 25W only LED




ALICE M

fabric, painted steel

3458

1xE27, max 25W only LED




ALICE L

fabric, painted steel

3466

1xE27, max 25W only LED




ALICE XS

fabric, painted steel

5663

1xE27, max 10W only LED



ALICE L

painted steel, fabric

3464

1xE27, max 25W only LED


3457



ALICE L 3466




ALICE M 6817



ALICE M

fabric, painted steel


- 6817
- 1xE27, max 25W only LED



ALICE L

painted steel, fabric


- 6818 5386
- 1xE27, max 25W only LED



ALICE XS

fabric, painted steel


- 9090
- 1xE27, max 10W only LED



ALICE XS

fabric, painted steel


- 6812 5723
- 1xE27, max 10W only LED



ALICE M

fabric, painted steel

- 5383
- 1xE27, max 25W only LED



ALICE L

fabric, painted steel


- 6816
- 1xE27, max 25W only LED



ALICE L 6816



HOTEL 9303




HOTEL
fabric, chrome plated steel

9303 8980

1xE14, max 10W only LED




HOTEL 9301



HOTEL
fabric, chrome plated steel

8981 9300


1xE27, max 25W only LED



HOTEL
fabric, chrome plated steel

9298

1xE27, max 25W only LED




HOTEL
chrome plated steel, fabric

8982 9301

1xE27, max 10W only LED



HOTEL LED 9302




HOTEL LED
fabric, chrome plated steel

6800 9302

1xE27, 25W only LED, 1x2.2W



HOTEL 9218




HOTEL
fabric, chrome plated steel

4730 9218

1xE27, max 25W only LED



HOTEL 9304



HOTEL
fabric, chrome plated steel


4731 9304

2xE27, max 25W only LED



HOTEL PLUS 9073

HOTEL PLUS 9072



HOTEL PLUS
fabric, painted steel, flexible stem

9073 9071

1xE27, max 25W only LED, 1xG9, max 10W only LED


HOTEL PLUS
fabric, painted steel, flexible stem

9074 9072

1xE27, max 25W only LED, 1xG9, max 10W only LED




FLEX 9766



FLEX
flexible stem, painted steel

9766

5xE27, max 25W only LED



FLEX
flexible stem, painted steel

9768

1xE27, max 25W only LED



MOSS 9736




MOSS 9737



FLEX SHADE 9764



FLEX SHADE 9758




MOSS

fabric, plywood, painted steel

9736

3xE27, max 25W only LED




MOSS

fabric, painted steel

9737

3xE27, max 25W only LED



FLEX SHADE

fabric, flexible stem, painted steel

9764

9758

1xE27, max 25W only LED



CHILLIN 8216



CHILLIN 8215



CHILLIN 8201



CHILLIN 8200



CHILLIN 8214



CHILLIN 8213



CHILLIN 8197

CHILLIN

fabric, painted steel, flexible stem

8216 8215

1xE27, max 10W only LED, 1xG9, max 10W only LED

fabric, painted steel, solid brass, flexible stem



8213

1xE27, max 10W only LED, 1xG9, max 10W only LED

velvet, painted steel, solid brass, flexible stem

8214

1xE27, max 10W only LED, 1xG9, max 10W only LED





CHILLIN

fabric, painted steel


8201 8200 8197

1xE27, max 10W only LED



PETIT C
fabric, painted steel

8335




PETIT A
fabric, painted steel

8333 8337 8343

velvet, painted steel

8340 8344 8334

CADILAC 7988



CADILAC 7990




CADILAC 8190




CADILAC 7992



CADILAC 7991



CADILAC 8191




CADILAC

fabric, painted steel, plastic

7988 7990 8190

3xE27, max 25W only LED



CADILAC


fabric, painted steel

7992 7991 8191

1xE27, max 25W only LED



TRIFLE 7761




TRIFLE

fabric, painted aluminum


7758 7761

1xG9, max 10W only LED

WHITE T005 BLACK P013 RAL 9005 WHITE P004 RAL 9003 BLACK T011



ZELDA 6010



ZELDA

fabric, painted steel

6010

1xE27, max 25W only LED

GRAY T022 BLACK P013 RAL 9005




SUNSET B 7655

SUNSET A 7653

SUNSET C 7654



SUNSET C 7654



SUNSET C

plywood, painted steel

7654


2xGX53, max 12W only LED

SUNSET NATURAL B

plywood, painted steel

10577


2xGX53, max 12W only LED



SUNSET NATURAL B 10577



SUNSET B 7655



SUNSET B

plywood, painted steel

7655


2xGX53, max 12W only LED

SUNSET NATURAL C

plywood, painted steel

10578


2xGX53, max 12W only LED



SUNSET NATURAL C 10578



SUNSET A 7653



SUNSET A

plywood, painted steel

7653


2xGX53, max 12W only LED

SUNSET NATURAL A

plywood, painted steel

10576


2xGX53, max 12W only LED



SUNSET NATURAL A 10576



SUNRISE LED 7652



SUNRISE LED

plywood, painted steel

7652




Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7652	14W LED	3000K	340 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h

 DARK WOOD  BLACK P013 RAL 9005



SUN LED 7651




SUN LED

plywood, painted steel

7651



SUNSET 7647



SUNSET

plywood, painted steel

7647



2xGX53, max 12W only LED

Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7651	15W LED	3000K	610 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h


 DARK WOOD  BLACK P013 RAL 9005  GOLD



WHEEL 9028



WHEEL 9028




WHEEL
plywood, painted steel

- 9028 9033
- 1xE27, max 10W only LED



WHEEL 9032




WHEEL
plywood, painted steel

- 9032
- 1xG9, max 10W only LED



WHEEL LUX 8427




WHEEL LUX
plywood, painted steel

- 8427 8428
- 2xG9, max 10W only LED




WHEEL LUX 8430



WHEEL LUX
plywood, painted steel

- 8430
- 1xG9, max 10W only LED

WHEEL LUX 7646




WHEEL LUX
plywood, plywood, steel

- 7646
- 2xGX53, max 12W only LED



HEFT 10356



HEFT

■ painted steel, ■ plywood

■ 10356

● 💡 2xGX53, max 12W only LED


■ BLACK P013 RAL 9005
 ■ DARK WOOD



HEFT 10356




DISK 7644



DISK
painted steel, plywood

- 7644
- 3xGX53, max 12W only LED




DISK
painted steel, plywood

- 7645
- 1xGX53, max 12W only LED




MINIMAL 9375



MINIMAL
wood, painted steel, solid brass

- 9375
- 2xE27, max 25W only LED




MINIMAL
wood, painted steel

- 9377
- 1xG9, max 10W only LED




OSLO LED 7522



OSLO 30
wood, painted steel

- 9700
- 1xE14, max 15W only LED




OSLO LED 90
wood, painted steel

- 7522
- 7520
- 1xLED TUBE T8, max 16W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS



AWINION 9718



AWINION


fabric, plywood, painted steel

9718

1xE27, max 10W only LED



AWINION 9717



AWINION


fabric, plywood, painted steel

9717

3xE27, max 10W only LED



AWINION 9716




AWINION

fabric, plywood, painted steel

9716

4xE27, max 10W only LED



COBA ANTIQUE


plywood, painted steel

9042

1xE27, max 25W only LED



COBA ANTIQUE 9042



COBA ANTIQUE


plywood, painted steel

9043

3xE27, max 25W only LED



COBA ANTIQUE 9043



COBA ANTIQUE

plywood, painted steel


9044

4xE27, max 25W only LED



COBA ANTIQUE 9044

KYMI A 10573



KYMI C


plywood, painted steel, braided cable

10572 10575

1xE27, max 25W only LED



KYMI B 10571




KYMI A

plywood, painted steel, braided cable

10570 10573

1xE27, max 25W only LED



KYMI B

plywood, painted steel, braided cable

10571 10574

1xE27, max 25W only LED

NATURAL WOOD BLACK P013 RAL 9005 WHITE P004 RAL 9003






IKA A 4171



IKA D 4174




BIO 6333




IKA A
plywood, painted steel

- 4171
- 1xE27, max 25W only LED




IKA D
plywood, painted steel

- 4174
- 1xE27, max 25W only LED



BIO
plywood


- 6333
- 1xGU10, max 10W only LED
- plywood
- 9847
- 1xE27, max 25W only LED



ACROSS
plywood, fabric, braided cable

- 6927
- 1xE27, max 25W only LED

ACROSS 6927






DOVER 9263



DOVER 9263




DOVER

plywood, braided cable, painted steel

9264



1xGU10, max 10W only LED



DOVER

plywood, braided cable, painted steel


9263



2xGU10, max 10W only LED



DOVER 9260




DOVER

plywood, painted steel

9261 9266



1xGU10, max 10W only LED



DOVER

plywood, painted steel

9260




2xGU10, max 10W only LED



ORBIT 7805



ORBIT 7946



ORBIT


painting steel

7941 7945

4xGX53, max 12W only LED



ORBIT 7946



ORBIT


painting steel

7942 7946

6xGX53, max 12W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005

ORBIT 7938



ORBIT

painting steel



7938 7943

2xGX53, max 12W only LED

ORBIT 7805



ORBIT 7806



ORBIT

painting steel

7802 7805


1xGX53, max 12W only LED

ORBIT

painting steel

7803 7806

1xGX53, max 12W only LED




ORBIT

painting steel

7801 7804

2xGX53, max 12W only LED



ORBIT

painting steel

10637 10638


2xGX53, max 12W only LED

ORBIT 10638

ORBIT 10638


ORBIT 7806

ORBIT 7805





PILLS 8265




PILLS

painting aluminum, painted steel

8271 8265

1xGX53, max 12W only LED

PILLS 8263



PILLS


painting aluminum, painted steel

8268 8263

3xGX53, max 12W only LED



PILLS 8266




PILLS

painting aluminum, painted steel


8272 8266

1xGX53, max 12W only LED

PILLS 8262



PILLS 8264



PILLS

painting aluminum, painted steel

8270 8264

2xGX53, max 12W only LED

PILLS


painting aluminum, painted steel

8267 8262

5xGX53, max 12W only LED



RADIUS 7762




RADIUS

painted steel

7762

1xE27, max 25W only LED




RADIUS

painted steel

7931

4xE27, max 25W only LED



RADIUS

painted steel

7932


6xE27, max 25W only LED



RADIUS 7932



ROTOR 7936




ROTOR

painting steel

7936

4xE27, max 25W only LED



ROTOR


painting steel

7933

2xE27, max 25W only LED



ROTOR 7935




ROTOR

painting steel

7935

4xE27, max 25W only LED




ROTOR


painting steel

7937

6xE27, max 25W only LED



STICKS 6268




STICKS

■ painted steel

■ 6267

● 2xE27, max 25W only LED




STICKS

■ painted steel

■ 6268

● 3xE27, max 25W only LED



STICKS


■ painted steel

■ 6270

● 5xE27, max 25W only LED



AXIS 9297



AXIS


■ painted steel

■ 9297

● 6xE27, max 25W only LED




ROD 9733



ROD
painted steel

■ 9733

● 15xE27, max 25W only LED



ROD
painted steel

■ 9734


● 9xE27, max 25W only LED



ROD 9734



PILE 9127



PILE
painted steel, steel


- 9127
- 5xE27, max 25W only LED



MILL 9135




MILL 9136



MILL
painted steel, brass-plated steel




- 9135
- 8xE27, max 25W only LED



MILL
painted steel, brass-plated steel

- 9136
- 3xE27, max 25W only LED

MANUFACTURE 9740



MANUFACTURE
painted steel, copper-clad steel

9742

1xE27, max 25W only LED

MANUFACTURE
painted steel, copper-clad steel

9741

1xE27, max 25W only LED


MANUFACTURE
painted steel, copper-clad steel

9740

3xE27, max 25W only LED

BLACK P013 RAL 9005 COPPER

MANUFACTURE 9742



MANUFACTURE
painted steel, copper-clad steel

9738

5xE27, max 25W only LED

BLACK P013 RAL 9005 COPPER




WORKSHOP B 6336

WORKSHOP A 6337



WORKSHOP C 6335




WORKSHOP A

painting steel, copper-clad steel

6337

1xE27, max 25W only LED




WORKSHOP B

painting steel, copper-clad steel

6336

1xE27, max 25W only LED




WORKSHOP

painting steel, copper-clad steel

6605

1xE27, max 25W only LED



WORKSHOP C

painting steel, copper-clad steel

6335

1xE27, max 25W only LED



SILICONE

silicone, painting steel

6404 6403

1xE27, max 25W only LED



SILICONE 6404



SILICONE 6403




SPIDER 6785



TWIG 9138


X+Y=max 300 cm



SPIDER
braided cable, painted steel

- 9745 6792
- 1xE27, max 25W only LED


X+Y=max 300 cm



SPIDER
braided cable, painted steel


- 9744 6788
- 5xE27, max 25W only LED

X+Y=max 300 cm




SPIDER
braided cable, painted steel

- 9743 6785
- 7xE27, max 25W only LED




TWIG
painted steel

- 9141
- 2xE27, max 25W only LED



TWIG
painted steel

- 9138
- 6xE27, max 25W only LED



TWIG
painted steel


- 9140
- 4xE27, max 25W only LED




GEOMETRIC 9695




SHY 9391




SHY
concrete, painted steel
9391
1xGU10, max 10W only LED




GEOMETRIC
concrete, painted steel
9695
3xGU10, max 10W only LED



GEOMETRIC
concrete, painted steel
9696
1xGU10, max 10W only LED



VOLCANO L
concrete, painted steel, chrome
6852
1xE27, max 25W only LED




LAVA
concrete, painted steel, chrome
6855
1xE27, max 25W only LED

LAVA 6855





GIPSY L 2208



GIPSY L


gypsum, glass

2208

2xE27, max 15W only LED



GIPSY M 2207



GIPSY M


gypsum, glass

2207

2xE27, max 15W only LED



GIPSY S 2206



GIPSY S


gypsum, glass

2206

1xE27, max 15W only LED



GIPSY L 2411



GIPSY L


gypsum, glass

2411

2xE27, max 15W only LED



GIPSY S 2410



GIPSY S

gypsum, glass

2410


1xE27, max 15W only LED



SOLID 9721




SOLID 9721



SOLID
concrete, glass

9721


2xE27, max 25W only LED



SHY M
concrete

9393

1xGU10, max 15W only LED



SHY S
concrete


9390

1xGU10, max 10W only LED



SHY M 9393


SHY S 9390



BOLD S
concrete

9388

1xGU10, max 10W only LED



BOLD M
concrete

9392

1xGU10 ES111, max 15W only LED



BOLD S 9388

BOLD M 9392




CRATE 9046



CRATE 9045




CRATE 9047



CRATE
painted steel

■ 9046


● 1xE27, max 25W only LED



CRATE
painted steel

■ 9045

● 1xE27, max 25W only LED



CRATE
painted steel

■ 9047


● 5xE27, max 25W only LED



CRATE 9047




PLANT 9381



PLANT 9381

PLANT 9382



PLANT

painted steel, steel

9382 9381

4xGU10, max 10W only LED

BLACK P013 RAL 9005 WHITE P004 RAL 9003




HERMANOS A 8103

HERMANOS B 8100



HERMANOS C 8192



HERMANOS C

paint^{ed} steel, solid brass

8037 8194

1xGU10, max 10W only LED


paint^{ed} steel

8192

1xGU10, max 10W only LED



HERMANOS B 8102



HERMANOS B

paint^{ed} steel, solid brass

8038 8100

1xGU10, max 10W only LED


paint^{ed} steel

8102

1xGU10, max 10W only LED



HERMANOS A 8105



HERMANOS A

paint^{ed} steel, solid brass

8040 8103

1xGU10, max 10W only LED

paint^{ed} steel

8105

1xGU10, max 10W only LED

HERMANOS

paint^{ed} steel, solid brass


8031 8030

3xGU10, max 10W only LED

paint^{ed} steel

10905


3xGU10, max 10W only LED



HERMANOS 8031



HERMANOS 8032



HERMANOS

paint^{ed} steel, solid brass


8033 8032

5xGU10, max 10W only LED

paint^{ed} steel

10906

5xGU10, max 10W only LED



ZENITH L

painted steel, solid brass

- 8005

8006

8007
- 1xGU10, max 10W only LED


1xGU10 ES111, max 20W only LED

painted steel

- 10872

10873
- 1xGU10, max 10W only LED

1xGU10 ES111, max 20W only LED



ZENITH M

painted steel, solid brass

- 8001

8002

8003
- 1xGU10, max 10W only LED

1xGU10 ES111, max 20W only LED

painted steel

- 10878

10879
- 1xGU10, max 10W only LED

1xGU10 ES111, max 20W only LED



ZENITH S

painted steel, solid brass

- 7996

7997

7998
- 1xGU10, max 10W only LED

1xGU10 ES111, max 20W only LED

painted steel

- 10880


10881
- 1xGU10, max 10W only LED

1xGU10 ES111, max 20W only LED





PERM 9146




PERM

9147

9147

2xE27, max 25W only LED





PERM

9146

9146

3xE27, max 25W only LED





TECHNO
painted steel

- 9145
- 1xE27, max 25W only LED

TECHNO
painted steel

- 9144
- 1xE27, max 25W only LED



TECHNO
painted steel





- 9143
- 2xE27, max 25W only LED

TECHNO
painted steel

- 9142
- 3xE27, max 25W only LED



PANTOGRAPH 9126



PANTOGRAPH painted steel

9126

1xE27, max 25W only LED




BLACK P013 RAL 9005 WHITE P001 RAL 9003



CRAFT 9150




CRAFT 9151



CRAFT painted steel

9151

1xE27, max 25W only LED



CRAFT painted steel


9150

3xE27, max 25W only LED

BLACK P013 RAL 9005 WHITE P001 RAL 9003



HARMONY 9890



HARMONY
painted steel, chrome


6868 9890

1xE27, max 25W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005



HIGH-BAY 5067



HIGH-BAY
painted steel

5067

1xE27, max 25W only LED


BLACK P013 RAL 9005 WHITE P001 RAL 9003



GARRET 6444




GARRET 9247



GARRET
painted steel

9247


1xE27, max 25W only LED



GARRET
painted steel

6442


1xE27, max 25W only LED



GARRET M
painted steel

6444

1xE27, max 25W only LED




GARRET S
painted steel

6443

1xE27, max 25W only LED




HEMISPHERE RUST L 6368



HEMISPHERE RUST S
painted steel

6367

1xE27, max 25W only LED




HEMISPHERE RUST L
painted steel

6368

1xE27, max 25W only LED



HEMISPHERE RUST L 6368



WORKS

painting steel


6612 6613 6510

1xE27, max 25W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 CONCRETE



HEMISPHERE HIT S 10702




HEMISPHERE HIT S

painting steel

10702

1xE27, max 25W only LED



HEMISPHERE HIT L

painting steel

10703

1xE27, max 25W only LED


BLACK P013 RAL 9005 SATINE GOLD P023

HEMISPHERE SUPER L
10296







CANDY 10293




CANDY 10294



HEMISPHERE SUPER L
10297



HEMISPHERE SUPER S
10616




CANDY

painting steel

10293 10294 10295

10335 10334

1xGU10, max 10W only LED




HEMISPHERE SUPER L

painting steel, braided cable

10296 10297 10298

4xGX53, max 12W only LED





HEMISPHERE SUPER S

painting steel, braided cable

10618 10617 10616

1xGX53, max 12W only LED




HEMISPHERE SUPER S

painting steel, braided cable

10698 10694 10701

1xGX53, max 12W only LED




HEMISPHERE SUPER L

painting steel, braided cable

10697 10693 10700

4xGX53, max 12W only LED




HEMISPHERE SUPER S

painting steel, braided cable

10695

1xGX53, max 12W only LED



HEMISPHERE SUPER L

painting steel, braided cable

10696

4xGX53, max 12W only LED

MONO 7708


EGG L 10320





CANOE 10322

CANOE 7927



CANOE

composite, painted steel, steel


7926 7927

10326 10322

5xE27, max 25W only LED



EGG L 10324



EGG M


composite, painted steel

10318 10323

1xE27, max 25W only LED



EGG XL 10321




EGG L

composite, painted steel, steel

10320 10324

5xE27, max 25W only LED



EGG XL


composite, painted steel, steel

10321 10325

7xE27, max 25W only LED



EGG L 9023



EGG M


composite, painted steel

9022 9021

1xE27, max 25W only LED



EGG XL 9026




EGG L

composite, painted steel, steel

9024 9023

5xE27, max 25W only LED



EGG XL

composite, painted steel, steel

9026 9025

7xE27, max 25W only LED

WHITE P003 RAL 9003 BLACK P014 RAL 9005 GOLD P018






WAVE S 8858



LUKSOR L 8847



LUKSOR L

painting steel

8847

1xE27, max 25W only LED

brass-plated steel, painting steel

8850

1xE27, max 25W only LED



WAVE S

painting steel

8858

1xE27, max 25W only LED

brass-plated steel, painting steel

8861


1xE27, max 25W only LED



WAVE S 8858



LUKSOR S 8851



LUKSOR S

painting steel


8851

1xE27, max 25W only LED

brass-plated steel, painting steel

8853

1xE27, max 25W only LED



WAVE L

brass-plated steel, painting steel

8857

1xE27, max 25W only LED



WAVE L 8857




ABI M 8866



ABI S 8870




ABI L 8864



ABI M
painted steel, fabric

■ 8866


● 1xE27, max 25W only LED



ABI S
painted steel, fabric

■ 8870

● 1xE27, max 25W only LED




ABI L
painted steel, fabric

■ 8864

● 1xE27, max 25W only LED



PICO 8862




PICO
painted steel, brass-plated steel

■ 8862

● 1xGU10, max 10W only LED




PICO 8863




PICO
painted steel, brass-plated steel

■ 8863

● 3xGU10, max 10W only LED



GSTAR 7795



GSTAR

■ painted steel

■ 7795

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8854

● 1xGU10, max 10W only LED



GSTAR 8285



GSTAR

■ painted steel

■ 7796

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8285

● 1xGU10, max 10W only LED



BULLET 9061



BULLET


■ painted steel

■ 9061

● 3xE27, max 25W only LED



KAREN 4607



KAREN

painting steel, fabric

4607

1xE27, max 25W only LED


NESS

painting steel

6767

6768


1xE27, max 25W only LED



NESS 6767



CAMILLA 4610



CAMILLA

painting steel, fabric

4611

4610


1xE27, max 25W only LED

CAGE

painting steel

6844

1xGU10, max 10W only LED



CAGE 6844




ALLAN

painting steel

6941

1xGU10, max 10W only LED




ALLAN 6941





UMBRELLA 8873



UMBRELLA

■ painted steel


■ 8873

● 1xE27, max 25W only LED

■ brass-plated steel, painted steel

■ 8874

● 1xE27, max 25W only LED




AVEIRO S

■ painted steel, fabric

■ 5411

● 1xE27, max 25W only LED



AVEIRO L

■ painted steel, fabric

■ 5126


● 1xE27, max 25W only LED



AVEIRO L 5126



MARGARET 6330




MARGARET
painted steel

6330

5xE14, max 10W only LED


WHITE P004 RAL 9003



ARES
painted steel

203

2xE14, max 10W only LED




ARES
painted steel

204

3xE14, max 10W only LED




ARES 206



ARES
painted steel

202


1xE14, max 10W only LED



ARES
painted steel

205

5xE14, max 10W only LED



ARES
painted steel

206


10xE14, max 10W only LED

BLACK WITH A GOLDEN PATINA


REMBRANT LED L 8167



REMBRANT LED M
8166







REMBRANT LED M
8167



GIOTTO LED S 8168



GIOTTO LED M 8170



REMBRANT LED M
brass plated steel

8166



REMBRANT LED L
brass plated steel

8167



GIOTTO LED S
brass plated steel

8168



GIOTTO LED M
brass plated steel

8170




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8166	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8167	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8168	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8170	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h





VAN GOGH LED S 10286



VAN GOGH LED S
painted aluminum, plastic PC

- 10289
- 10292
- 10286
-



VAN GOGH LED M
painted aluminum, plastic PC

- 10288
- 10291
- 10285
-


VAN GOGH LED L
painted aluminum, plastic PC

- 10287
- 10290
- 10284
-

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10289	9W LED	3000K	370 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10292	9W LED	3000K	430 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10286	9W LED	3000K	290 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10288	13W LED	3000K	490 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10291	13W LED	3000K	640 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10285	13W LED	3000K	430 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10287	18W LED	3000K	800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10290	18W LED	3000K	940 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10284	18W LED	3000K	650 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h





VAN GOGH LED S 10286




IMPULSE LED M
painted aluminum, plastic PC

8116



IMPULSE LED L
painted aluminum, plastic PC

8117



IMPULSE LED S
painted aluminum, plastic PC

8115



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8115	6W LED	3000K	200 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP23	30000h
8116	10W LED	3000K	350 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP23	30000h
8117	15W LED	3000K	500 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP23	30000h




STRAIGHT CEILING LED L 7551



STRAIGHT CEILING LED M 7558



STRAIGHT CEILING LED S 7597



STRAIGHT CEILING LED L


painted steel, plastic PMMA

7551

7556

7600

1xLED TUBE T8, max 22W, included



STRAIGHT CEILING LED M


painted steel, plastic PMMA

7553

7558

7598

1xLED TUBE T8, max 16W, included



STRAIGHT CEILING LED S

painted steel, plastic PMMA

7552

7557

7597

1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS

GRAPHITE

P010 RAL 7016

WHITE

P004 RAL 9003

BLACK

P013 RAL 9005






STRAIGHT WALL LED M 7561



STRAIGHT WALL LED S 7568




STRAIGHT WALL XS 7601



STRAIGHT WALL XS
painted steel, plastic PMMA

- 6345 6350 7601


1xE14, max 10W only LED



STRAIGHT WALL LED S
painted steel, plastic PMMA

- 7568 7562 7596


1xLED TUBE T8, max 11W, included



STRAIGHT WALL LED M
painted steel, plastic PMMA

- 7567 7561 7594

1xLED TUBE T8, max 16W, included



STRAIGHT WALL LED L
painted steel, plastic PMMA


- 7566 7560 7595

1xLED TUBE T8, max 22W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	≥0,5	30000h	CLEAR GLASS



ION LED M 8171




ION LED M
glass, chrome plated steel

8171



ION LED L 8172




ION LED L
glass, chrome plated steel

8172

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8171	12W LED	3000K	870 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8172	18W LED	3000K	1300 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

SOFT CEILING LED 60X6 7527




SOFT CEILING LED 60X6

Painted aluminum, plastic PMMA

7540 7527

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 60X20 7526




SOFT CEILING LED 60X20

Painted aluminum, plastic PMMA

7538 7526

2xLED TUBE T8, max 11W, included

SOFT WALL LED 60X6 7541




SOFT WALL LED 60X6

Painted aluminum, plastic PMMA

7541 7528

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 90X6 7533




SOFT CEILING LED 90X6

Painted aluminum, plastic PMMA

7546 7533

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 90X20 7531




SOFT CEILING LED 90X20

Painted aluminum, plastic PMMA

7542 7531

2xLED TUBE T8, max 16W, included

SOFT WALL LED 90X6 7534




SOFT WALL LED 90X6

Painted aluminum, plastic PMMA

7548 7534

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 120X6 7524




SOFT CEILING LED 120X6

Painted aluminum, plastic PMMA

7536 7524

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X60 7530



SOFT CEILING LED 60X60

Painted aluminum, plastic PMMA

7544 7530

5xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016


WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016



SOFT LED 90X6 7547



SOFT LED 90X6 7547



SOFT LED 90X6


painting aluminum, plastic PMMA

7547 7535

1xLED TUBE T8, max 16W, included



SOFT LED 120X6 7525



SOFT LED 120X6


painting aluminum, plastic PMMA

7537 7525

1xLED TUBE T8, max 22W, included



SOFT LED 90X20 7532



SOFT LED 90X20

painting aluminum, plastic PMMA

7545 7532


2xLED TUBE T8, max 16W, included



CL Q LED PRO 8254



H LED 10690




CL Q LED PRO
painted aluminum, plastic PMMA, painted steel

- 8253 3000K
- 8251 4000K
- 8254 3000K
- 8252 4000K



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index CRI)	Input	Safety type	Ingress protection	Lifetime
8253	31W LED	3000K	2911 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8251	31W LED	4000K	3035 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8254	31W LED	3000K	1866 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8252	31W LED	4000K	1975 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005



CL H LED PRO
painted aluminum, plastic PC

- 10523 3000K
- 10524 4000K
- 10690 3000K
- 10691 4000K



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index CRI)	Input	Safety type	Ingress protection	Lifetime
10523	29W LED	3000K	3500 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10524	29W LED	4000K	3600 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10690	29W LED	3000K	3000 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10691	29W LED	4000K	3100 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005



CL OFFICE LED PRO 120 10212





CL OFFICE LED PRO 150 10213



CL OFFICE LED PRO 120

painting aluminum, plastic PMMA

- 10211 3000K
- 10212 4000K
- 10208 3000K
- 10210 4000K



CL OFFICE PRO/HALL PRO SUSPENSION KIT


steel, painted steel

- 8291
- 8250

CL OFFICE PRO/HALL PRO POWER SUPPLY KIT

painting steel



- 8290
- 8288



CL OFFICE LED PRO 150

chrome plated aluminum, plastic PMMA

- 10215 3000K
- 10216 4000K
- 10213 3000K
- 10214 4000K



CL OFFICE PRO/HALL PRO SUSPENSION KIT


steel, painted steel

- 8291
- 8250

CL OFFICE PRO/HALL PRO POWER SUPPLY KIT

painting steel

- 8290
- 8288



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10211	31W LED	3000K	3760 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10212	31W LED	4000K	4160 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10208	31W LED	3000K	3490 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10210	31W LED	4000K	3610 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10215	40W LED	3000K	4820 lm	86 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10216	40W LED	4000K	5250 lm	86 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10213	40W LED	3000K	4540 lm	83 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10214	40W LED	4000K	4710 lm	83 °	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS





CL HALL LED PRO
10206




CL HALL LED PRO
painted aluminum, plastic PC

10207 4000K 10206 4000K



CL OFFICE PRO/
HALL PRO
SUSPENSION KIT
steel, painted steel

8291 8250




CL OFFICE PRO/
HALL PRO POWER
SUPPLY KIT
painted steel

8290 8288

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10207	40W LED	4000K	5540 lm	80°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10206	40W LED	4000K	5400 lm	80°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS

WHITE P004 RAL 9003 BLACK P013 RAL 9005



CL HALL PRO LED 10206



BERGEN 10455

MALMO 10457



HAGA 10456



BERGEN

aluminum


10455

2xGU10, max 10W only LED

painting steel

9706 9707

2xGU10, max 10W only LED



HAGA

aluminum


10456

2xG9, max 10W only LED

painting steel

9708 9710

2xG9, max 10W only LED



MALMO

aluminum

10457

2xGU10, max 10W only LED

painting steel

9704 9705

2xGU10, max 10W only LED



RING LED S 7634






RING LED S 7637



RING LED S 10317



RING LED S 10315



RING LED S
painted steel

7634 7637






RING LED M
painted steel

7635 7638



RING LED L
painted steel

7636 7640



RING LED S
painted steel

10315 10316 10317



RING LED M
painted steel

10352 10347 10350



RING LED L
painted steel

10353 10348 10351



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7634	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7637	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7635	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7638	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7636	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7640	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10315	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10316	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10317	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10347	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10350	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10352	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10348	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10351	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10353	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



RING WOOD LED M
10281

RING WOOD LED L
plywood, painted steel

10282



RING WOOD LED S
plywood, painted steel

10280



RING WOOD LED M
plywood, painted steel

10281



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10280	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10281	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10282	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



RING WOOD LED M
10281

RING WOOD LED S
10280




RING MIRROR LED L
10278



RING MIRROR LED M
10277




RING MIRROR LED S 10276




RING MIRROR LED S
glass, painted steel

10276



RING MIRROR LED L
glass, painted steel

10278



RING MIRROR LED M
glass, painted steel

10277



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10276	7W LED	3000K	30 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10277	10W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10278	13W LED	3000K	90 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



ORGANIC 8304




ORGANIC 8305



ORGANIC 8302




ORGANIC 8303



ORGANIC
painted steel

8304 8302

3xGX53, max 12W



ORGANIC
painted steel

8305 8303

1xGX53, max 12W

WHITE P004 RAL 9003 BLACK P013 RAL 9005



ORGANIC 8303

SATELLITE M 8017

SATELLITE S 8013






SATELLITE S SENSOR
8011



SATELLITE M 8018




SATELLITE S SENSOR

painted steel, plastic

8011 8010

3xE27, max 25W only LED




SATELLITE M

painted steel, plastic

8017 8016

8018 8020

7xE27, max 25W only LED



SATELLITE S

painted steel, plastic


8013 8012

8014 8015

3xE27, max 25W only LED



SATELLITE L 8021



SATELLITE L

painted steel, plastic


8022 8021

8023 8024

10xE27, max 25W only LED




LID ROUND LED 10408




LID ROUND LED 15W
plastic

- 104023000K104114000K
- 104063000K104154000K
-




LID ROUND LED 35W
plastic

- 104043000K104134000K
- 104083000K104174000K
-



LID ROUND LED 25W
plastic


- 104033000K104124000K
- 104073000K104164000K
-



LID ROUND LED 50W
plastic

- 104053000K104144000K
- 104103000K104184000K
-


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10402	15W LED	3000K	1500 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10411	15W LED	4000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10406	15W LED	3000K	1200 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10415	15W LED	4000K	1300 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10403	25W LED	3000K	1900 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10412	25W LED	4000K	2100 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10407	25W LED	3000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10416	25W LED	4000K	1800 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10404	35W LED	3000K	3100 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10413	35W LED	4000K	3400 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10408	35W LED	3000K	2700 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10417	35W LED	4000K	3000 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10405	50W LED	3000K	4600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10414	50W LED	4000K	5000 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10410	50W LED	3000K	4300 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10418	50W LED	4000K	4500 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h



LID SQUARE LED 15W

plastic


- 104203000K104284000K
- 104243000K104334000K



LID SQUARE LED 35W

plastic


- 104223000K104314000K
- 104263000K104354000K



LID SQUARE LED 25W

plastic

- 104213000K104304000K
- 104253000K104344000K



LID SQUARE LED 50W

plastic

- 104233000K104324000K
- 104273000K104364000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10420	15W LED	3000K	1500 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10428	15W LED	4000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10424	15W LED	3000K	1200 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10433	15W LED	4000K	1300 lm	120°	>80	~220-230 V, 50/60 Hz		>0.7	IP20	30000h
10421	25W LED	3000K	1900 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10430	25W LED	4000K	2100 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10425	25W LED	3000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10434	25W LED	4000K	1800 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10422	35W LED	3000K	3100 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10431	35W LED	4000K	3400 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10426	35W LED	3000K	2700 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10435	35W LED	4000K	3000 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10423	50W LED	3000K	4600 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10432	50W LED	4000K	5000 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10427	50W LED	3000K	4300 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10436	50W LED	4000K	4500 lm	120°	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h




LID SQUARE LED 10421



ARENA LED 10176



ARENA 10184




ARENA

painting steel, plastic PMMA

10184 10178

10182 10175

3x E14, max 10W only LED




ARENA SENSOR

painting steel, plastic PMMA

10186 10181 10177

3x E14, max 10W only LED



ARENA LED

painting steel, plastic PMMA

10185 10180

10183 10176



WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 SILVER P006 RAL 9006 BLACK P013 RAL 9005



ARENA LED 10176



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10185	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10180	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10183	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10176	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h



QUAD 10471



QUAD SENSOR 10472



QUAD

painted steel, plastic PMMA

- 10470

10471
- 4xGX53, max 15W only LED

QUAD SENSOR

painted steel, plastic PMMA

- 10472



10473
- 4xGX53, max 15W only LED



KASAI 9490



KASAI 7952



KASAI

glass, chrome plated steel

- 9490
- 2xE27, max 10W only LED

glass, brushed stainless steel

- 9491
- 2xE27, max 10W only LED

glass, painted steel

- 7952
- 2xE27, max 10W only LED

KASAI SENSOR

glass, chrome plated steel


- 8827
- 2xE27, max 10W only LED

glass, brushed stainless steel

- 8828
- 2xE27, max 10W only LED



WING LED 7543



WING LED
painted steel

7543 7550


1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005



TUBE 9317




TUBE
painted aluminum

9317 9320

2xGU10 ES111, max 15W only LED



CUBE 5266




CUBE
painted steel, glass

5266 5272

1xG9, max 10W only LED



LIA LED 6913



LIA LED
painted aluminum

6913




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6913	7W LED	3000K	460 lm	89 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	10000h

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

Sposoby montażu / Installation methods / Методы монтажа

1. Grawitacyjny w suficie kasetonowym 600x600 mm
1. Gravity mounting in coffered ceiling 600 mm x 600 mm
1. Встраиваемый монтаж в кассонный потолок 600x600 мм





2. Mocowanie za pomocą sprężyn w suficie podwieszanym
2. Spring mounting in suspended ceiling
2. Встраиваемый монтаж с фиксацией пружин к потолку



sprężyny w zestawie
springs included
Пружины в комплекте

cut out 570 mm

3. Zwieszenie na linkach stalowych
3. Suspended on steel wires
3. Подвеска на стальных тросах



CL ITAKA POWER SUPPLY KIT

plastic, painted aluminum, painted steel

8280



CL ITAKA LED 40W

plastic, zinc aluminum alloy

8460 3000K 8456 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8460	40W LED	3000K	4200 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0.9	IP20	50000h
8456	40W LED	4000K	4200 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0.9	IP20	50000h

NICKEL CHROME WHITE P004 RAL 9003





COSMO 4917



COSMO

brushed stainless steel, marble

3382

1xE27, max 25W only LED

chrome plated steel, marble

4917

1xE27, max 25W only LED

SILVER CHROME BLACK



COSMO 3382



STYLE LED 8404




150 cm

- Indukcyjne ładowanie smartphona (5V 1A)
- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiający ładowanie telefonu

- Wireless charger for smartphones (5V 1 A)
- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Индуктивная зарядка смартфона (5 В, 1 А)
- Возможность выбора температуры света в диапазоне 3000К - 6000К
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона.



STYLE LED
painted aluminum, plastic ABS

8404



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8404	10W LED	CCT CHANGE 3000-6000K	390 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	25000h

BLACK






SMART LED 8358



- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiające ładowanie telefonu

- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Возможность выбора температуры света в диапазоне 3000K - 6000K
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона



SMART LED

painted aluminum, plastic ABS

8358




CHIC LED 8357



- Włącznik dotykowy z funkcją ściemniania
- Temperatura barwowa światła 4000K

- Touch switch with dimming function
- Colour temperature 4000K

- Сенсорный переключатель с функцией затемнения
- Цветовая температура света 4000K



CHIC LED

painted aluminum, plastic ABS

8357



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8358	8W LED	CCT CHANGE 3000-6000K	400 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8357	7,5W LED	4000K	400 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	25000h


BLACK SILVER

BLACK SILVER



PLANE 6904

PLANE 6902




PLANE

plywood, flexible stem, painted steel

6904

3xGU10, max 10W only LED




PLANE

plywood, painted steel

6902

1xGU10, max 10W only LED




Spotlights




MONO 7711


3 warianty kolekcji MONO /
3 variants of the MONO collection /
3 варианта коллекции MONO



MONO



MONO SURFACE



MONO DEEP



Scan QR code to watch video manual
on changing the bulb.





FOURTY WALL XL
10892

MONO S 10776

MONO S 10786




MONO S 10777



MONO S 10784



MONO S 10779



MONO S

painted steel


- | | | | |
|-------|-------|-------|-------|
| 10776 | 10777 | 10778 | 10779 |
| 10781 | 10782 | 10783 | 10784 |
| 10785 | 10786 | | |

solid brass

- | | |
|-------|--------------------------|
| 10780 | 1xGU10, max 10W only LED |
|-------|--------------------------|

- | |
|--------------------------|
| 1xGU10, max 10W only LED |
|--------------------------|

MONO 7807



MONO

painting steel, plastic ABS

7807 7838

7771 7763


1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7778

1xGU10, max 10W only LED

MONO 7810



MONO

painting steel, plastic ABS

7810 7841

7774 7766


2xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7782

2xGU10, max 10W only LED

MONO 7811



MONO

painting steel, plastic ABS

7811 7842

7775 7767


3xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7783

3xGU10, max 10W only LED

MONO 7812



MONO

painting steel, plastic ABS

7812 7843

7776 7768

4xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7784

4xGU10, max 10W only LED



MONO 7844

MONO CORNER 2X150
7721

MONO

painted steel, plastic ABS

7813
 7844

7777
 7770


6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7785

6xGU10, max 10W only LED

MONO 7770



MONO 2X150

painted steel, plastic ABS

7750
 7720

7694
 7698


8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7754

8xGU10, max 10W only LED

MONO 2X150 7698



MONO 2X200 7701



MONO 2X200

painted steel, plastic ABS

7752
 7722

7696
 7701


8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7756

8xGU10, max 10W only LED

MONO CORNER 2X150 7700



MONO CORNER 2X150

painted steel, plastic ABS

7751
 7721

7695
 7700


8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7755

8xGU10, max 10W only LED

MONO CORNER 2X200 7702



MONO CORNER 2X200

painted steel, plastic ABS

7753
 7723

7697
 7702

8xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7757

8xGU10, max 10W only LED



MONO LONG S 7727




MONO LONG S
painted steel, plastic ABS

- 7724 7727
- 7670 7673

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7731
- 1xGU10, max 10W only LED





MONO LONG M
painted steel, plastic ABS

- 7725 7728
- 7671 7674

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7732
- 1xGU10, max 10W only LED



MONO 7786

MONO
painted steel, plastic ABS

- 7787 7786
- 7773 7765


1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7781
- 1xGU10, max 10W only LED



MONO LONG 7730





MONO LONG
painted steel, plastic ABS

- 7726 7730
- 7672 7675

2xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7733
- 2xGU10, max 10W only LED



MONO 7840


MONO
painted steel, plastic ABS

- 7808 7840
- 7772 7764

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7780
- 1xGU10, max 10W only LED



MONO 7712



MONO

painting steel, plastic ABS

7705 7708


7715 7718

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7712


1xGU10, max 10W only LED



MONO 7710



MONO 7711



MONO

painting steel, plastic ABS

7703 7706

7713 7716

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7710

1xGU10, max 10W only LED

MONO

painting steel, plastic ABS

7704 7707

7714 7717

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7711

1xGU10, max 10W only LED





MONO SURFACE 7683

MONO SURFACE

painting steel, plastic ABS

7827 7833

7683 7688



1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7744

1xGU10, max 10W only LED

cut out ø 35 mm



MONO SURFACE 7684

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7828 7834

7684 7690



2xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS



7745

2xGU10, max 10W only LED



cut out 160x31 mm




MONO SURFACE 7685



MONO SURFACE 7686



MONO SURFACE 7687



MONO SURFACE

painting steel, painting aluminum, plastic ABS

7830 7835

7685 7691

3xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7746

3xGU10, max 10W only LED

cut out 690x31 mm

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7831 7836

7686 7692

4xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7747

4xGU10, max 10W only LED

cut out 1170x31 mm

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7832 7837

7687 7693

6xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7748

6xGU10, max 10W only LED






cut out 1990x31 mm



MONO SURFACE LONG S 7680



MONO SURFACE LONG 7682



MONO SURFACE LONG S

painting steel, plastic ABS

- 7734 7737
7676 7680

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7741

1xGU10, max 10W only LED

cut out \varnothing 35 mm

MONO SURFACE LONG M

painting steel, plastic ABS

- 7735 7738
7677 7681

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7742

1xGU10, max 10W only LED

cut out \varnothing 35 mm

MONO SURFACE LONG

painting steel, painting aluminum, plastic ABS

- 7736 7740
7678 7682

2xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

- 7743

2xGU10, max 10W only LED

cut out 160x31 mm




MONO DEEP 10466

MONO DEEP 10468



MONO DEEP 10464



MONO DEEP

painting steel, plastic PC


10464 10458

1xGU10, max 10W only LED

cut out 64x138 mm



MONO DEEP 10460



MONO DEEP

painting steel, plastic PC


10465 10460

2xGU10, max 10W only LED

cut out 64x268 mm



MONO DEEP 10466



MONO DEEP

painting steel, plastic PC


10466 10461

3xGU10, max 10W only LED

cut out 64x685 mm



MONO DEEP 10462




MONO DEEP

chrome plated steel, plastic PC



10467 10462

4xGU10, max 10W only LED

cut out 64x1135 mm



MONO DEEP 10468




MONO DEEP

painting steel, plastic PC

10468 10463

6xGU10, max 10W only LED

cut out 64x2002 mm



MONO SLIDE


painting steel, plastic PA

10795 10796 10797 10798

10799 10800 10801

1xGU10, max 10W only LED

cut out ø 76 mm



MONO SLIDE TRIMLESS

painting steel, plastic PA

10802 10803 10804

10805 10806 10807

1xGU10, max 10W only LED

cut out ø 76 mm




EYE SPOT 6018

EYE SPOT 6611



EYE SPOT 6018



EYE SPOT

painting steel, chrome


6014 6134 6018

1xGU10, max 10W only LED

painting steel, solid brass

8816

1xGU10, max 10W only LED



EYE SPOT 6015

EYE SPOT

painting steel, chrome


6015 6135 6020

2xGU10, max 10W only LED

painting steel, solid brass

8817

2xGU10, max 10W only LED



EYE SPOT 6136

EYE SPOT

painting steel, chrome

6016 6136 6021

3xGU10, max 10W only LED


painting steel, solid brass

8818

3xGU10, max 10W only LED



EYE SPOT 6611



EYE SPOT

painting steel, chrome

6607 6610 6611

6xGU10, max 10W only LED


painting steel, solid brass

8819

6xGU10, max 10W only LED



EYE SPOT 8820



EYE SPOT

painting steel, chrome

6017 6022

4xGU10, max 10W only LED


painting steel, solid brass

8820

4xGU10, max 10W only LED




EYE FIT 9400



EYE FIT



IRIS LED 8994



IRIS LED



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8993	7W LED	3000K	550 lm	30 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8994	7W LED	3000K	530 lm	30 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h






CROSS 9596




VESPA 9592




CROSS
painted steel, chrome

- 9600
- 5xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 95958842
- 6xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9598
- 1xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9597
- 2xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9596
- 3xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 95948838
- 1xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 95938840
- 2xGU10 ES111, max 15W only LED



VESPA
painted steel, chrome

- 95928841
- 3xGU10 ES111, max 15W only LED




Downlights



MIDI LED 10055



MIDI LED 10048



MIDI LED

painted aluminum

- 10048

3000K

10052


4000K
- 10055

3000K
- 10058

4000K



MIDI LED 10060



MIDI LED

painted aluminum

- 10050

3000K

10053

4000K
- 10056

3000K
- 10060

4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10048	20W LED	3000K	1700 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.5	IP20	30000h
10052	20W LED	4000K	1700 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.5	IP20	30000h
10055	20W LED	3000K	1700 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.5	IP20	30000h
10058	20W LED	4000K	1700 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.5	IP20	30000h
10050	40W LED	3000K	3500 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20	30000h
10053	40W LED	4000K	3500 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20	30000h
10056	40W LED	3000K	3500 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20	30000h
10060	40W LED	4000K	3500 lm	36 °	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20	30000h

WHITE
 BLACK






MIDI LED 10047



MIDI LED 10047










MIDI LED 10054



MIDI LED


painting aluminum

	10047	3000K		10051	4000K
	10054	3000K		10057	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10047	16W LED	3000K	1500 lm	36 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10051	16W LED	4000K	1500 lm	36 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10054	16W LED	3000K	1500 lm	36 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10057	16W LED	4000K	1500 lm	36 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h



MIDI LED RECESSED
10064



MIDI LED RECESSED

■ painted aluminum

■ 10061 3000K ■ 10064 4000K





✓ cut out 85×85 mm

MIDI LED RECESSED
10062



MIDI LED RECESSED
10063



MIDI LED RECESSED

■ painted aluminum

■ 10062 3000K ■ 10065 4000K



✓ cut out 200×45 mm

MIDI LED RECESSED

■ painted aluminum

■ 10063 3000K ■ 10066 4000K



✓ cut out 390×45 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10061	16W LED	3000K	1400 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10064	16W LED	4000K	1400 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10062	20W LED	3000K	1800 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10065	20W LED	4000K	1800 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10063	40W LED	3000K	3300 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10066	40W LED	4000K	3300 lm	36 °	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h

■ BLACK






MINI LED RECESSED
10045



MINI LED RECESSED
10043



MINI LED RECESSED
painted aluminum


10042 3000K 10043 4000K



cut out 140×35 mm



MINI LED RECESSED
10045



MINI LED RECESSED
painted aluminum

10045 3000K 10046 4000K



cut out 275×35 mm


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10042	10W LED	3000K	600 lm	30 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10043	10W LED	4000K	660 lm	30 °	>90	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10045	20W LED	3000K	1220 lm	30 °	>90	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10046	20W LED	4000K	1280 lm	30 °	>90	~220-230 V, 50/60 Hz		>0.9	IP20	30000h



FOCUS MINI LED
10067



FOCUS MINI LED
10071



FOCUS MINI LED
painted aluminum

- 10067

3000K
- 10070

4000K
- 10068

3000K
- 10071

4000K


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10067	10W LED	3000K	600 lm	36 °	>90	~220-230 V, 50/60 Hz		>0,9	IP20	30000h
10070	10W LED	4000K	600 lm	36 °	>90	~220-230 V, 50/60 Hz		>0,9	IP20	30000h
10068	10W LED	3000K	600 lm	36 °	>90	~220-230 V, 50/60 Hz		>0,9	IP20	30000h
10071	10W LED	4000K	600 lm	36 °	>90	~220-230 V, 50/60 Hz		>0,9	IP20	30000h



FOCUS MINI LED
10071

COBBLE 7791

COBBLE 7790



COBBLE


painted aluminum

7791
 7790

1xGU10 ES111, max 15 only LED

GROOVE 7793

GROOVE 7792



GROOVE


painted aluminum

7793
 7792

1xGU10 ES111, max 15W only LED

GAP 9385

GAP 9384



GAP


painted aluminum

9385
 9384

2xGU10, max 10W only LED

PAG 9387

PAG 9386



PAG

painted aluminum


9387
 9386

2xGU10, max 10W only LED

GROOVE 9383



GROOVE 9316



GROOVE

painted aluminum


9383
 9316

2xGU10 ES111, max 15W only LED

OVAL 9241



OVAL 9240



OVAL

painted aluminum

9241
 9240

2xGU10 ES111, max 15W only LED



CL IOS LED 20W, ANGLE 36°
8737



CL IOS LED 30W, ANGLE 60°
8735

CL IOS LED 20W, ANGLE 36

zinc aluminum alloy



- 8740
- 3000K
- 8738
- 4000K
- 8737
- 3000K
- 8736
- 4000K



CL IOS LED 20W, ANGLE 60

zinc aluminum alloy

- 8744
- 3000K
- 8743
- 4000K
- 8742
- 3000K
- 8741
- 4000K



CL IOS LED 30W, ANGLE 36

zinc aluminum alloy

- 8731
- 3000K
- 8730
- 4000K
- 8728
- 3000K
- 8727
- 4000K



CL IOS LED 30W, ANGLE 60

zinc aluminum alloy

- 8735
- 3000K
- 8734
- 4000K
- 8733
- 3000K
- 8732
- 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8740	20W LED	3000K	1600 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8738	20W LED	4000K	1600 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8737	20W LED	3000K	1600 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8736	20W LED	4000K	1600 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8744	20W LED	3000K	1600 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8743	20W LED	4000K	1600 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8742	20W LED	3000K	1600 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8741	20W LED	4000K	1600 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8731	30W LED	3000K	2700 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8730	30W LED	4000K	2700 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8728	30W LED	3000K	2700 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8727	30W LED	4000K	2700 lm	36 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8735	30W LED	3000K	2700 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8734	30W LED	4000K	2700 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8733	30W LED	3000K	2700 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8732	30W LED	4000K	2700 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years



CL IOS LED 40W, ANGLE 60°
8723



CL IOS LED 40W, ANGLE 60

zinc aluminum alloy

- 8726

3000K

8725

4000K
- 8724

3000K

8723

4000K
-



CL IOS LED 40W, ANGLE 60°
8723

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	Safety type	Driver brand	Lifetime	Warranty
8726	40W LED	3000K	3200 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8725	40W LED	4000K	3200 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8724	40W LED	3000K	3200 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8723	40W LED	4000K	3200 lm	60 °	≥ 90	IP20	Brightlux	Osram	50000h	5 years




HALO 8196



HALO 8196

HALO 8195



HALO

painting steel, plastic ABS

8195 8196

1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005



FLEA 8202



POINT TONE 8222



INDIA 7858



MIKE 7660



FLEA 8203




POINT TONE 8225



INDIA 7860




MIKE 7658




FLEA
painted steel

- 8202 8203
- 1xGX53, max 12W only LED




POINT TONE
painted steel, plastic ABS

- 8220 8221 8222
- 8225 8224 8223
- 1xGU10, max 10W only LED



INDIA
painted aluminum

- 7858 7860
- 1xGU10, max 15W only LED



MIKE
painted aluminum


- 7660 7658
- 1xGU10, max 15W only LED



SET 8900



SET 8895



SET
painted steel

8900 8895


1xGU10, max 10W only LED



EYE TONE 8932



EYE TONE 8928



EYE TONE
painted steel, plastic ABS

8932 8928


1xGU10, max 10W only LED



SET 8902



SET 8897



SET
painted steel, painted aluminum

8902 8897


1xGU10, max 10W only LED



EYE TONE 8931



EYE TONE 8926



EYE TONE
painted steel, plastic ABS

8931 8926


1xGU10, max 10W only LED



SET 8901



SET 8896



SET
painted steel

8901 8896


1xGU10, max 10W only LED



EYE TONE 8930



EYE TONE 8925



EYE TONE
painted steel, plastic ABS

8930 8925


1xGU10, max 10W only LED



SET 8903



SET 8898




SET
painted steel

8903 8898

1xGU10, max 10W only LED



EYE TONE 8087



EYE TONE

painting steel, plastic ABS


8086 8087

8088 7665

2xGU10, max 10W only LED



EYE TONE 8093



EYE TONE

painting steel, plastic ABS

8091 8092

8093 7666

3xGU10, max 10W only LED

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GOLD P021



EYE TONE 7666

POINT PLEXI M 6526



POINT PLEXI M
painted steel, plastic PMMA

6525 6526
1xGU10, max 10W only LED


POINT PLEXI L 6528



POINT PLEXI L
painted steel, plastic PMMA


6528 6530
1xE27, max 20W

POINT S 7603



POINT S
painted steel

7603
1xGU10, max 10W only LED



POINT M
painted steel


7602
1xGU10, max 10W only LED

POINT M 6001



POINT S
painted steel

6000
1xGU10, max 10W only LED



POINT M
painted steel

6001
1xGU10, max 10W only LED

BIT S 9486



BIT S
painted steel

9482 9486
1xGU10 ES111, max 15W only LED


BIT M 9481



BIT M
painted steel


9481 9485
1xGU10 ES111, max 15W only LED

POINT S 6006




POINT S
painted steel

6006
1xGU10, max 10W only LED





SILBA 10476



SILBA


painting aluminum

10476 10477

1xGX53, max 12W only LED



CRES 10478



CRES


painting aluminum

10478 10480

1xGX53, max 12W only LED



MURTER 10490



MURTER

painting aluminum


10490 10489

1xGX53, max 12W only LED

cut out ø 65 mm



MJET 10494



MJET

painting aluminum

10494 10493

1xGU10, max 10W only LED

cut out ø 67 mm


VIS

painting aluminum

10486 10485

1xGX53, max 12W only LED

cut out ø 65 mm



VIS 10486


HVAR

painting aluminum

10488 10487

1xGX53, max 12W only LED

cut out ø 65 mm



HVAR 10488


SOLTA

painting aluminum

10492 10491

1xGU10, max 10W only LED


cut out ø 67 mm



SOLTA 10492



UNO S 10841




UNO S

painting steel

- 10840 10841
- 1xGX53, max 15 W only LED
- cut out ø 83 mm



CUP 10789




CUP

plastic ABS

- 10788 10789 10790
- 10791 10792
- 1xGU10, max 10W only LED
- cut out ø 64 mm



UNO M 10843



UNO M

painting steel


- 10842 10843
- 1xGX53, max 15 W only LED
- cut out ø 102 mm



CUP 10789



UNO L 10845



UNO L

painting steel

- 10844 10845
- 1xGX53, max 15 W only LED
- cut out ø 127 mm



CUP 10794


CUP 3 PC SET

plastic ABS

- 10793 10794
- 3xGU10, max 10W only LED
- cut out ø 64 mm



MYKONOS LED 10542




MYKONOS LED 10W

plastic

- 10537
- 3000K
- 10538
- 4000K



cut out 125 mm




MYKONOS LED 18W

plastic

- 10542
- 3000K
- 10543
- 4000K



cut out 175 mm




MYKONOS LED 6W

plastic

- 10535
- 3000K
- 10536
- 4000K



cut out 100 mm




MYKONOS LED 15W

plastic

- 10540
- 3000K
- 10541
- 4000K



cut out 150 mm




MYKONOS LED 24W

plastic

- 10544
- 3000K
- 10545
- 4000K



cut out 200 mm



EGINA LED 5W


plastic

- 10546
- 3000K
- 10547
- 4000K

- 10548
- 3000K
- 10550
- 4000K



cut out 75 mm



EGINA LED 10W

plastic

- 10551
- 3000K
- 10552
- 4000K


- 10553
- 3000K
- 10554
- 4000K



cut out 100 mm



EGINA LED 10553



EGINA LED 15W

plastic

- 10555
- 3000K
- 10556
- 4000K

- 10557
- 3000K
- 10558
- 4000K




cut out 125 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10535	6W LED	3000K	360 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10536	6W LED	4000K	390 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10537	10W LED	3000K	900 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10538	10W LED	4000K	950 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10540	15W LED	3000K	1450 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10541	15W LED	4000K	1500 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10542	18W LED	3000K	1700 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10543	18W LED	4000K	1800 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10544	24W LED	3000K	2400 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10545	24W LED	4000K	2500 lm	110°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10546	5W LED	3000K	350 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10547	5W LED	4000K	370 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10548	5W LED	3000K	330 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10550	5W LED	4000K	350 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10551	10W LED	3000K	700 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10552	10W LED	4000K	750 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10553	10W LED	3000K	650 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10554	10W LED	4000K	700 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10555	15W LED	3000K	1100 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10556	15W LED	4000K	1200 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10557	15W LED	3000K	1000 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
10558	15W LED	4000K	1100 lm	30°	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h

WHITE

WHITE BLACK




CL KOS LED 8W

plastic

8782 3000K 8781 4000K



cut out ø 100 mm




CL KOS LED 10W

plastic

8780 3000K 8778 4000K



cut out ø 125 mm




CL KOS LED 16W

plastic

8777 3000K 8776 4000K



cut out ø 150 mm



CL KOS LED 24W

plastic

8775 3000K 8774 4000K




cut out ø 200 mm



CL KOS LED 16W
8777


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8782	8W LED	3000K	650 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8781	8W LED	4000K	670 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8780	10W LED	3000K	1000 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8778	10W LED	4000K	1100 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8777	16W LED	3000K	1500 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8776	16W LED	4000K	1600 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8775	24W LED	3000K	2300 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8774	24W LED	4000K	2600 lm	100 °	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years

CL DIA LED 18W
8722




CL DIA LED 18W
zinc aluminum alloy

8722 3000K 8721 4000K



CL DIA LED 30W
zinc aluminum alloy

8720 3000K 8718 4000K





CL KEA LED 30W
8771




CL KEA LED 20W
plastic

8773 3000K 8772 4000K



CL KEA LED 30W
plastic

8771 3000K 8770 4000K



CL KEA LED 40W
plastic



8768 3000K 8767 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8720	30W LED	3000K	2250 lm	40 °	≥ 90	IP20	Cree	Osram	50000h	5 years
8718	30W LED	4000K	2250 lm	40 °	≥ 90	IP20	Cree	Osram	50000h	5 years
8722	18W LED	3000K	1500 lm	40 °	≥ 90	IP20	Cree	Osram	50000h	5 years
8721	18W LED	4000K	1500 lm	40 °	≥ 90	IP20	Cree	Osram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8773	20W LED	3000K	1150 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8772	20W LED	4000K	1150 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8771	30W LED	3000K	1850 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8770	30W LED	4000K	1850 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8768	40W LED	3000K	2700 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8767	40W LED	4000K	2700 lm	65 °	≥ 90	IP44/20	Samsung	Osram	50000h	5 years

MOD 9412



MOD

painting steel

9417 9413

1xGU10 ES111, max 15W only LED

cut out 120×120 mm

MOD


painting steel

9416 9412

2xGU10 ES111, max 15W only LED

cut out 230×120 mm

DOWNLIGHT ES111 9575



DOWNLIGHT ES111


painting steel

9571 9575

1xGU10 ES111, max 15W only LED

cut out 165×165 mm

DOWNLIGHT ES111 9570



DOWNLIGHT ES111



painting steel

9570 9574

2xGU10 ES111, max 15W only LED

cut out 320×165 mm

MOD PLUS 9404



MOD PLUS

painting steel

9404 9408

1xGU10 ES111, max 15W only LED

cut out 120×120 mm

MOD PLUS


painting steel

9403 9407

2xGU10 ES111, max 15W only LED

cut out 230×120 mm

BOX ES111 9495




BOX ES111

plywood, painting steel

9495 9497

1xGU10 ES111, max 15W only LED

BOX ES111 9470



BOX ES111


plywood, painting steel

9470 9472

2xGU10 ES111, max 15W only LED



EYE MOD 8937



EYE MOD

painting steel


8936 8937

1xGU10, max 10W only LED

cut out 95×90 mm



EYE MOD 8938



EYE MOD

painting steel

8938 8940


2xGU10, max 10W only LED

cut out 175×90 mm

DOT 9378



DOT 9378




DOT

painting steel

9378 8826

1xGU10, max 10W only LED

cut out ø 110 mm



Track Light Systems

LVM - LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM

CTLS - COMMERCIAL TRACK LIGHT SYSTEM

PROFILE - TRACK LIGHT SYSTEM

TRACK LIGHT SYSTEMS

Sposoby montażu
Installation methods
Методы монтажа

System szynoprzewodowy
Track light system
Трековая система

Zastosowanie
Work position
Применение

Źródło światła
Source of light
Источник света

Napięcie
Voltage
Напряжение

Zastosuj z Cameleon System
Works with Cameleon System
Работает с системой Cameleon

LVM
LOW VOLTAGE MAGNETIC
TRACK LIGHT SYSTEM



1 circuit track light system
1 obwodowy system szynoprzewodowy
1 Однофазная трековая система



Sufit / Ceiling / Потолок
• Natynkowy / Surface / Поверхностный монтаж
• Podtynkowy / Recessed / Врезной монтаж
• Wiszący / Hanging / Подвеска на стальных тросах

Ściana / Wall / Стена
• Natynkowy / Surface / Поверхностный монтаж
• Podtynkowy / Recessed / Врезной монтаж

Zintegrowane źródło światła
LED integrated
Встроенный светодиод (LED)

≡ 48V

No

CTLS
COMMERCIAL TRACK LIGHT SYSTEM



3 circuits track light system
3 obwodowy system szynoprzewodowy
Трёхфазная трековая система



Sufit / Ceiling / Потолок
• Natynkowy / Surface / Поверхностный монтаж
• Podtynkowy / Recessed / Врезной монтаж
• Wiszący / Hanging / Подвеска на стальных тросах

Wymienne źródło światła, zintegrowane źródło światła
Exchangable source of light, LED integrated
Сменный источник света, встроенный светодиод (LED)

~ 230V

Yes

PROFILE
TRACK LIGHT SYSTEM



1 circuit track light system
1 obwodowy system szynoprzewodowy
1 Однофазная трековая система



Sufit / Ceiling / Потолок
• Natynkowy / Surface / Поверхностный монтаж
• Podtynkowy / Recessed / Врезной монтаж
• Wiszący / Hanging / Подвеска на стальных тросах

Wymienne źródło światła, zintegrowane źródło światła
Exchangable source of light, LED integrated
Сменный источник света, встроенный светодиод (LED)

~ 230V

Yes



LVM TRACK 2M
10163

LVM FOCUS OUT LED 15 W
10151































LVM LINE LED 9W
10143

LVM RECESSED TRACK 2M
10157

LVM TRACK 2M
10163

LVM - Low Voltage Magnetic
Track Light System


SPOSOBY MONTAŻU / INSTALLATION METHODS / МЕТОДЫ МОНТАЖА

1	2	3	4	5	6
					
SURFACE CONNECTION	RECESSED - SURFACE CONNECTION	SURFACE - RECESSED CONNECTION	RECESSED CONNECTION	SURFACE CONNECTION	RECESSED CONNECTION
					
LVM TRACK	LVM RECESSED TRACK	LVM TRACK	LVM RECESSED TRACK	LVM TRACK	LVM RECESSED TRACK
					
LVM TRACK	LVM TRACK	LVM RECESSED TRACK	LVM RECESSED TRACK	LVM HORIZONTAL CORNER	LVM RECESSED HORIZONTAL CORNER
					
LVM INSIDE CORNER	LVM INSIDE CORNER	LVM INSIDE CORNER	LVM RECESSED INSIDE CORNER	LVM INSIDE CORNER	LVM RECESSED INSIDE CORNER
					
ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE	ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE	ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE	ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE	ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE	ELECTRICAL CONNECTION LVM CORNER CONDUCTIVE MODULE


8




SURFACE CONNECTION




LVM TRACK



LVM TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


9




RECESSED - SURFACE
CONNECTION




LVM TRACK



LVM RECESSED TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


10




SURFACE - RECESSED
CONNECTION




LVM RECESSED TRACK



LVM TRACK




LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


11




RECESSED CONNECTION




LVM RECESSED TRACK



LVM RECESSED TRACK



LVM RECESSED
INSIDE CORNER



ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE



LVM FOCUS LED 15W
10150




LVM FOCUS LED 9W
10144



LVM FOCUS LED 15W
10643




LVM FOCUS LED 9W
10644



LVM FOCUS LED 15W
painted aluminum, plastic

10150 3000K 10643 4000K



LVM FOCUS LED 9W
painted aluminum, plastic

10144 3000K 10644 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10150	15W LED	3000K	1300 lm	30 °	>90	48V	II	IP20	30000h
10643	15W LED	4000K	1400 lm	30 °	>90	48V	III	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10144	9W LED	3000K	800 lm	30 °	>90	48V	II	IP20	30000h
10644	9W LED	4000K	880 lm	30 °	>90	48V	III	IP20	30000h




LVM FOCUS OUT LED 15W
10151



LVM FOCUS OUT LED 9W
10145



LVM FOCUS OUT LED 15W
10645



LVM FOCUS OUT LED 15W
painted aluminum, plastic


- 101513000K
- 106454000K
-
-

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10151	15W LED	3000K	1300 lm	30 °	>90	48V		IP20	30000h
10645	15W LED	4000K	1400 lm	30 °	>90	48V		IP20	30000h

BLACK



LVM FOCUS OUT LED 9W
10646



LVM FOCUS OUT LED 9W
painted aluminum, plastic

- 101453000K
- 106464000K
-
-

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10145	9W LED	3000K	800 lm	30 °	>90	48V		IP20	30000h
10646	9W LED	4000K	880 lm	30 °	>90	48V		IP20	30000h

BLACK



LVM LINE LED 15W
10148

LVM LINE LED 9W
10143

LVM LID LED 8W
10152

LVM TRUCK 2M
10163



LVM LINE LED 15W
10148




LVM LINE LED 9W
10143



LVM LINE LED 15W
10650




LVM LINE LED 9W
10651



LVM LINE LED 15W
painted aluminum, plastic

- 10148
- 3000K
- 10650
- 4000K
-
-



LVM LINE LED 9W
painted aluminum, plastic

- 10143
- 3000K
- 10651
- 4000K
-
-

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10148	15W LED	3000K	700 lm	110 °	>90	48V		IP20	30000h
10650	15W LED	4000K	770 lm	110 °	>90	48V		IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10143	9W LED	3000K	400 lm	110 °	>90	48V		IP20	30000h
10651	9W LED	4000K	440 lm	110 °	>90	48V		IP20	30000h



LVM SPOT LED 15W
10147




LVM SPOT LED 9W
10142



LVM SPOT LED 15W
10655




LVM SPOT LED 9W
10656



LVM SPOT LED 15W
painted aluminum, plastic

10147 3000K 10655 4000K



LVM SPOT LED 9W
painted aluminum, plastic

10142 3000K 10656 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10147	15W LED	3000K	1020 lm	30 °	>90	48V		IP20	30000h
10655	15W LED	4000K	1100 lm	30 °	>90	48V		IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10142	9W LED	3000K	780 lm	30 °	>90	48V		IP20	30000h
10656	9W LED	4000K	850 lm	30 °	>90	48V		IP20	30000h

LVM RECESSED TRACK 2M
10157

LVM FOCUS OUT LED 9W
10145


LVM FOCUS OUT LED 15W
10151

LVM ROLLER LED 9W
10146





LVM ROLLER LED 9W
10652



LVM ROLLER LED 9W
painted aluminum, plastic

10146 3000K 10652 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10146	9W LED	3000K	620 lm	36 °	>90	48V	III	IP20	30000h
10652	9W LED	4000K	680 lm	36 °	>90	48V	III	IP20	30000h

BLACK



LVM ROLLER LED 9W
10146



LVM FOCUS OUT LED 15W
10151

LVM FOCUS OUT LED 9W
10145

LVM SPOT LED 15W
10147


LVM SLOT LED 5W
10154

LVM SLOT LED 5W
10154



LVM SLOT LED 8W
10155

LVM SLOT LED 5W
10653




LVM SLOT LED 5W
painted aluminum, plastic PMMA

10154 3000K 10653 4000K



LVM SLOT LED 8W
10654



LVM SLOT LED 8W
painted aluminum, plastic PMMA


10155 3000K 10654 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10154	5W LED	3000K	210 lm	100 °	>90	48V		IP20	30000h
10653	5W LED	4000K	250 lm	100 °	>90	48V		IP20	30000h
10155	8W LED	3000K	370 lm	100 °	>90	48V		IP20	30000h
10654	8W LED	4000K	400 lm	100 °	>90	48V		IP20	30000h




LVM LID LED 8W
10647




LVM LID LED 8W

painted aluminum, plastic PMMA

10152 3000K 10647 4000K



LVM LID LED 8W
10648



LVM LID LED 8W

painted aluminum, plastic PMMA

10153 3000K 10648 4000K




LVM LID LED 8W
10153

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10152	8W LED	3000K	650 lm	160 °	>90	48V	III	IP20	30000h
10647	8W LED	4000K	650 lm	160 °	>90	48V	III	IP20	30000h
10153	8W LED	3000K	650 lm	160 °	>90	48V	III	IP20	30000h
10648	8W LED	4000K	650 lm	160 °	>90	48V	III	IP20	30000h

BLACK WHITE

LVM - LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



Zestaw zawiera listwę maskującą
Set includes a masking strip
В комплект входит маскировочная полоска

1 LVM TRACK 1M

aluminum


10162

2 LVM TRACK 2M

aluminum

10163

Schemat zasilania / Power supply circuit diagram / Схема питания



System szynoprzewodowy (LVM) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość systemu szynoprzewodowego z jednego źródła zasilania - 20 m.


The track light system (LVM) should be evenly electrically loaded and the fittings should be evenly placed along its length.
The recommended fastening distance is max. 1000 mm.
Maximum length of track light system with a single power source is 20 m.

Система трекового освещения (LVM) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м.

BLACK

Sposób montażu / Installation method / Метода монтажа

1. Zwieszenie na linkach
1. Suspended on steel wires
1. Подвеска на стальных тросах



3 LVM POWER SUPPLY KIT

plastic, painted steel

10597



4 LVM SUSPENSION KIT

steel



10170




SILVER BLACK

Sposób montażu / Installation method / Метода монтажа


- 2. Montaż bezpośredni
- 2. Surface mounting
- 2. Поверхностный монтаж




5 LVM 48V, 150W,
INSIDE POWER SUPPLY
aluminum
10161




6 LVM OUTSIDE POWER SUPPLY
CONDUCTIVE MODULE
plastic
10168




7 LVM STRAIGHT
CONDUCTIVE MODULE
plastic
10167




8 LVM CORNER
CONDUCTIVE MODULE
plastic
10166



9 LVM INSIDE CORNER
aluminum
10165
includes 2xLVM TRACK BUCKLE CONNECTOR




10 LVM HORIZONTAL
CORNER
aluminum
10164
includes 2xLVM TRACK BUCKLE CONNECTOR



11 LVM TRACK BUCKLE
CONNECTOR
steel
10171

LVM - RECESSED LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



Zestaw zawiera listwę maskującą
Set includes a masking strip
В комплект входит маскировочная полоска


1 LVM RECESSED TRACK 1M

aluminum
10156

2 LVM RECESSED TRACK 2M

aluminum
10157

Schemat zasilania / Power supply circuit diagram / Схема питания




Konstrukcja szynoprzewodów umożliwia dostosowanie wysokości skrzydełek do różnych grubości płyt gipsowo-kartonowych.
Możliwa regulacja to: 3, 6, 12 i 14 mm.
System szynoprzewodowy (LVM) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość systemu szynoprzewodowego z jednego źródła zasilania - 20 m.

The design of the track light system makes it possible to adjust the height of the wings for different thicknesses of drywall.
Possible adjustments are: 3, 6, 12 and 14 mm.
The track light system (LVM) should be evenly electrically loaded and the fittings should be evenly placed along its length.
The recommended fastening distance is max. 1000 mm.
Maximum length of track light system with a single power source is 20 m.

Конструкция трека позволяет регулировать высоту крыльев в зависимости от толщины гипсокартона.
Возможные регулировки составляют: 3, 6, 12 и 14 мм.
Система трекового освещения (LVM) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м.


Sposób montażu / Installation method / Метода монтажа

- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Врезной монтаж




* Zasilacz zewnętrzny 48V DC
* External power supply 48V DC
* Внешний источник питания 48 V DC

* Możliwość zastosowania zasilacza zewnętrznego 48V DC.
Zaleca się aby suma watażu użytych opraw nie przekraczała 90% mocy znamionowej zasilacza.
* Possibility of using an external 48V DC power supply.
It is recommended that the total wattage of the luminaires used does not exceed 90% of the power supply's rated power.
* Можно использовать внешний источник питания 48 V DC.
Рекомендуется, чтобы общая мощность используемых светильников не превышала 90% от номинальной мощности источника питания.




**3 LVM 48V, 150W
INSIDE POWER SUPPLY**
aluminium

10161




**4 LVM CORNER CONDUCTIVE
MODULE**
plastic

10166




**5 LVM STRAIGHT CONDUCTIVE
MODULE**
plastic

10167




**6 LVM OUTSIDE POWER SUPPLY
CONDUCTIVE MODULE**
plastic

10168




**7 LVM RECESSED
INSIDE CORNER**
aluminum

10160
includes 2xLVM TRACK BUCKLE CONNECTOR



**8 LVM RECESSED
HORIZONTAL CORNER**
aluminum

10158
includes 2xLVM TRACK BUCKLE CONNECTOR



**9 LVM TRACK BUCKLE
CONNECTOR**
steel

10171



CTLS NEA LED 40W
8748

CTLS - Commercial
Track Light System



CTLS MILO LED 15W 8766



CTLS MILO LED 15W 8763



CTLS MILO LED 25W 8760




CTLS MILO LED 25W 8761

Zestaw zawiera 3 soczewki
3 lenses included
В комплекте 3 линзы




Zestaw zawiera 3 soczewki
3 lenses included
В комплекте 3 линзы



CTLS MILO LED 15W

zinc aluminum alloy

- 8766 3000K 8765 4000K
- 8764 3000K 8763 4000K



CTLS MILO LED 25W


zinc aluminum alloy

- 8762 3000K 8761 4000K
- 8760 3000K 8758 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8766	15W LED	3000K	1300 lm	15/24/50 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8765	15W LED	4000K	1300 lm	15/24/50 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8764	15W LED	3000K	1300 lm	15/24/50 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8763	15W LED	4000K	1300 lm	15/24/50 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8762	25W LED	3000K	1900 lm	15/24/40 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8761	25W LED	4000K	1900 lm	15/24/40 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8760	25W LED	3000K	1900 lm	15/24/40 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8758	25W LED	4000K	1900 lm	15/24/40 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years




CTLS NEA LED 20W

zinc aluminum alloy

8757 3000K 8756 4000K

8754 4000K



CTLS NEA LED 30W

zinc aluminum alloy

8753 3000K 8752 4000K

8751 3000K 8750 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8757	20W LED	3000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8756	20W LED	4000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8754	20W LED	4000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8753	30W LED	3000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8752	30W LED	4000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8751	30W LED	3000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8750	30W LED	4000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years



CTLS NEA LED 40W

zinc aluminum alloy

- 8748 3000K 8747 4000K
- 8746 3000K 8745 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8748	40W LED	3000K	3600 lm	20/25/37 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8747	40W LED	4000K	3600 lm	20/25/37 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8746	40W LED	3000K	3600 lm	20/25/37 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8745	40W LED	4000K	3600 lm	20/25/37 °	≥ 90	IP20	Samsung	Ostram	50000h	5 years




CTLS NEA LED 40W 8745



CTLS TINOS LED 10W
10396




CTLS TINOS LED 20W
10391



CTLS TINOS LED 10W
painted aluminum, plastic

- 10390 3000K
- 10393 4000K
- 10396 3000K
- 10399 4000K




CTLS TINOS LED 20W
painted aluminum, plastic

- 10391 3000K
- 10394 4000K
- 10397 3000K
- 10400 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10390	10W LED	3000K	950 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10393	10W LED	4000K	1000 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10396	10W LED	3000K	880 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10399	10W LED	4000K	980 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10391	20W LED	3000K	1800 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10394	20W LED	4000K	2000 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10397	20W LED	3000K	1700 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10400	20W LED	4000K	1900 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h



CTLS TINOS LED 30W

painted aluminum, plastic

☐ 10392 3000K ☐ 10395 4000K

10398 3000K 10401 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10392	30W LED	3000K	2800 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10395	30W LED	4000K	3000 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10398	30W LED	3000K	2600 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10401	30W LED	4000K	2900 lm	36 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h





CTLS MONO 10239



CTLS MONO

painting steel, plastic ABS

10235 10236


10238 10239

1xGU10, max 10W only LED

solid brass, plastic ABS

10237

1xGU10, max 10W only LED




CAMELEON ADAPTER CTLS

plastic

8281 8282



CTLS - COMMERCIAL TRACK LIGHT SYSTEM, 3 CIRCUIT



1 CTLS TRACK 3 CIRCUIT 1M

aluminum





8715 8714

2 CTLS TRACK 3 CIRCUIT 2M

aluminum

8717 8716

Schematy zasilania / Power supply circuit diagrams / Схема питания




Maksymalna długość systemu szynoprzewodowego - 100 m.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
System szynoprzewodowy (CTLS) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.

Maximum length of track lights system - 100 m.
The recommended fastening distance is max. 1000 mm.
The track light system (CTLS) should be evenly electrically loaded and the fittings should be evenly placed along its length.

Допустимая макс. длина системы трекового освещения - 100 м.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Система трекового освещения (CTLS) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.

WHITE BLACK


Sposoby montażu / Installation methods / Методы монтажа



3 CTLS SUSPENSION KIT 3 CIRCUIT

plastic, steel

8696 8697




4 CTLS POWER SUPPLY KIT 3 CIRCUIT

painted steel, painted steel, plastic

8284 8283

1. Zwieszenie na linkach
1. Suspended on steel wires
1. Подвеска на стальных тросах


CEILING




Krawędzie ustalające polaryzację (pozycję) oprawy oświetleniowej.
Ridges setting polarity (position) of the lighting fixture.
Края устанавливающие полярность (позицию) светильника.

2. Montaż bezpośredni
2. Surface mounting
2. Поверхностный монтаж

CEILING





Krawędzie ustalające polaryzację (pozycję) oprawy oświetleniowej.
Ridges setting polarity (position) of the lighting fixture.
Края устанавливающие полярность (позицию) светильника.



WHITE BLACK

CTLS - POLARITY IN COMMERCIAL TRACK LIGHT SYSTEM



5 CTLS POWER END CAP, RIGHT (PE-R)
plastic, copper

8712 8713

6 CTLS POWER END CAP, LEFT (PE-L)
plastic, copper

8232 8233

7 CTLS POWER STRAIGHT CONNECTOR
plastic, copper


8707 8708

8 CTLS POWER L CONNECTOR, RIGHT (L-R)
plastic, copper

8227 8228

9 CTLS POWER L CONNECTOR, LEFT (L-L)
plastic, copper

8705 8706



10 CTLS POWER T CONNECTOR, LEFT 2 (T-L2)
plastic, copper

8236 8237

11 CTLS POWER T CONNECTOR, LEFT 1 (T-L1)
plastic, copper

8243 8244

12 CTLS POWER T CONNECTOR, RIGHT 2 (T-R2)
plastic, copper

8703 8704

13 CTLS POWER T CONNECTOR, RIGHT 1 (T-R1)
plastic, copper

8241 8242

14 CTLS POWER X CONNECTOR
plastic, copper

8701 8702

15 CTLS POWER FLEX CONNECTOR
plastic, copper

8698 8700

16 CTLS DEAD END CAP
plastic


8710 8711

17 CTLS STRAIGHT CONNECTOR MINI
plastic, copper

8085 8084

CTLS - RECESSED COMMERCIAL TRACK LIGHT SYSTEM, 3 CIRCUIT

Sposób montażu / Installation method / Метода монтажа



1

CTLS RECESSED TRACK 3 CIRCUIT 1M

aluminum

8693

8692

2


CTLS RECESSED TRACK 3 CIRCUIT 2M

aluminum

8695

8694

Schematy zasilania / Power supply circuit diagrams / Схема питания





Maksymalna długość systemu szynoprzewodowego - 100 m.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
System szynoprzewodowy (CTLS) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.



Maximum length of track lights system - 100 m.
The recommended fastening distance is max. 1000 mm.
The track light system (CTLS) should be evenly electrically loaded and the fittings should be evenly placed along its length.

Допустимая макс. длина системы трекового освещения - 100 м.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Система трекового освещения (CTLS) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.


1. Montaż podtynkowy
1. Recessed mounting
1. Врезной монтаж




CTLS - POLARITY IN RECESSED COMMERCIAL TRACK LIGHT SYSTEM



- 3 CTLS RECESSED POWER END CAP, RIGHT (PE-R)**
plastic, copper
8691 8690
- 4 CTLS RECESSED POWER END CAP, LEFT (PE-L)**
plastic, copper
8234 8235
- 5 CTLS RECESSED POWER STRAIGHT CONNECTOR**
plastic, copper
8686 8685
- 6 CTLS RECESSED POWER L CONNECTOR, RIGHT (L-R)**
plastic, copper
8230 8231
- 7 CTLS RECESSED POWER L CONNECTOR, LEFT (L-L)**
plastic, copper
8684 8683



- 8 CTLS RECESSED POWER T CONNECTOR, LEFT 2 (T-L2)**
plastic, copper
8238 8240
- 9 CTLS RECESSED POWER T CONNECTOR, LEFT 1 (T-L1)**
plastic, copper
8247 8248
- 10 CTLS RECESSED POWER T CONNECTOR, RIGHT 2 (T-R2)**
plastic, copper
8681 8682
- 11 CTLS RECESSED POWER T CONNECTOR, RIGHT 1 (T-R1)**
plastic, copper
8245 8246
- 12 CTLS RECESSED POWER X CONNECTOR**
plastic, copper
8678 8680
- 13 CTLS RECESSED POWER FLEX CONNECTOR**
plastic, copper
8676 8677



- 14 CTLS RECESSED DEAD END CAP**
plastic
8688 8687
- 15 CTLS RECESSED FIXING SET**
steel
8306



PROFILE MONO 7582



Profile
Track Light System



PROFILE TINOS LED 7W 10385



PROFILE TINOS LED 10W 10373



PROFILE TINOS LED 7W
painted aluminum, plastic

- 10372

3000K

10376

4000K
- 10381

3000K

10385

4000K

PROFILE TINOS LED 10W
painted aluminum, plastic

- 10373

3000K

10377

4000K
- 10382

3000K

10386


4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10372	7W LED	3000K	550 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10376	7W LED	4000K	570 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10381	7W LED	3000K	530 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10385	7W LED	4000K	550 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10373	10W LED	3000K	950 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10377	10W LED	4000K	1000 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10382	10W LED	3000K	880 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10386	10W LED	4000K	980 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h



PROFILE TINOS LED 20W 10383



PROFILE TINOS LED 20W

painted aluminum, plastic

- 10374

3000K

10378

4000K
- 10383

3000K
- 10387

4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10374	20W LED	3000K	1800 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10378	20W LED	4000K	2000 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10383	20W LED	3000K	1700 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10387	20W LED	4000K	1900 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h

WHITE

BLACK



PROFILE TINOS LED 30W 10375



PROFILE TINOS LED 30W

painted aluminum, plastic

- 10375

3000K

10380

4000K
- 10384

3000K
- 10388

4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10375	30W LED	3000K	2800 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10380	30W LED	4000K	3000 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10384	30W LED	3000K	2600 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h
10388	30W LED	4000K	2900 lm	36 °	>80	~220-230 V, 50/60 Hz		>0.9	IP20	30000h

WHITE

BLACK



PROFILE IRIS LED 7W 8996




PROFILE IRIS LED 7W
painted aluminum, plastic PC

8995 3000K 8996 3000K

8997 4000K 8998 4000K



PROFILE IRIS LED 12W 9002




PROFILE IRIS LED 12W
painted aluminum, plastic PC

9000 3000K 9001 3000K

9002 4000K 9003 4000K



PROFILE IRIS LED 20W 9005



PROFILE IRIS LED 20W
painted aluminum, plastic PC

9004 3000K 9005 3000K

9006 4000K 9007 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8995	7W LED	3000K	550 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8996	7W LED	3000K	530 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8997	7W LED	4000K	560 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8998	7W LED	4000K	550 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9000	12W LED	3000K	1000 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9001	12W LED	3000K	950 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9002	12W LED	4000K	1100 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9003	12W LED	4000K	1000 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9004	20W LED	3000K	1500 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9005	20W LED	3000K	1400 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9006	20W LED	4000K	1600 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
9007	20W LED	4000K	1500 lm	30 °	>80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h



PROFILE STORE PRO LED 12W 8323



PROFILE STORE PRO LED 12W

painted aluminum, plastic

8321

3000K

8323


3000K

8322

4000K



PROFILE STORE PRO LED 18W 8326



PROFILE STORE PRO LED 18W

painted aluminum, plastic

8325

3000K

8327

3000K

8326

4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8321	12W LED	3000K	1000 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8322	12W LED	4000K	960 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8323	12W LED	3000K	930 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8325	18W LED	3000K	1440 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8326	18W LED	4000K	1700 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h
8327	18W LED	3000K	1600 lm	24 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP20	30000h


WHITE

BLACK





PROFILE MIKE 7661



PROFILE MIKE
painted aluminum, plastic


- 7662
- 7661
-
- 1xGU10, max 15W only LED



PROFILE ZOOM LED 7625




PROFILE INDIA 7657



PROFILE INDIA
painted aluminum, plastic



- 7656
- 7657
-
- 1xGU10, max 15W only LED




PROFILE ZOOM LED
painted aluminum, plastic

- 7623
- 3000K
- 7625
- 3000K
- 7624
- 4000K
- 7626
- 4000K
-

BEAM CONE



PROFILE FOKUS 7621



PROFILE FOCUS LED
painted aluminum, plastic

- 7618
- 3000K
- 7621
- 3000K
- 7620
- 4000K
- 7622
- 4000K
-


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection
7618	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7620	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7621	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7622	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7623	9W LED	3000K	600 lm	15-50°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7624	9W LED	4000K	660 lm	15-50°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7625	9W LED	3000K	600 lm	15-50°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20
7626	9W LED	4000K	660 lm	15-50°	>90	~220-230 V, 50/60 Hz	<div></div>	>0.9	IP20

PROFILE IRIS LED 20W 9005





PROFILE EYE SUPER C 9244



PROFILE EYE SUPER C

 painted steel, plastic PC

 9245 9244


 1xGU10, max 10W only LED

PROFILE BIT PLUS

 painted steel, plastic PC

 9020 9018


 1xGU10 ES111, max 15W only LED



PROFILE BIT PLUS 9018



PROFILE EYE SUPER A 9325



PROFILE EYE SUPER A

 painted steel, plastic PC

 9324 9325


 1xGU10, max 10W only LED

PROFILE BIT

 painted steel, plastic PC

 8823


 1xGU10 ES111, max 15W only LED



PROFILE BIT 8823



PROFILE EYE FLEX 9332



PROFILE EYE FLEX

 painted steel, flexible stem, plastic

 9332


 1xGU10, max 10W only LED

PROFILE EYE

 painted steel, plastic PC

 9337 9338


 1xGU10, max 10W only LED



PROFILE EYE 9338



PROFILE EYE SPOT 9322



PROFILE EYE SPOT

painting steel, plastic PC, chrome

9321 9322

1xGU10, max 10W only LED


solid brass, plastic PC

7857

1xGU10, max 10W only LED



PROFILE MONO 7583



PROFILE MONO

painting steel, plastic ABS

7581 7582

7584 7585

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7583

1xGU10, max 10W only LED



PROFILE VESPA 8825



PROFILE VESPA


painting steel, plastic PC, chrome

8824 8825

1xGU10 ES111, max 15W only LED



PROFILE PUCK 10358




PROFILE PUCK

painting steel, plastic PC

10358

1xGX53, max 12W only LED




CAMELEON ADAPTER PROFILE

plastic

8360 8361



PROFILE TRACK LIGHT SYSTEM




1 PROFILE TRACK 1 M
painted aluminum

9450 9448

2 PROFILE TRACK 2 M
painted aluminum

9451 9452

Schemat zasilania / Power supply circuit diagram / Схема питания




Zalecany dystans pomiędzy mocowaniami max. 1000 mm
Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.

The recommended fastening distance is max. 1000 mm
The maximum length of one circuit of PROFILE track light system -20 m, and the maximum circuit power load - 1500W
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.

Рекомендуемое расстояние между креплениями не более 1000 мм
Допустимая макс. длина системы трекового освещения - 20 м, максимальная электрическая нагрузка - 1500W
Система трекового освещения должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине


WHITE BLACK

Sposoby montażu / Installation methods / Методы монтажа



3 PROFILE POWER SUPPLY KIT
painted steel


9237 9238





4 PROFILE SUSPENSION KIT
painted steel, plastic

9461 9460

1. Zwieszenie na linkach stalowych
1. Suspended on steel wires
1. Подвеска на стальных тросах





2. Montaż bezpośredni
2. Surface mounting
2. Поверхностный монтаж




WHITE BLACK


PROFILE TRACK LIGHT SYSTEM




5 PROFILE POWER END CAP
plastic PC, steel, copper
9462 9463




6 PROFILE POWER STRAIGHT CONNECTOR
plastic PC, steel
10225 10226




7 PROFILE STRAIGHT CONNECTOR
plastic PC, steel, copper
9454 9453




8 PROFILE L CONNECTOR
plastic PC, steel, copper
9456 9455




9 PROFILE T CONNECTOR
plastic PC, steel, copper
9187 9186



10 PROFILE X CONNECTOR
plastic PC, steel, copper
9190 9188




11 PROFILE FLEX CONNECTOR
plastic PC, steel, copper
8382 8383



12 PROFILE DEAD END CAP
plastic PC
9457 9458

PROFILE RECESSED TRACK LIGHT SYSTEM



1 PROFILE RECESSED TRACK 1 METER

Painted aluminum


9012 9013

2 PROFILE RECESSED TRACK 2 METERS

Painted aluminum

9014 9015

Schemat zasilania / Power supply circuit diagram / Схема питания



Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W.
System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.


The recommended fastening distance is max. 1000 mm.
The maximum length of one circuit of track light system PROFILE - 20 m, and the maximum circuit power load - 1500W.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.

Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м, максимальная электрическая нагрузка - 1500W.
Система трекового освещения должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.



WHITE BLACK

Sposób montażu / Installation method / Метода монтажа

- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Врезной монтаж




PROFILE RECESSED TRACK LIGHTS SYSTEM




3 PROFILE RECESSED POWER END CAP
plastic PC, steel, copper

8972 8973




4 PROFILE RECESSED POWER STRAIGHT CONNECTOR
plastic PC, steel

10227 10228




5 PROFILE RECESSED STRAIGHT CONNECTOR
plastic PC, steel, copper

8967 8968




6 PROFILE RECESSED L CONNECTOR
plastic PC, steel, copper

8970 8971




7 PROFILE RECESSED T CONNECTOR
plastic PC, steel, copper

8834 8835




8 PROFILE RECESSED X CONNECTOR
plastic PC, steel, copper

8836 8837




9 PROFILE RECESSED FLEX CONNECTOR
plastic PC, steel, copper

8384 8385




10 PROFILE RECESSED DEAD END CAP
plastic PC

8974 8975



11 PROFILE RECESSED FIXING SET
steel


8805



Bathroom lighting



ICE BALL 8126



ICE BALL


brass-plated steel, glass

8126

1xG9, max 10W only LED
IP44



ALOE 10525



ALOE

brass-plated steel, glass


10525

1xG9, max 10W only LED
IP44





ARALIA 10527



ARALIA

brass-plated steel, glass


10527

1xG9, max 10W only LED

IP44



AGAVE 10526



AGAVE

brass-plated steel, glass

10526

1xG9, max 10W only LED

IP44



NATALIE 10727




NATALIE 10726



NATALIE 10724



NATALIE 10723




NATALIE

aluminum, glass

10726 10727 10728

2xG9, max 10W only LED

IP44




NATALIE

aluminum, glass


10723 10724 10725

1xG9, max 10W only LED


IP44




ICE TUBE LED S 8121



ICE TUBE LED M 8122




8.3 cm
4 cm
30 cm




8.3 cm
4 cm
50 cm

ICE TUBE LED S


plastic PC, chrome plated steel


 8121






ICE TUBE LED M

plastic PC, chrome plated steel


 8122




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8121	5W LED	4000K	430 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP44	30000h
8122	8W LED	4000K	700 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP44	30000h




ICE TUBE LED S 8118



ICE TUBE LED M 8120




8.5 cm
60 cm
4 cm




8.5 cm
90 cm
4 cm

ICE TUBE LED S


plastic PC, chrome plated steel


 8118






ICE TUBE LED M


plastic PC, chrome plated steel

 8120



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8118	12W LED	4000K	1200 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP44	30000h
8120	18W LED	4000K	1750 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.5	IP44	30000h

 CHROME

 CHROME


BATHROOM LIGHTING

Nowodvorski
LIGHTING

480

481

TORCH 8123




TORCH

chrome plated steel, glass

8123

1xG9, max 10W only LED
IP44

BALI 9353



BALI

glass, painted steel


8053

1xE14, max 10W only LED

glass, chrome plated steel

9353

1xE14, max 10W only LED
IP44




PALMAS LED

aluminum, glass, plastic PC

10729 10730



PALMAS LED 10729





Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10729	15W LED	4000K	1000 lm	130 °	>90	~220-230 V, 50/60 Hz	⊕	>0.9	IP44	30000h
10730	15W LED	4000K	1000 lm	130 °	>90	~220-230 V, 50/60 Hz	⊕	>0.9	IP44	30000h



VISTA 8051



VISTA 8050



VISTA
chrome plated steel, glass

- 8051
- 1xG9, max 10W only LED
- IP44

VISTA
chrome plated steel, glass


- 8050
- 3xG9, max 10W only LED
- IP44



PAN LED S 8173




PAN LED M 8174



PAN LED S
glass, chrome plated steel


- 8173



PAN LED M
glass, chrome plated steel

- 8174

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8173	12W LED	4000K	770 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h
8174	17W LED	4000K	1000 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h



ICE EGG A 8124

ICE EGG A
painted steel, glass

■ 8124

● 1xG9, max 10W only LED
IP44




ICE EGG C 8132

ICE EGG C
painted aluminum, glass

■ 8132

● 1xG9, max 10W only LED
IP44



ICE EGG B 8125

ICE EGG B
painted steel, glass

■ 8125


● 1xG9, max 10W only LED
IP44



ICE EGG B 8125



BRAZOS 6948



BRAZOS


glass, chrome plated steel

6948

1xG9, max 10W only LED
IP44



BRAZOS 6950



BRAZOS


glass, chrome plated steel

6950

2xG9, max 10W only LED
IP44



BRAZOS 6951



BRAZOS


glass, chrome plated steel

6951

3xG9, max 10W only LED
IP44



SIMI 8052



SIMI


painted steel, glass

8052

1xG9, max 10W only LED
IP44



BRAZOS 8057



BRAZOS


glass, painted steel

8057

1xG9, max 10W only LED
IP44



BRAZOS 8056



BRAZOS

glass, painted steel


8056

3xG9, max 10W only LED
IP44



CAYO 8055

CAYO 8055



CAYO

glass, painted steel

8055



1xG9, max 10W only LED

IP44

glass, chrome plated steel


9505



1xG9, max 10W only LED

IP44

SIS 8054



SIS

glass, painted steel

8054



1xG9, max 10W only LED

IP44

glass, chrome plated steel

9506



1xG9, max 10W only LED

IP44

BLACK WHITE CHROME


WHITE BLACK CHROME



CEARA 10713



CEARA 10716



CEARA


aluminum

10713 10714

10715 10716

1xGU10, max 15W only LED

IP44



PARANA

aluminum

10717 10718

10719 10720

1xGU10, max 15W only LED


IP44



BRAVO 8364



BRAVO 8365



BRAVO

aluminum, glass


8364 8365

1xGU10, max 15W only LED

IP54



BOL 10483



BOL

aluminum


10483 10484

1xGX53, max 12W only LED

IP54



MAUN 10481



MAUN

aluminum


10481 10482

1xGX53, max 12W only LED

IP54



ALPHA 8362



ALPHA

aluminum, glass

8362 8363

1xGU10, max 15W only LED

IP54





FOXTROT 8373



FOXTROT 8374



ZESTAW ZAWIERA 4 KOLOROWE NAKŁADKI.
THE SET INCLUDES FOUR COLOURED RINGS.
В КОМПЛЕКТЕ 4 ЦВЕТНЫЕ НАКЛАДКИ



FOXTROT
painted aluminum, glass



- 8373 8374
- 1xGU10, max 15W only LED
- IP54/20
- cut out \varnothing 85 mm

Can be used outdoor

WHITE BLACK



CHARLIE 8367



CHARLIE 8366

CHARLIE

painting aluminum, glass

8366 8367



1xGU10, max 15W only LED

IP54/20

cut out ø 75 mm



GOLF 8376



GOLF 8375

GOLF

painting aluminum, glass

8375 8376



1xGU10, max 15W only LED

IP54/20

cut out ø 68 mm



DELTA 8370



DELTA 8368

DELTA

painting aluminum, glass

8368 8370



1xGU10, max 15W only LED

IP54/20

cut out ø 75 mm



ECHO 8372



ECHO 8371

ECHO

painting aluminum, glass

8371 8372


1xGU10, max 15W only LED

IP54/20

cut out ø 80 mm



HELIOS LED 8992



HELIOS LED
plastic PC


8991 3000K 8992 4000K



cut out ø 85 mm



EOL LED 8988



EOL LED
plastic PC


8988 3000K 8990 4000K



cut out ø 85 mm



ACRE 10711



ACRE
aluminum, glass

10711



1xGU10, max 15W only LED


IP44/20



cut out ø 75 mm



BAHIA 10712



BAHIA
aluminum, glass

10712



1xGU10, max 15W only LED


IP44/20



cut out ø 75 mm



JULIET 7663



JULIET
steel

7663

7664



1xGU10, max 15W only LED

IP54/20



cut out ø 56 mm




JULIET 7664

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8991	5W LED	3000K	300 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44/20	20000h
8992	5W LED	4000K	300 lm	100 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44/20	20000h
8988	5W LED	3000K	350 lm	90 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44/20	20000h
8990	5W LED	4000K	400 lm	90 °	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44/20	20000h



PIN LED S 8127



PIN LED S
painted aluminum, plastic PC

8127




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8127	6W LED	4000K	280 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.9	IP44	30000h
8128	10W LED	4000K	500 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.9	IP44	30000h
8130	15W LED	4000K	700 lm	120 °	≥80	~220-230 V, 50/60 Hz		>0.9	IP44	30000h

BLACK



PIN LED M 8128




PIN LED M
painted aluminum, plastic PC

8128



PIN LED L 8130



PIN LED L
painted aluminum, plastic PC

8130



BLACK



1. Na lustrze

1. On the mirror

1. На зеркало
2. Na szafce łazienkowej


2. On the bathroom cabinet

2. На шкафу в ванной комнате
3. Na ścianie

3. On the wall

3. На стене

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10665	8W LED	3000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10668	8W LED	3000K	550 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10672	8W LED	3000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10676	8W LED	4000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10680	8W LED	4000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10683	8W LED	4000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10666	12W LED	3000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10670	12W LED	3000K	850 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10673	12W LED	3000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10681	12W LED	4000K	950 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10684	12W LED	4000K	950 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10677	12W LED	4000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h



CEZANNE LED S

painting aluminum, plastic ABS, plastic PMMA

106683000K


106764000K

106653000K

106804000K

106723000K

106834000K



CEZANNE LED M

painting aluminum, plastic ABS, plastic PMMA

106703000K


106774000K

106663000K

106814000K

106733000K

106844000K



CEZANNE LED L

painting aluminum, plastic ABS, plastic PMMA

106713000K

106784000K

106673000K

106824000K

106743000K

106854000K


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10667	15W LED	3000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10671	15W LED	3000K	1050 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10674	15W LED	3000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10678	15W LED	4000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10682	15W LED	4000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h
10685	15W LED	4000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0.5	IP44	25000h



PICASSO LED M 8131

PICASSO LED
chrome plated aluminum, plastic PC


8131



LATH LED M 8175

LATH LED
chrome plated steel, plastic PC


8175



KAGERA LED M 9503




KAGERA LED L 9502



KAGERA LED M
chrome plated aluminum, glass

9503



KAGERA LED L
chrome plated aluminum, glass

9502




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8131	12W LED	4000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⚡	>0.5	IP44	30000h
8175	16W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⚡	>0.5	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9502	24W LED	4000K	1380 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⚡	>0.5	IP44	20000h
9503	18W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⚡	>0.5	IP44	20000h




MALAKKA LED 9501

BASSA LED 9500



BASSA LED
chrome plated steel, glass

9500




MALAKKA LED
chrome plated steel, glass

9501



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9500	18W LED	4000K	850 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h
9501	18W LED	4000K	940 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h

AGNES ROUND LED 8208



AGNES ROUND LED

painted steel, plastic PMMA

<div></div> 8207	3000K	<div></div> 8204	3000K
<div></div> 8186	4000K	<div></div> 8183	4000K

AGNES ROUND LED

painted steel, plastic PMMA


<div></div> 8208	3000K	<div></div> 8205	3000K
<div></div> 8187	4000K	<div></div> 8184	4000K

AGNES ROUND LED

painted steel, plastic PMMA

<div></div> 8210	3000K	<div></div> 8206	3000K
<div></div> 8188	4000K	<div></div> 8185	4000K

AGNES SQUARE LED 8108



AGNES SQUARE LED

painted steel, plastic PMMA

<div></div> 8112	3000K	<div></div> 8108	3000K
<div></div> 8135	4000K	<div></div> 8138	4000K

AGNES SQUARE LED

painted steel, plastic PMMA

<div></div> 8113	3000K	<div></div> 8110	3000K
<div></div> 8134	4000K	<div></div> 8137	4000K

AGNES SQUARE LED

painted steel, plastic PMMA


<div></div> 8114	3000K	<div></div> 8111	3000K
<div></div> 8133	4000K	<div></div> 8136	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8207	22W LED	3000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8204	22W LED	3000K	1200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8186	22W LED	4000K	1500 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8183	22W LED	4000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8208	32W LED	3000K	2200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8205	32W LED	3000K	2100 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8187	32W LED	4000K	2400 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8184	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8210	64W LED	3000K	4800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8206	64W LED	3000K	4700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8188	64W LED	4000K	4900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8185	64W LED	4000K	4800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8112	16W LED	3000K	1100 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8108	16W LED	3000K	900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8135	16W LED	4000K	1200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8138	16W LED	4000K	1000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8113	32W LED	3000K	2400 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8110	32W LED	3000K	2200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8134	32W LED	4000K	2500 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8137	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8114	64W LED	3000K	4800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8111	64W LED	3000K	4700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8133	64W LED	4000K	4900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8136	64W LED	4000K	4800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

WHITE
 BLACK


WHITE
 BLACK



Outdoor
lighting



PATIO 10105



PATIO

painted steel, plastic LLDPE

10105

1xE27, max 25W only LED

IP44

PATIO 10105





STONE M
10580




STONE L
10581

STONE S
10579



STONE S 10579



STONE S

plastic PE

10579




1xE27, max 25W only LED

IP44



STONE M 10580



STONE M

plastic PE

10580




1xE27, max 25W only LED

IP44



STONE L 10581



STONE L

plastic PE

10581



1xE27, max 25W only LED

IP44

WHITE





CUMULUS M 9715


CUMULUS M 6977

CUMULUS L 6978

CUMULUS S 6976



CUMULUS L 6978




CUMULUS S

plastic PE

6976

1xE27, max 25W only LED

IP44




CUMULUS M

plastic PE

6977

1xE27, max 25W only LED

IP44




CUMULUS XL

plastic PE

9714

1xE27, max 25W only LED

IP44



CUMULUS L

plastic PE


6978

1xE27, max 25W only LED

IP44



CUMULUS S 9751




CUMULUS S

plastic PE, painted steel

9751

1xE27, max 25W only LED

IP65




CUMULUS M

plastic PE, painted steel

9715

1xE27, max 25W only LED

IP65



CUMULUS L

plastic PE

9607

1xE27, max 25W only LED


IP65



CUMULUS M 9715



FLOWERPOT S 9711



FLOWERPOT S

plastic PE


9711

1xE27, max 25W only LED

IP44



FLOWERPOT M 9712



FLOWERPOT M

plastic PE


9712

1xE27, max 25W only LED

IP44



FLOWERPOT L 9713



FLOWERPOT L

plastic PE

9713

2xE27, max 25W only LED

IP44


WHITE



FLOWERPOT S 9711



CUMULUS CUBE M 8966



CUMULUS CUBE M

plastic PE


8966

1xE27, max 25W only LED

IP44



CUMULUS CUBE L 8965



CUMULUS CUBE L

plastic PE

8965

1xE27, max 25W only LED

IP44


STAR

plastic PE

9426

1xE27, max 25W only LED

IP44



STAR 9426


GALAXY

plastic PE, painted steel

9246

1xE27, max 25W only LED


IP65



GALAXY 9246



MARGOT 10504



MARGOT

10504
painted aluminum, glass


10504

1xE14, max 10W only LED

IP54



MARGOT 10503



MARGOT

10503
painted aluminum, glass


10503

2xE14, max 10W only LED

IP54



MARGOT 10504




STRUCTURE LED

painted aluminum, plastic PC

8146



STRUCTURE LED 8146



STRUCTURE LED

painted aluminum, plastic PC

8145



STRUCTURE LED 8145

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8145	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h
8146	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h

BLACK




STRUCTURE LED 8145



SYMMETRY LED 8176

SYMMETRY LED
painted aluminum, plastic PC


8176



SYMMETRY LED 8176

SYMMETRY LED
painted aluminum, plastic PC

8180




SYMMETRY LED 8180

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8176	7W LED	3000K	210 lm	70 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h
8180	7W LED	3000K	380 lm	70 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h




PICNIC LED 8177



PICNIC LED
painted aluminum, plastic PC

8178 8177



HANGING SET
FOR PICNIC LED
aluminum, steel

8107 8106

Lampa bezprzewodowa, przenośna, zewnętrzna

- Podstawa ładująca w komplecie
- Akumulator litowy 2×2200 mAh
- Czas pełnego ładowania 5-8 h
- Czas pracy 12 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Charging base (set incl.)
- 2×2200 mAh lithium battery
- Full charge time 5-8h
- Work time 12 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный

- База для зарядки в комплекте
- Литиевая батарея 2×2200 mAh
- Время полной зарядки 5-8 ч
- Рабочее время 12 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8177	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	□	IP54	30000h
8178	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	□	IP54	30000h

WHITE GRAPHITE




PICNIC LED 8178



MAHE LED 8397



MAHE LED 8398



MAHE LED
painted aluminum, plastic PC

8397 8398



Lampa bezprzewodowa, przenośna, zewnętrzna

- Ładowarka MICRO USB (w zestawie)
- Czas pełnego ładowania 5-7 h
- Czas pracy 9 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Power adapter MICRO USB (set incl.)
- Full charge time 5-7 h
- Work time 9 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный


- Зарядное устройство MICRO USB (в наборе)
- Время полной зарядки 5-7 ч
- Рабочее время 9 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8397	2,2W LED	3000K	168 lm	46 °	≥ 84	~220-230 V, 50/60 Hz		IP54	25000h
8398	2,2W LED	3000K	168 lm	46 °	≥ 84	~220-230 V, 50/60 Hz		IP54	25000h

WHITE BLACK



OTTAWA 9562



OTTAWA
painted aluminum, glass


9562

1xGU10, max 10W only LED

IP44



SOUL 9555



SOUL
painted aluminum, glass


9555

1xGU10, max 10W only LED

IP44



OTTAWA 9561



OTTAWA
painted aluminum, glass


9561

1xGU10, max 10W only LED

IP44



SOUL 9557



SOUL
painted aluminum, glass

9557

1xGU10, max 10W only LED

IP44



OTTAWA 9563



OTTAWA
painted aluminum, glass

9563

1xGU10, max 10W only LED

IP44




TUBINGS M 8161



TUBINGS 8158

TUBINGS S 8160



TUBINGS S


painting aluminum, glass

8160

1xGU10, max 10W only LED

IP54

TUBINGS M 8161



TUBINGS M


painting aluminum, glass, plastic

8161

1xGU10, max 10W only LED

IP54

TUBINGS 8158



TUBINGS

painting aluminum, glass


8158

1xGU10, max 10W only LED

IP54



SPIKE LED S 9101




SPIKE LED S
painted aluminum, glass

9101




SPIKE LED M 9100



SPIKE LED M
painted aluminum, glass, plastic

9100



BUSH
painted aluminum, glass

3401



1xGU10, max 10W only LED

IP65

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9100	5W LED	3000K	300 lm	30 °	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9101	5W LED	3000K	300 lm	30 °	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h




THIKA LED 9118

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9118	9W LED	3000K	550 lm	40°	≥ 80	~220-230 V, 50/60 Hz	Ⓢ	>0.5	IP54	20000h
9120	15W LED	3000K	1200 lm	110°	≥ 80	~220-230 V, 50/60 Hz	Ⓢ	>0.9	IP54	20000h
9121	10W LED	3000K	1000 lm	110°	≥ 80	~220-230 V, 50/60 Hz	Ⓢ	>0.9	IP54	20000h



THIKA LED B 9120




THIKA LED B
painted aluminum, glass

9120




THIKA LED A 9121



THIKA LED A
painted aluminum, glass

9121



THIKA LED
painted aluminum, glass


9118



THIKA LED 9118



RIO 4424




RIO
painted aluminum, plastic PC

- 4424
- 2xE27, max 10W only LED
- IP54




RIO SENSOR 7017



RIO
painted aluminum, plastic PC

- 4423
- 1xE27, max 10W only LED
- IP54




RIO SENSOR
painted aluminum, plastic PC

- 7017
- 1xE27, max 10W only LED
- IP54



RIO SENSOR 9097




RIO SENSOR
painted aluminum, plastic PC

- 9097
- 1xE27, max 10W only LED
- IP54



RIO SENSOR 9097

MEKONG 4418




MEKONG
painted aluminum, glass

4418

1xE27, max 10W only LED
IP42

MEKONG 4420




MEKONG
painted aluminum, glass

4420

2xE27, max 10W only LED
IP42


MEKONG 4698



MEKONG
painted aluminum, glass

4698

1xE27, max 10W only LED
IP42



MISTRAL
painted aluminum, plastic PC


4390

1xE27, max 10W only LED
IP44

MISTRAL 4390



MISTRAL 3393



MISTRAL
painted aluminum, plastic PC

3393


1xE27, max 10W only LED
IP44

MISTRAL
painted aluminum, plastic PC

3394

1xE27, max 10W only LED
IP44

MISTRAL 3394







POLE LED 9185



LHOTSE LED 4448




LHOTSE LED
painted aluminum, plastic PC
4448




POLE LED
painted aluminum, plastic PC
9185

TEPIC LED
painted aluminum
9508



TEPIC LED 9508

MONTERREY LED
painted aluminum
9507



MONTERREY LED 9507


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9508	9W LED	3000K	395 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
9507	9W LED	3000K	410 lm	40 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
4448	9W LED	3000K	169 lm	70 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
9185	15W LED	3000K	1000 lm	70 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h

GRAPHITE

BLACK



NORIN 4446




NORIN
painted aluminum, glass

- 4446
- 1xE27, max 10W only LED
- IP44



HORN 4906




HORN
painted aluminum, glass

- 4906
- 1xE27, max 10W only LED
- IP44

OIR
painted aluminum, plastic PC

- 9158
- 1xE27, max 10W only LED
- IP44




OIR 9158



SIROCCO
aluminum, glass

- 3396
- 1xE27, max 10W only LED
- IP44




SIROCCO 3396






PATHWAY LED M 9252



PATHWAY FOUNDATION KIT

steel


8795



PATHWAY LED S

painted steel, painted aluminum


9420



PATHWAY LED M

painted steel, painted aluminum

9252



PATHWAY LED L

painted steel, painted aluminum

9125



PATHWAY LED S 9420

PATHWAY LED M 9252

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protect	Lifetime
9420	24W LED	3000K	2200 lm	100 °	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
9252	24W LED	3000K	2200 lm	100 °	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
9125	36W LED	3000K	3600 lm	100 °	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h




PATHWAY LED PRO
painted steel, painted aluminum, plastic

10283 3000K 10633 4000K

PATHWAY FOUNDATION KIT
steel

8795

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10641	60W LED	3000K	5700 lm	100 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10642	60W LED	4000K	5900 lm	100 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10283	60W LED	3000K	5700 lm	100 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10633	60W LED	4000K	5900 lm	100 °	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h




PATHWAY LED PRO HEAD
painted steel, plastic PP

10641 3000K 10642 4000K



ROCK PRO 10687



ROCK PRO

■ painted aluminum, plastic PC


■ 10687

■ 1xE27, max 25W only LED

IP44



ROCK PRO 10686



ROCK PRO

■ painted aluminum, plastic PC


■ 10686

■ 1xE27, max 25W only LED

IP44



ROCK PRO 10688



ROCK PRO

■ painted aluminum, plastic PC

■ 10688

■ 2xE27, max 25W only LED


IP44



ROCK PRO 10687



SIERRA 4421



SIERRA

■ painted aluminum, plastic PC


■ 4421

■ 1xE27, max 25W only LED

IP54



SIERRA 4422



SIERRA


■ painted aluminum, plastic PC

■ 4422

■ 2xE27, max 25W only LED

IP54

FOG 3403



FOG


■ painted aluminum, glass

■ 3403

■ 1xE27, max 25W only LED

IP44

FOG 3402



FOG


■ painted aluminum, glass

■ 3402

■ 1xE27, max 25W only LED

IP44

FOG 3404



FOG

■ painted aluminum, glass


■ 3404

■ 2xE27, max 25W only LED

IP44



NEGRO 4425




NEGRO
painted aluminum, glass

■ 4425

● 1xGU10, max 10W only LED
IP54



EXE 8331




EXE
painted aluminum, glass

■ 8331

● 1xGU10, max 10W only LED
IP54



NEGRO 4426




NEGRO
painted aluminum, glass

■ 4426

● 2xGU10, max 10W only LED
IP54



EXE 8330




EXE
painted aluminum, glass

■ 8330

● 2xGU10, max 10W only LED
IP54


QUARTZ 3411



QUARTZ
painted aluminum, plastic PC

- 3411
- 1xE27, max 10W only LED
- IP21

INDUS 4440




INDUS
painted aluminum, glass

- 4440
- 2xE27, max 10W only LED
- IP44



BRICK 3408




BRICK
painted aluminum, glass

- 3408
- 1xE27, max 25W only LED
- IP65



ORINOKO 4387




ORINOKO
painted aluminum, plastic PC

- 4387
- 1xE27, max 10W only LED
- IP44



UNIT LED 9122




UNIT LED
painted aluminum

- 9122

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9122	2x5W LED	3000K	727 lm	110 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h



ASSOS 9123



ASSOS

9123
painted aluminum, glass


9123

1xGU10, max 10W only LED

IP54



ASSOS 9124



ASSOS

9124
painted aluminum, glass

9124

2xGU10, max 10W only LED

IP54



ARRIS 9516




ARRIS 9515



NICO 9518



NICO 9517




ARRIS

9516
painted aluminum, glass

9516

1xGU10, max 10W only LED

IP54




ARRIS

9515
painted aluminum, glass

9515

2xGU10, max 10W

IP54




NICO

9518
painted aluminum, glass

9518

1xGU10, max 10W only LED

IP54



NICO

9517
painted aluminum, glass

9517

2xGU10, max 10W only LED

IP54




PRIMM

painted aluminum, glass

9551

1xGU10, max 10W only LED
 IP54




PRIMM 9551

FALLON

painted aluminum, glass

9552

1xGU10, max 10W only LED
 IP54




FALLON 9552

SEMI LED

painted aluminum, glass

6775




SEMI LED 6775

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6775	7W LED	3000K	242 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	8000h



TRIANGLES LED 8141




TRIANGLES LED

painted aluminum, glass

8143
 8142
 8141



SINUS 8144



SINUS

painted aluminum, glass

8144




1xGU10, max 10W only LED

IP54



PATRAS LED 9115




PATRAS LED

painted aluminum, glass

9115



ELLIPSES LED 8181




ELLIPSES LED

painted aluminum, glass

8140
 8182
 8181



MUNO LED 6776



MUNO LED

painted aluminum, glass

6776



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8140	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8141	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	> 0,5	IP54	10000h
8142	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8143	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8181	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8182	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9115	4x1W LED	3000K	320 lm	38 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
6776	6W LED	3000K	240 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	8000h

WHITE
 BLACK-GOLD
 BLACK


BLACK
 GRAPHITE



PUEBLA LED 9513




MERIDA LED 9514



PUEBLA LED
painted aluminum, plastic PC

9513



MERIDA LED
painted aluminum, plastic PC

9514




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9513	12W LED	3000K	540 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h
9514	12W LED	3000K	540 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h

GRAPHITE

Can be used in the bathroom

LIMA LED
painted aluminum

9510




LIMA LED 9510

KHUMBU
painted aluminum, glass

4443

1xG9, max 10W only LED
IP44



KHUMBU 4443

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9510	6W LED	3000K	400 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h

WHITE

GRAPHITE




EDESA LED M 9107



LENS LED 9113



LENS LED 9112




LENS LED

Painted aluminum, glass

9112 9113



HEXA 9565



HEXA

Painted aluminum, glass

9564 9565




1xGU10, max 10W only LED

IP44



EDESA LED M 9108




EDESA LED M

Painted aluminum, glass

9108 9107



EDESA LED S 9110



EDESA LED S

Painted aluminum, glass

9111 9110



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9112	2x2W LED	3000K	40 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9113	2x2W LED	3000K	59 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9107	7W LED	3000K	530 lm	19°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9108	7W LED	3000K	530 lm	19°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9110	3W LED	3000K	250 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9111	3W LED	3000K	250 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h

WHITE BLACK

Can be used in the bathroom

GRAPHITE WHITE BLACK

ANA 10499

ANA 10500

ANA 10501

ANA 10502

AMELIA 10495

AMELIA 10496

AMELIA 10497

AMELIA 10498

ANA
painted aluminum, plastic PC

■ 10499

🔌 1xE27, max 10W only LED

IP44

ANA
painted aluminum, plastic PC

■ 10500

🔌 1xE27, max 10W only LED

IP44

ANA
painted aluminum, plastic PC

■ 10501

🔌 1xE27, max 10W only LED

IP44

ANA
painted aluminum, plastic PC

■ 10502

🔌 1xE27, max 10W only LED

IP44

AMELIA
painted aluminum, plastic PC

■ 10495

🔌 1xE27, max 10W only LED

IP44

AMELIA
painted aluminum, plastic PC

■ 10496

🔌 1xE27, max 10W only LED

IP44

AMELIA
painted aluminum, plastic PC

■ 10497

🔌 1xE27, max 10W only LED

IP44

AMELIA
painted aluminum, plastic PC

■ 10498

🔌 1xE27, max 10W only LED


IP44



AMUR 4692




AMUR 4693




AMUR
painted aluminum, glass

- 4692
- 1xE27, max 25W only LED
- IP23



AMUR
painted aluminum, glass

- 4693
- 1xE27, max 25W only LED
- IP23



AMUR
painted aluminum, glass


- 4694
- 1xE27, max 25W only LED
- IP44



TYBR 4685




TYBR 4684




TYBR
painted aluminum, glass

- 4686
- 1xE27, max 25W only LED
- IP44




TYBR
painted aluminum, glass

- 4684
- 1xE27, max 25W only LED
- IP44



TYBR
painted aluminum, glass

- 4685
- 1xE27, max 25W only LED
- IP44



TAY 5292


TAY

■ painted aluminum, glass

■ 5292

■ 1xE27, max 25W only LED

IP23




TAY

■ painted aluminum, glass

■ 5293

■ 1xE27, max 25W only LED

IP23




TAY

■ painted aluminum, glass

■ 5294

■ 1xE27, max 25W only LED

IP23




LANTERN

■ painted aluminum, glass

■ 6911

■ 1xE27, max 25W only LED

IP23



DON

■ painted aluminum, glass

■ 4687

■ 1xE27, max 25W only LED

IP44



■ BLACK

■ BLACK WITH A COPPER PATINA



NOOK 7972



NOOK 7970





NOOK 7978



NOOK 7976



NOOK 7965



NOOK

plastic ABS, plastic PC

7972 7970 7965

7976 7978

1xE27, max 10W only LED

IP44

NOOK SENSOR

plastic ABS, plastic PC

7964 7975

7977

1xE27, max 10W only LED

IP44




TAHOE 7611



TAHOE 3242



TAHOE 8831



TAHOE

plastic PC, plastic ABS

10034 10036

1xE27, max 15W only LED

IP44

TAHOE II


plastic PC, plastic ABS

10035 10037

10044 10038

2xE27, max 15W only LED

IP44



TAHOE SENSOR

plastic PC, plastic ABS

10040

2xE27, max 15W only LED

IP44




BAY LED 8165



BAY LED 8164




BAY LED 8165



BAY LED
painted aluminum, plastic PC

8164



BAY LED
painted aluminum, plastic PC

8165




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8164	3W LED	3000K	200 lm	70 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h
8165	5W LED	3000K	360 lm	70 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h

BLACK



SIDEWALK SQUARE LED
8148




SIDEWALK SQUARE LED
painted aluminum, plastic PC

8148



SIDEWALK ROUND LED
8147



SIDEWALK ROUND LED
painted aluminum, plastic PC

8147




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8147	3W LED	3000K	100 lm	120 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	20000h
8148	3W LED	3000K	100 lm	120 °	≥80	~220-230V V, 50/60 Hz	⊕	>0.5	IP54	20000h

BLACK



BASALT 3412




BASALT
painted aluminum, plastic

- 3412 4966
- 1xE14, max 10W only LED
- IP44



ASSAM 4453




ASSAM
painted aluminum, glass, plastic

- 4453
- 1xE27, max 10W only LED
- IP65




INA 4907



INA
painted aluminum, glass, plastic

- 4907
- 1xE27, max 10W only LED
- IP65

STEP LED 6907




STEP LED
painted aluminum, plastic

- 6907 6908




OIA LED 9102



OIA LED
painted aluminum, plastic

- 9102 9103

cut out ø 40 mm



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9102 9103	2W LED	3000K	50 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h
6907	3W LED	3000K	120 lm	92 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	10000h
6908	3W LED	3000K	190 lm	92 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	10000h



PICCO LED S 9106

PICCO LED S

aluminum

9106



cut out ø 38 mm



PICCO LED M 9105

PICCO LED M

aluminum

9105



cut out ø 55 mm



PICCO LED L 9104

PICCO LED L

aluminum

9104



cut out ø 65 mm



PAOLI 9554



PAOLI

steel, glass

9554




1xGU10, max 10W only LED

cut out ø 100 mm



MON LED 4454



MON LED

aluminum, glass


4454



cut out ø 64 mm



PAT LED 8162



PAT LED

aluminum, plastic PC


8162



cut out ø 56 mm



CIRCLET LED 8163



CIRCLET LED

aluminum, plastic PC

8163



cut out ø 57 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9106	2W LED	3000K	60 lm	25 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
9105	2W LED	3000K	80 lm	25 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
9104	3W LED	3000K	200 lm	25 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4454	2W LED	3000K	100 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
8162	3W LED	3000K	12 lm	25 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h
8163	3W LED	3000K	120 lm	50 °	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h



FASTOON LIGHTS 9 M 7872

FASTOON LIGHTS 6 M 7873



MAX 2000W MAX 80m CONNECTABLE

POWER CORD FOR FESTOON LIGHTS

rubber cable

■ 7871

IP65

FESTOON LIGHTS 6M

rubber cable

■ 7873

● 10xE27, max 15W

IP65

FESTOON LIGHTS 9M

rubber cable

■ 7872

● 15xE27, max 15W

IP65




5 PC SET

BULB LED E27, A60 2W, 5 PC SET

glass

□ 7487



Light sources
and accessories



BULB LED G9, 7W 9197



7.3 cm

1.8 cm

BULB LED G9, 7W
ceramic housing, plastic PC

9197

3000K

10933

4000K



BULB LED G9, 4W 7504



5 cm

1.65 cm

BULB LED G9, 4W
plastic PC

7503

3000K

7504

4000K



BULB LENS LED, G9, 3W 9173



5.2 cm

2.1 cm

BULB LENS LED, G9, 3W
ceramic housing, plastic PC

9173

3000K

8447

4000K



REFLECTOR LED, GU10, R35, 4W 10230



4.6 cm

3.5 cm

REFLECTOR LED, GU10, R35, 4W
plastic

10230

3000K

10231

4000K



REFLECTOR LED, GU10, R50, 7W 8347



5.4 cm

5 cm

REFLECTOR LED, GU10, R50, 7W
plastic

9180

3000K

9178

4000K

8348


3000K

8347

4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9197	7W LED	3000K	750 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
10933	7W LED	4000K	900 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
7503	4W LED	3000K	380 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0.5	25000h
7504	4W LED	4000K	390 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0.5	25000h
9173	3W LED	3000K	330 lm	90 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
8447	3W LED	4000K	310 lm	90 °	>80	~220-230 V, 50/60 Hz	>0.5	25000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9180	7W LED	3000K	600 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
9178	7W LED	4000K	600 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
8348	7W LED	3000K	600 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
8347	7W LED	4000K	600 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
10230	4W LED	3000K	370 lm	70 °	>80	~220-230 V, 50/60 Hz	>0.5	20000h
10231	4W LED	4000K	400 lm	70 °	>80	~220-230 V, 50/60 Hz	>0.5	20000h



BULB GLASS BALL LED,
E27, 8W

glass

9177




REFLECTOR LENS LED, GU10, ES111, 9W

REFLECTOR LENS LED,
GU10, ES111, 9W

plastic


9343 3000K 9213 4000K
9345 3000K 9214 4000K



BULB LED GX53, 8W

plastic PC

8377 3000K 8378 4000K



REFLECTOR DIFFUSER LED, GU10, ES111, 9W

REFLECTOR DIFFUSER
LED, GU10, ES111, 9W

plastic


9342 3000K 9211 4000K
9344 3000K 9212 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
8377	8W LED	3000K	680 lm	100 °	>80	~220-230 V, 50/60 Hz	>0.5	25000h
8378	8W LED	4000K	700 lm	100 °	>80	~220-230 V, 50/60 Hz	>0.5	25000h
9177	8W LED	3000K	840 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9343	9W LED	3000K	770 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9213	9W LED	4000K	870 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9345	9W LED	3000K	870 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9214	9W LED	4000K	930 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9342	9W LED	3000K	790 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9211	9W LED	4000K	900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9344	9W LED	3000K	790 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9212	9W LED	4000K	900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h

WHITE

WHITE BLACK



BULB VINTAGE LED
E14, 6W
glass

10592

BULB VINTAGE LED
E27, 6W
glass

10596

BULB VINTAGE LED
E27, 6W
glass

10594




BULB VINTAGE LED
E27, 6W
glass

10593

BULB VINTAGE LED
E27, 6W
glass

10595

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10592	6W LED	2200K	470 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10596	6W LED	2200K	580 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10594	6W LED	2200K	560 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10593	6W LED	2200K	550 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10595	6W LED	2200K	450 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h



BULB LED E14,
C35, 6W
glass

10589

BULB LED E27, A60,
7W
glass

10587

BULB LED E27, A60,
10W
glass

10588



BULB LED E27, A60
2W, 5 PC SET
glass


7487

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10589	6W LED	3000K	650 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10587	7W LED	3000K	800 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10588	10W LED	3000K	1100 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
7487	2W LED	2200K	160 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0.5	15000h




TUBE LED T8, 11W
glass

7500



TUBE LED T8, 16W
glass


7501



TUBE LED T8, 22W
glass

7502


Item No.	Power	Colour temp.	Leds	Luminous flux	Beam angle	Colour Rendering Index (CRI ≥)	Input	Power factor	Lifetime
7500	11W LED	3000K	SMD2835	1700 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0.5	30000h
7501	16W LED	3000K	SMD2835	2300 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0.5	30000h
7502	22W LED	3000K	SMD2835	3200 lm	120 °	≥80	~220-230 V, 50/60 Hz	>0.5	30000h



WATERPROOF CONNECTOR IP68
plastic PA

8845


IP68



WATERPROOF „Y“ CONNECTOR IP68
plastic PA

8846

IP68



MICROWAVE SENSOR
plastic

8821



DUPLEX
plastic PC

9341

2xE27, max 40W

Informacje ogólne / General information / Главная Информация

Rzeczywiste parametry produktów mogą się różnić od wartości deklarowanych w katalogu o +/- 10%.

Zdjęcia prezentowanego asortymentu w niniejszym katalogu mają charakter poglądowy.
Rzeczywisty kolor produktów może nieznacznie odbiegać od prezentowanego na zdjęciach, ze względu na technologię druku.

The actual product parameters may differ from the values declared in the catalogue by +/- 10%.

Photos in this catalogue are for illustrative purposes only.
The actual color of the products may slightly differ from that shown in the photos, due to the printing technology.

Фактические параметры товаров могут отличаться от заявленных в каталоге значений на +/- 10%.

Фотографии представленного ассортимента в этом каталоге в качестве иллюстрации.
Фактический цвет продуктов может незначительно отличаться от представленного на фотографиях из-за технологии печати.

Informacje techniczne / Technical information / Техническая информация

Temperatura barwowa (K) - w potocznym rozumieniu, to „kolor” światła białego emitowanego przez źródło, np. źródło LED.
W uproszczeniu możemy podzielić je na światło o:

- barwie ciepłej
- barwie neutralnej
- barwie zimnej

Colour temperature (K) in common understanding is the colour of white light emitted by a source, for example such as an LED source.
In simple terms, we can divide them into:

- Warm white
- White
- Cool white

Цветовая температура (K) в общепринятом понимании - это «цвет» белого света, излучаемого источником, например светодиодом.
Проще говоря, мы можем разделить их на:

- Теплый белый
- Белый
- Холодный белый



Strumień świetlny (lm/lumen) - w potocznym rozumieniu, to całkowita moc światła emitowanego z danego źródła światła.
Lumen (lm) - jednostka miary strumienia świetlnego w układzie SI
1 lm = 1 cd·sr

Luminous flux (lm / lumen) - the total power of light emitted from a light source.
Lumen (symbol: lm) - the unit of luminous flux in SI system.
1 lm = 1 cd·sr

Световой поток (лм / люмен) - общая мощность света, излучаемого данным источником света.
Люмен (лм) - единица светового потока в системе SI.
1 lm = 1 cd·sr

Natężenie oświetlenia (lx/luks) - w potocznym rozumieniu, to gęstość strumienia świetlnego padającego na daną powierzchnię.
Luks (lx) - jednostka natężenia oświetlenia w układzie SI.
1 lx = 1 cd·sr / m²

Illuminance (lx / lux) - in common understanding, it is the density of the luminous flux incident on a given surface.
Lux (lx) - a unit of illuminance in the SI system.
1 lx = 1 cd sr / m²

Освещенность (лк / люкс) - плотность светового потока на заданную площадь.
Единица освещенности в системе SI.
1 lx = 1 cd·sr / m²

CRI (od ang. colour rendering index), Ra - wskaźnik oddawania barw charakteryzujący źródło światła, który określa, jak dobrze postrzegane są barwy oświetlonych przedmiotów.
Im wskaźnik ten jest wyższy, tym barwy są lepiej oddawane, a oświetlane przedmioty wyglądają naturalniej.
Wyrażony jest liczbą z przedziału od 0 do 100, gdzie 100 to światło słoneczne.
Minimum wg przepisów w UE dla opraw wewnętrznych to 80.

CRI- is an index of a light source’s ability to reveal colours. It determines how well illuminated colours are perceived.
The higher index, the better colour rendering and the illuminated objects look more natural.
It is expressed with a number from 0 to 100, where 100 is a sunlight.
The minimum according to EU regulations for indoor luminaires is 80.

CRI (colour rendering index) Индекс цветопередачи, характеризующий источник света, который определяет, насколько хорошо воспринимаются цвета освещенных объектов. Чем выше этот индекс, тем лучше передаются цвета и освещенные объекты выглядят естественнее.
Он выражается числом от 0 до 100, где 100 - солнечный свет.
Минимальное требование ЕС для светильников для внутреннего освещения - 80.

Stopień ochrony IP / Degree of protection IP / Степень защиты IP

Stopień ochrony jest wyrażony dwoma cyframi. Pierwsza oznacza ochronę przed ciałami stałymi. Druga to ochrona przed cieczami.


Degree of protection is expressed by two figures. The first one stands for protection against solid particles. The second one stands for protection against liquids.


Степень защиты выражается двумя цифрами. Первая цифра относится к защите от твердых веществ, вторая, к защите от жидкостей.


1 cyfra / 1st figure / 1-ая цифра		
IP0...		Brak ochrony / Not protected / Нет защиты
IP1...		Ochrona przed ciałami stałymi większymi niż 50 mm / Protected against solid objects greater than 50 mm / Защита от попадания твердых веществ ø 50 мм
IP2...		Ochrona przed ciałami stałymi większymi niż 12 mm / Protected against solid objects greater than 12 mm / Защита от попадания твердых веществ ø 12 мм
IP3...		Ochrona przed ciałami stałymi większymi niż 2,5 mm / Protected against solid objects greater than 2,5 mm / Защита от попадания твердых веществ ø 2,5 мм
IP4...		Ochrona przed ciałami stałymi większymi niż 1 mm / Protected against solid objects greater than 1 mm / Защита от попадания твердых веществ ø 1 мм
IP5...		Ochrona przed pyłem / Protected against dust infiltration / Защита от попадания пыли
IP6...		Ochrona pyłoszczelna / Totally protected against dust infiltration / Полная защита от попадания пыли
2 cyfra / 2nd figure / 2-ая цифра		
IP...0		Brak ochrony / Not protected / Нет защиты
IP...1		Ochrona przed padającymi kroplami wody / Protected against vertically falling water drops / Защита от попадания капель воды в вертикальном падении
IP...2		Ochrona przed padającymi kroplami wody przy wychyleniu do 15° / Protected against falling water drops up to 15° from the vertical / Защита от попадания капель воды под углом не более 15°
IP...3		Ochrona przed natryskiwaną wodą / Protected against rain / Защита от дождя
IP...4		Ochrona przed bryzgami wody / Protected against splashing water / Защита от брызг воды
IP...5		Ochrona przed strugami wody / Protected against water jets / Защита от струи воды
IP...6		Ochrona przed falami / Protected against powered water jets / Защита от сильной струи воды
IP...7		Ochrona przed zanurzeniem / Protected against temporary immersion / Защита от временного погружения
IP...8		Ochrona przed głębokim zanurzeniem / Protected against continuous immersion / Защита от продолжительного погружения


IKONY / ICONS / ИЗОБРАЖЕНИ


	Lampa wisząca / Pendant lamp / Подвесные светильники		Kinkiet / Wall lamp / Настенные светильники		Kinkiet podtynkowy / Recessed wall lamp / Встраиваемые настенные светильники
	Lampa sufitowa / Ceiling lamp / Потолочные светильники		Oświetlenie punktowe / Spotlight / Точечные светильники		Źródło światła / Light source / Источник света
	Lampa biurkowa / Table lamp / Настольные лампы		Podtynkowa lampa sufitowa / Recessed ceiling lamp / Встраиваемые потолочные светильники		Tuba ledowa / Led tube / Светодиодная лампа
	Lampa podłogowa / Floor lamp / Торшеры		Lampa najazdowa / Overrun lamp / Встраиваемые дорожные светильники		Wyciąć / Cut out / Вырезать


 Oprawy oznaczone tym symbolem nie wolno okrywać materiałem termoizolacyjnym. Fittings marked with this symbol must not be covered with thermal insulation materials. Светильники, обозначенные этим символом, нельзя покрывать термоизоляционным материалом.


 Klasa ochronna druga oznacza, że oprawa posiada podwójną izolację ochronną, a przewód ochronny (żyła żółto-zielona) nie może być podłączony do oprawy oświetleniowej. Protection class II means that the fittings are equipped with a double protective insulation, and the green and yellow protective conductor must not be connected to the fitting. Второй защитный класс обозначает светильник с двойной защитной изоляцией, а защитный желто-зеленый провод не должен подключаться к светильнику.


 Klasa ochronna pierwsza oznacza, że oprawa musi być podłączona za pomocą przewodu ochronnego (żyła żółto-zielona) do przewodu lub zacisku uziemiającego. Protection class I means that the fitting must be connected with the yellow and green protective conductor to the grounding wire or terminal. Первый защитный класс обозначает, что светильник должен быть подключен с помощью защитного жёлто-зелёного провода к заземленному проводу или зажиму.


 Klasa ochronna III oznacza, bezpieczeństwo elektryczne gwarantowane przez bardzo niskie zasilanie (poniżej 50 V). Bez uziemienia. Protection class III means, that electrical safety is guaranteed by a very low power supply (less than 50 Volt). No grounding. Класс III электрическая безопасность гарантирована подачей электроэнергии низкого напояжения (меньше чем 50 вольт).


 Oprawy oznaczone tym symbolem wolno instalować wyłącznie na podłożach niepalnych. Fittings marked with this symbol are suitable for installation only on nonflammable surfaces. Светильники, обозначенные этим символом, можно устанавливать только на негорючих поверхностях.


 Zgodność produktów z ukraińskimi normami. Ukrainian standards compliant. Соответствие продукции украинским стандартам.


 Zgodność z normami Unii Europejskiej. EU standards compliant. Соответствие стандартам Европейского Союза.

 Zgodność produktów z normami Euroazjatyckiej Unii Gospodarczej. EAEU standards compliant. Соответствие продукции стандартам Евразийского экономического союза.

 Do użytku zewnętrznego. Interior use only. Для внешнего использования.

 Do wewnętrznego użytku. Exterior use only. Для внутреннего использования.


 Do stosowania wewnątrz i na zewnątrz. Interior and exterior use. Для внутреннего и внешнего использования.

 Zużyte oprawy oświetleniowe są surowcami wtórnymi - nie wolno wyrzucać ich do pojemników na odpady domowe, mogą zawierać substancje niebezpieczne dla zdrowia i życia ludzkiego oraz środowiska. Zgodnie z dyrektywą WEEE 2012/19/UE użytkownik zobowiązany jest do oddania opraw do punktu zbierania zużytego sprzętu, co przyczyni się do ochrony środowiska naturalnego. Used lighting fixtures are recyclable materials - they must not be disposed of in household waste containers as they may contain substances hazardous to human health or life as well as to the natural environment. In accordance with Regulation WEEE 2012/19 /EU, luminaire user is obliged to return a used lighting fixture to a waste appliance collection point, which will contribute to the protection of the natural environment. И использованные осветительные приборы являются вторсырьем, их нельзя выбрасывать в контейнеры с хозяйственными отходами, потому что они могут содержать в себе вещества, опасные для здоровья и жизни человека, и вредные для окружающей среды. Согласно директиве WEEE 2012/19/UE, потребитель обязан сдать осветительные приборы в пункт сбора использованного оборудования, что положительно влияет на окружающую среду.


Material	Materiał	Материал
Acrylic crystals	Kryształki akrylowe	Акриловые кристаллы
Aluminum	Aluminium	Алюминий
Braided cable	Przewód w oplocie	Плетеный кабель
Brass plated steel	Stal mosiądzowana	Сталь с латунным покрытием
Brushed stainless steel	Stal nierdzewna szczotkowana	Матовая нержавеющая сталь
Ceramic housing	Ceramiczna oprawka	Керамический патрон
Chrome	Chrom	Хром
Chrome plated steel	Stal chromowana	Хромистая сталь
Composite	Kompozyt	Композитный материал
Concrete	Beton architektoniczny	Архитектурный бетон
Copper plated steel	Stal miedziana	Сталь плакированная медью
Crystal	Kryształ	Кристаллы
Fabric	Tkanina	Ткань
Flexible stem	Peszel	Пешель
Glass	Szkło	Стекло
Gypsum	Gips	Гипс
Metallized glass	Szkło metalizowane	Металлизированное стекло
Painted aluminum	Aluminium lakierowane	Окрашенный алюминий
Painted steel	Stal lakierowana	Лакированная сталь
Plastic	Tworzywo sztuczne	Пластик
Plastic ABS	Tworzywo sztuczne ABS	АБС-пластик
Plastic PA	Tworzywo sztuczne PA	РА-пластик
Plastic PC	Tworzywo sztuczne PC	РС-пластик
Plastic PP	Tworzywo sztuczne PP	РР-пластик
Plastic PS	Tworzywo sztuczne PS	РС-пластик
Plastic PC/ABS	Tworzywo sztuczne PC/ABS	РС-АБС-пластик
Plastic PE	Tworzywo sztuczne PE	ПЭ-пластик
Plastic PMMA	Tworzywo sztuczne PMMA	РММА-пластик
Plywood	Sklejka	Фанера
Rubber cable	Przewód gumowy	Резиновый кабель
Silicone	Silikon	Силикон
Solid brass	Lity mosiądz	Твердой латуни
Steel	Stal	Сталь
Velvet	Aksamit	Бархат
Wood	Drewno	Древесина

KODY KOLORÓW / COLOUR CODES / ЦВЕТОВЫЕ КОДЫ

			
P001 / RAL 9003	P003 / RAL 9003	P004 / RAL 9003	P005
			
P006 / RAL 9006	P009 / RAL 7039	P010 / RAL 7016	P011 / RAL 9005
			
P012 / RAL 9005	P013 / RAL 9005	P014 / RAL 9005	P015
			
P016	P017	P018	P019
			
P020	P021	P022	P023



P024



P025



P026 / RAL 7044



P027 / RAL 7022




T001



T002



T003



T004



T005



T006




T007



T008



T009



T011



T012



T013



T014




T015



T019




T020



T021




T022



T023



T024



T025



T026



T027




T028



T029



T030



T031

A	BUSH.....	543
ABI.....	C	
ACRE.....	CADILAC.....	144
ACROSS.....	CAGE.....	247
AGAVE.....	CAMELEON ADAPTER CTLS.....	439
AGNES.....	CAMELEON ADAPTER PROFILE.....	465
ALICE.....	CAMERON.....	120
ALLAN.....	CAMILLA.....	246
ALOE.....	CANDY.....	228
ALPHA.....	CANOE.....	234
AMALFI.....	CAYO.....	490
AMELIA.....	CEARA.....	492
AMUR.....	CEZANNE LED.....	503
ANA.....	CHARLIE.....	496
ARALIA.....	CHIC LED.....	305
ARENA.....	CHILLIN.....	140
ARES.....	CIRCLET LED.....	591
ARM LED.....	CIRCOLO LED.....	20
ARRIS.....	CL DIA LED.....	382
ASSAM.....	CL H LED PRO.....	269
ASSOS.....	CL HALL LED PRO.....	272
AVEIRO.....	CL IOS LED.....	360
AWINION.....	CL ITAKA LED.....	298
AXIS.....	CL ITAKA POWER SUPPLY KIT.....	298
	CL ITAKA SUSPENSION KIT.....	298
B	CL KEA LED.....	383
BAHIA.....	CL KOS LED.....	380
BALI.....	CL OFFICE LED PRO.....	270
BAR LED.....	CL OFFICE PRO/HALL PRO POWER SUPPLY KIT.....	270
BASALT.....	CL OFFICE PRO/HALL PRO SUSPENSION KIT.....	270
BASSA LED.....	CL Q LED PRO.....	268
BATON.....	COBA ANTIQUE.....	165
BAY LED.....	COBBLE.....	358
BERGEN.....	COSMO.....	300
BIO.....	CRAFT.....	217
BIT.....	CRANE.....	92
BOL.....	CRATE.....	202
BOLD.....	CRES.....	374
BOSTON.....	CRISTAL.....	108
BOX ES111.....	CROCO.....	117
BRAVO.....	CROSS.....	342
BRAZOS.....	CTLS DEAD END CAP.....	443
BRICK.....	CTLS MILO LED.....	428
BULB LED E27, A60, 10W.....	CTLS MONO.....	438
BULB LED E27, A60, 7W.....	CTLS NEA LED.....	430
BULB GLASS BALL LED, E27, 8W.....	CTLS POWER END CAP, LEFT (PE-L).....	442
BULB LED E14, C35, 6W.....	CTLS POWER END CAP, RIGHT (PE-R).....	442
BULB LED E27, A60 2W, 5 PC SET.....	CTLS POWER FLEX CONNECTOR.....	443
BULB LED G9, 4W.....	CTLS POWER L CONNECTOR, LEFT (L-L).....	442
BULB LED G9, 7W.....	CTLS POWER L CONNECTOR, RIGHT (L-R).....	442
BULB LED GX53, 8W.....	CTLS POWER STRAIGHT CONNECTOR.....	442
BULB LENS LED, G9, 3W.....	CTLS POWER SUPPLY KIT.....	441
BULB VINTAGE LED E14, 6W.....	CTLS POWER T CONNECTOR, LEFT 1 (T-L1).....	443
BULB VINTAGE LED E27, 6W.....	CTLS POWER T CONNECTOR, LEFT 2 (T-L2).....	443
BULLET.....	CTLS POWER T CONNECTOR, RIGHT 1 (T-R1).....	443

CTLS POWER T CONNECTOR, RIGHT 2 (T-R2).....	443
CTLS POWER X CONNECTOR.....	443
CTLS RECESSED DEAD END CAP.....	447
CTLS RECESSED FIXING SET.....	447
CTLS RECESSED POWER END CAP, LEFT (PE-L).....	446
CTLS RECESSED POWER END CAP, RIGHT (PE-R).....	446
CTLS RECESSED POWER FLEX CONNECTOR.....	447
CTLS RECESSED POWER L CONNECTOR, LEFT (L-L).....	446
CTLS RECESSED POWER L CONNECTOR, RIGHT (L-R).....	446
CTLS RECESSED POWER STRAIGHT CONNECTOR.....	446
CTLS RECESSED POWER T CONNECTOR, LEFT 1 (T-L1).....	447
CTLS RECESSED POWER T CONNECTOR, LEFT 2 (T-L2).....	447
CTLS RECESSED POWER T CONNECTOR, RIGHT 1 (T-R1).....	447
CTLS RECESSED POWER T CONNECTOR, RIGHT 2 (T-R2).....	447
CTLS RECESSED POWER X CONNECTOR.....	447
CTLS RECESSED TRACK.....	444
CTLS STRAIGHT CONNECTOR MINI.....	443
CTLS SUSPENSION KIT.....	441
CTLS TINOS LED.....	434
CTLS TRACK.....	440
CUBE.....	297
CUMULUS CUBE.....	524
CUMULUS.....	520
CUP.....	377
CUP 3 PC SET.....	377
CYLINDER.....	90
D	
DELTA.....	496
DISK.....	160
DON.....	583
DOT.....	387
DOVER.....	172
DOWNLIGHT ES111.....	385
DUPLEX.....	603
E	
ECHO.....	497
EDESA LED.....	577
EGG.....	235
EGINA LED.....	379
ELLIPSES LED.....	570
EOL LED.....	498
EXE.....	563
EYE.....	62
EYE FIT.....	340
EYE FLEX.....	68
EYE MOD.....	386
EYE SPOT.....	338
EYE SUPER.....	70
EYE TONE.....	369
EYE WALL.....	67
EYE WALL CUT.....	67

F	
FALCON.....	124
FALLON.....	569
FESTOON LIGHTS.....	593
FLEA.....	366
FLEX.....	135
FLEX SHADE.....	139
FLOWERPOT.....	522
FOCUS MINI LED.....	356
FOG.....	561
FORM.....	119
FOURTY.....	58
FOURTY WALL.....	60
FOXTROT.....	495
G	
GALAXY.....	525
GAP.....	358
GARRET.....	221
GEOMETRIC.....	196
GIOTTO LED.....	255
GIPSY.....	198
GLOBE PLUS.....	100
GOLF.....	497
GROOVE.....	358
GSTAR.....	244
H	
HAGA.....	275
HALO.....	365
HAMPTON.....	107
HANGING SET FOR PICNIC LED.....	532
HARMONY.....	218
HAWK.....	125
HEFT.....	158
HELIOS LED.....	498
HEMISPHERE HIT.....	225
HEMISPHERE RUST.....	222
HEMISPHERE SUPER.....	229
HERMANOS.....	208
HEXA.....	577
HIGH-BAY.....	219
HORN.....	552
HOTEL.....	132
HOTEL LED.....	133
HOTEL PLUS.....	134
HVAR.....	375
I	
ICE BALL.....	476
ICE EGG.....	486
ICE TUBE LED.....	480
IKA.....	168

IMBRIA78
IMPULSE LED258
INA.....588
INDIA.....367
INDUS.....564
ION LED263
IRIS LED340

J

JULIET499

K

KAGERA LED505
KAREN246
KARO.....80
KASAI295
KHUMBU573
KIER.....82
KYMI166

L

LAGUNA115
LANTERN.....583
LASER.....44
LASER WALL52
LATH LED.....504
LAVA197
LENS LED576
LHOTSE LED550
LIA LED.....297
LID ROUND LED289
LID SQUARE LED290
LIMA LED573
LUKSOR240
LVM 48V, 150W, INSIDE POWER SUPPLY.....420, 424
LVM CORNER CONDUCTIVE MODULE421, 424
LVM FOCUS LED.....398
LVM FOCUS OUT LED400
LVM HORIZONTAL CORNER.....421
LVM INSIDE CORNER.....421
LVM LID LED416
LVM LINE LED404
LVM OUTSIDE POWER SUPPLY CONDUCTIVE MODULE .421,424
LVM POWER SUPPLY KIT419
LVM RECESSED HORIZONTAL CORNER425
LVM RECESSED INSIDE CORNER425
LVM RECESSED TRACK.....422
LVM ROLLER LED.....410
LVM SLOT LED.....415
LVM SPOT LED406
LVM STRAIGHT CONDUCTIVE MODULE421, 424
LVM SUSPENSION KIT419
LVM TRACK418
LVM TRACK BUCKLE CONNECTOR.....421, 425

M

MAHE LED535
MALAKKA LED507
MALMO.....275
MANUFACTURE190
MARGARET250
MARGOT.....526
MAUN493
MEKONG.....548
MERIDA LED572
MICROWAVE SENSOR603
MIDI LED.....348
MIDI LED RECESSED352
MIKE367
MILL.....189
MINI LED RECESSED355
MINIMAL.....161
MIST118
MISTRAL.....549
MLJET374
MOD.....384
MOD PLUS384
MON LED591
MONACO.....92
MONO312-318, 321-323
MONO CORNER.....319
MONO DEEP332
MONO LONG320
MONO SLIDE.....335
MONO SLIDE TRIMLESS.....335
MONO SURFACE.....326
MONO SURFACE LONG.....328
MONTERREY LED.....551
MORE EYE76
MORE TONE.....77
MOSS.....138
MOTIVE LED34
MUNO LED.....571
MURTER374
MYKONOS LED378

N

NATALIE479
NEGRO562
NESS.....247
NEWPORT104
NICO567
NOOK584
NORIN.....552
NUNTUCET103

O

OIA LED589
OIR.....553

ORBIT175
ORGANIC282
ORINOKO565
OSLO162
OTTAWA536
OVAL.....359

P

PAG358
PALMAS LED483
PAN LED.....485
PANTOGRAPH.....216
PAOLI591
PARANA492
PAT LED591
PATHWAY FOUNDATION KIT554
PATHWAY LED.....555
PATHWAY LED PRO556
PATHWAY LED PRO HEAD557
PATIO513
PATRAS LED571
PEAR.....88
PERM.....213
PETIT142
PICASSO LED.....504
PICCO LED590
PICNIC LED.....532
PICO.....243
PIK83
PILE.....188
PILLS.....178
PIN LED.....500
PLANE.....306
PLANT.....205
POINT373
POINT PLEXI.....372
POINT TONE366
POLARIS.....98
POLE LED.....550
POWER CORD FOR FESTOON LIGHTS.....593
PRIMM.....569
PROFILE BIT463
PROFILE BIT PLUS.....463
PROFILE DEAD END CAP469
PROFILE EYE.....463
PROFILE EYE FLEX462
PROFILE EYE SPOT464
PROFILE EYE SUPER.....462
PROFILE FLEX CONNECTOR469
PROFILE FOCUS LED.....458
PROFILE INDIA458
PROFILE IRIS LED.....454
PROFILE L CONNECTOR.....469
PROFILE MIKE.....458
PROFILE MONO464
PROFILE POWER END CAP468

PROFILE POWER STRAIGHT CONNECTOR.....468
PROFILE POWER SUPPLY KIT.....467
PROFILE PUCK464
PROFILE RECESSED DEAD END CAP.....473
PROFILE RECESSED FIXING SET473
PROFILE RECESSED FLEX CONNECTOR.....473
PROFILE RECESSED L CONNECTOR.....473
PROFILE RECESSED POWER END CAP472
PROFILE RECESSED POWER STRAIGHT CONNECTOR472
PROFILE RECESSED STRAIGHT CONNECTOR.....473
PROFILE RECESSED T CONNECTOR473
PROFILE RECESSED TRACK.....470
PROFILE RECESSED X CONNECTOR473
PROFILE STORE PRO LED456
PROFILE STRAIGHT CONNECTOR469
PROFILE SUSPENSION KIT467
PROFILE T CONNECTOR.....469
PROFILE TINOS LED450
PROFILE TRACK466
PROFILE VESPA465
PROFILE X CONNECTOR.....469
PROFILE ZOOM LED.....459
PUEBLA LED572

Q

QUAD294
QUARTZ564

R

RADIUS.....180
REFLECTOR DIFFUSER LED, GU10, ES111599
REFLECTOR LED, GU10, R35, 4W597
REFLECTOR LED, GU10, R50, 7W597
REFLECTOR LENS LED, GU10, ES111.....599
REMBRANT LED.....254
RING LED276
RING MIRROR LED.....281
RING WOOD LED.....278
RIO.....546
ROCK PRO.....558
ROD.....186
ROTOR182

S

SABER LED36
SALVA101
SATELLITE286
SEMI LED569
SET368
SHY196, 201
SIDEWALK ROUND LED587
SIDEWALK SQUARE LED.....587
SIERRA.....560
SILBA.....374

SILICONE 193
SIMI 489
SINUS 571
SIROCCO 553
SIS 491
SLING 75
SMART LED 304
SOFT CEILING LED 264
SOFT LED 267
SOFT WALL LED 265
SOLID 200
SOLTA 375
SOUL 537
SPHERE 86
SPIDER 194
SPIKE LED 542
SPIN LED 33
STALACTITE 54
STAR 525
STEP LED 589
STICKS 184
STONE 516
STRAIGHT CEILING LED 260
STRAIGHT WALL LED 262
STRUCTURE LED 528
STYLE LED 302
SUN LED 153
SUNRISE LED 152
SUNSET 150
SUNSET NATURAL 151
SYMMETRY LED 531

T

TAHOE 585
TAY 582
TECHNO 214
TEPIC LED 551
THIKA LED 545
TORCH 482
TRIANGLES LED 570
TRIFLE 146
TUBE 297
TUBE LED T8 602
TUBINGS 541
TURDA 112
TWIG 195
TYBR 581

U

UMBRELLA 248
UNIT LED 565
UNO 376

V

VAN GOGH LED 256
VERTIC LED 31
VESPA 343
VETRO 94
VIPER 126
VIOLET 123
VIS 375
VISTA 484
VIVIANE 122
VOLCANO L 197

W

WATERPROOF „Y” CONNECTOR IP68 603
WATERPROOF CONNECTOR IP68 603
WAVE 241
WHEEL 156
WHEEL LUX 157
WING LED 296
WORKS 224
WORKSHOP 192

Z

ZELDA 147
ZENITH 210

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
202	251	4424	546	5266	297	6136	338
203	251	4425	562	5272	297	6267	184
204	251	4426	562	5292	582	6268	184
205	251	4440	564	5293	582	6270	184
206	251	4443	573	5294	582	6330	250
2206	198	4446	552	5383	131	6333	168
2207	198	4448	550	5386	130	6335	192
2208	198	4453	588	5397	62	6336	192
2410	199	4454	591	5398	62	6337	192
2411	199	4607	246	5411	249	6345	262
3382	300	4610	246	5424	101	6350	262
3393	549	4611	246	5428	101	6367	222
3394	549	4684	581	5455	62	6368	222
3396	553	4685	581	5456	62	6390	122
3401	561	4686	581	5463	66	6391	122
3402	561	4687	583	5471	66	6403	193
3403	561	4692	580	5654	69	6404	193
3404	561	4693	580	5655	69	6442	221
3408	565	4694	580	5663	129	6443	221
3411	564	4698	548	5723	131	6444	221
3412	588	4730	133	6000	373	6481	63
3457	129	4731	133	6001	373	6487	71
3458	129	4906	552	6006	373	6488	71
3464	129	4907	588	6010	147	6490	71
3466	129	4917	300	6014	338	6491	72
4171	168	4961	128	6015	338	6492	73
4174	168	4962	128	6016	338	6493	70
4387	565	4963	128	6017	339	6501	71
4390	549	4966	588	6018	338	6502	71
4418	548	5067	219	6020	338	6503	71
4420	548	5126	249	6021	338	6504	72
4421	560	5126	249	6022	339	6505	73
4422	560	5255	66	6134	338	6506	70
4423	546	5256	66	6135	338	6510	224

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
6512.....	126	6840.....	62	7526.....	264	7581.....	464
6513.....	126	6841.....	62	7527.....	264	7582.....	464
6525.....	372	6842.....	69	7528.....	265	7583.....	464
6526.....	372	6844.....	247	7530.....	264	7584.....	464
6528.....	372	6845.....	101	7531.....	264	7585.....	464
6530.....	372	6852.....	197	7532.....	267	7594.....	262
6532.....	122	6855.....	197	7533.....	264	7595.....	262
6541.....	125	6868.....	218	7534.....	265	7596.....	262
6605.....	192	6902.....	307	7535.....	267	7597.....	260
6607.....	339	6904.....	306	7536.....	264	7598.....	260
6610.....	339	6907.....	589	7537.....	267	7600.....	260
6611.....	339	6908.....	589	7538.....	264	7601.....	262
6612.....	224	6911.....	583	7540.....	264	7602.....	373
6613.....	224	6913.....	297	7541.....	265	7603.....	373
6640.....	126	6927.....	169	7542.....	264	7605.....	100
6641.....	126	6941.....	247	7543.....	296	7606.....	100
6767.....	247	6948.....	488	7544.....	264	7607.....	100
6768.....	247	6950.....	488	7445.....	267	7608.....	76
6772.....	122	6951.....	488	7546.....	264	7610.....	76
6773.....	122	6976.....	520	7547.....	267	7614.....	109
6774.....	122	6977.....	520	7548.....	265	7615.....	109
6775.....	569	6978.....	520	7550.....	296	7616.....	108
6776.....	571	7017.....	546	7551.....	260	7617.....	108
6785.....	194	7487.....	593	7552.....	260	7618.....	458
6788.....	194	7487.....	601	7553.....	260	7620.....	458
6792.....	194	7500.....	602	7556.....	260	7621.....	458
6800.....	133	7501.....	602	7557.....	260	7622.....	458
6812.....	131	7502.....	602	7558.....	260	7623.....	459
6816.....	131	7503.....	596	7560.....	262	7624.....	459
6817.....	130	7504.....	596	7561.....	262	7625.....	459
6818.....	130	7520.....	163	7562.....	262	7626.....	459
6836.....	66	7522.....	163	7566.....	262	7627.....	108
6837.....	66	7524.....	264	7567.....	262	7628.....	108
6838.....	66	7525.....	267	7568.....	262	7630.....	109

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7631.....	109	7672.....	320	7710.....	323	7747.....	327
7632.....	108	7673.....	320	7711.....	323	7748.....	327
7633.....	108	7674.....	320	7712.....	322	7750.....	318
7634.....	276	7675.....	320	7713.....	323	7751.....	319
7635.....	276	7676.....	328	7714.....	323	7752.....	318
7636.....	276	7677.....	328	7715.....	322	7753.....	319
7637.....	276	7678.....	329	7716.....	323	7754.....	318
7638.....	276	7680.....	328	7717.....	323	7755.....	319
7640.....	276	7681.....	328	7718.....	322	7756.....	318
7641.....	94	7682.....	329	7720.....	318	7757.....	319
7642.....	94	7683.....	326	7721.....	319	7758.....	146
7644.....	160	7684.....	326	7722.....	318	7761.....	146
7645.....	160	7685.....	327	7723.....	319	7762.....	180
7646.....	157	7686.....	327	7724.....	320	7763.....	314
7647.....	153	7687.....	327	7725.....	320	7764.....	321
7651.....	153	7688.....	326	7726.....	320	7765.....	321
7652.....	152	7690.....	326	7727.....	320	7766.....	314
7653.....	150	7691.....	327	7728.....	320	7767.....	315
7654.....	150	7692.....	327	7730.....	320	7768.....	315
7655.....	150	7693.....	327	7731.....	320	7770.....	318
7656.....	458	7694.....	318	7732.....	320	7771.....	314
7657.....	458	7695.....	319	7733.....	320	7772.....	321
7658.....	367	7696.....	318	7734.....	328	7773.....	321
7660.....	367	7697.....	319	7735.....	328	7774.....	314
7661.....	458	7698.....	318	7736.....	329	7775.....	315
7662.....	458	7700.....	319	7737.....	328	7776.....	315
7663.....	499	7701.....	318	7738.....	328	7777.....	318
7664.....	499	7702.....	319	7740.....	329	7778.....	314
7665.....	370	7703.....	323	7741.....	328	7780.....	321
7666.....	370	7704.....	323	7742.....	328	7781.....	321
7667.....	50	7705.....	322	7743.....	329	7782.....	314
7668.....	50	7706.....	323	7744.....	326	7783.....	315
7670.....	320	7707.....	323	7745.....	326	7784.....	315
7671.....	320	7708.....	322	7746.....	327	7785.....	318

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7786.....	321	7828.....	326	7871.....	593	7977.....	584
7787.....	321	7830.....	327	7882.....	593	7978.....	584
7788.....	87	7831.....	327	7873.....	593	7988.....	144
7790.....	358	7832.....	327	7926.....	234	7990.....	144
7791.....	358	7833.....	326	7927.....	234	7991.....	145
7792.....	358	7834.....	326	7931.....	180	7992.....	145
7793.....	358	7835.....	327	7932.....	180	7993.....	67
7794.....	89	7836.....	327	7933.....	182	7994.....	67
7795.....	244	7837.....	327	7935.....	183	7995.....	67
7796.....	244	7838.....	314	7936.....	182	7996.....	210
7797.....	88	7840.....	321	7937.....	183	7997.....	210
7798.....	88	7841.....	314	7938.....	176	7998.....	210
7800.....	88	7842.....	315	7941.....	175	8001.....	210
7801.....	177	7843.....	315	7942.....	175	8002.....	210
7802.....	176	7844.....	318	7943.....	176	8003.....	210
7803.....	176	7846.....	86	7945.....	175	8005.....	210
7804.....	177	7847.....	86	7946.....	175	8006.....	210
7805.....	176	7848.....	86	7948.....	124	8007.....	210
7806.....	176	7850.....	86	7950.....	124	8010.....	286
7807.....	314	7851.....	79	7951.....	124	8011.....	286
7808.....	321	7852.....	79	7952.....	295	8012.....	286
7810.....	314	7855.....	79	7954.....	78	8013.....	286
7811.....	315	7856.....	79	7955.....	78	8014.....	286
7812.....	315	7857.....	464	7956.....	78	8015.....	286
7813.....	318	7858.....	367	7957.....	78	8016.....	286
7814.....	77	7860.....	367	7958.....	123	8017.....	286
7816.....	77	7862.....	63	7960.....	123	8018.....	286
7817.....	77	7863.....	63	7961.....	123	8020.....	286
7821.....	77	7864.....	90	7964.....	584	8021.....	287
7822.....	76	7865.....	90	7965.....	584	8022.....	287
7824.....	76	7866.....	90	7970.....	584	8023.....	287
7825.....	76	7867.....	90	7972.....	584	8024.....	287
7826.....	76	7868.....	90	7975.....	584	8030.....	209
7827.....	326	7870.....	90	7976.....	584	8031.....	209

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8032.....	209	8111.....	509	8148.....	587	8186.....	508
8033.....	209	8112.....	509	8150.....	103	8187.....	508
8037.....	208	8113.....	509	8151.....	103	8188.....	508
8038.....	208	8114.....	509	8152.....	106	8190.....	144
8040.....	208	8115.....	259	8153.....	106	8191.....	145
8047.....	53	8116.....	258	8154.....	107	8192.....	208
8048.....	53	8117.....	258	8155.....	107	8194.....	208
8050.....	484	8118.....	481	8156.....	104	8195.....	365
8051.....	484	8120.....	481	8157.....	104	8196.....	365
8052.....	489	8121.....	480	8158.....	541	8197.....	141
8053.....	482	8122.....	480	8160.....	541	8200.....	141
8054.....	491	8123.....	482	8161.....	541	8201.....	141
8055.....	490	8124.....	486	8162.....	591	8202.....	366
8056.....	489	8125.....	486	8163.....	591	8202.....	366
8057.....	489	8126.....	476	8164.....	586	8203.....	366
8072.....	67	8127.....	500	8165.....	586	8204.....	508
8073.....	67	8128.....	501	8166.....	254	8205.....	508
8074.....	67	8130.....	501	8167.....	254	8206.....	508
8084.....	443	8131.....	504	8168.....	255	8207.....	508
8085.....	443	8132.....	486	8170.....	255	8208.....	508
8086.....	370	8133.....	509	8171.....	263	8210.....	508
8087.....	370	8134.....	509	8172.....	263	8213.....	140
8088.....	370	8135.....	509	8173.....	485	8214.....	140
8091.....	370	8136.....	509	8174.....	485	8215.....	140
8092.....	370	8137.....	509	8175.....	504	8216.....	140
8093.....	370	8138.....	509	8176.....	531	8220.....	366
8100.....	208	8140.....	570	8177.....	532	8221.....	366
8102.....	208	8141.....	570	8178.....	532	8222.....	366
8103.....	208	8142.....	570	8180.....	531	8223.....	366
8105.....	208	8143.....	570	8181.....	570	8224.....	366
8106.....	532	8144.....	571	8152.....	570	8225.....	366
8107.....	532	8145.....	528	8183.....	508	8227.....	422
8108.....	509	8146.....	528	8184.....	508	8228.....	422
8110.....	509	8147.....	587	8185.....	508	8230.....	446

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8231.....	446	8282.....	439	8352.....	55	8430.....	157
8232.....	442	8283.....	441	8353.....	55	8431.....	45
8233.....	442	8284.....	441	8355.....	54	8432.....	45
8234.....	446	8285.....	244	8357.....	305	8433.....	45
8235.....	446	8288.....	270	8358.....	304	8434.....	45
8236.....	443	8290.....	270	8360.....	465	8435.....	45
8237.....	443	8291.....	270	8361.....	465	8436.....	45
8238.....	447	8302.....	282	8362.....	493	8447.....	596
8240.....	447	8303.....	282	8363.....	493	8456.....	298
8241.....	443	8304.....	282	8364.....	492	8460.....	298
8242.....	443	8305.....	282	8365.....	492	8671.....	88
8243.....	443	8306.....	447	8366.....	496	8672.....	88
8244.....	443	8308.....	53	8367.....	496	8673.....	88
8245.....	447	8314.....	298	8368.....	496	8676.....	447
8246.....	447	8321.....	456	8370.....	496	8677.....	447
8247.....	447	8322.....	456	8371.....	497	8678.....	447
8248.....	447	8323.....	456	8372.....	497	8680.....	447
8250.....	270	8325.....	456	8373.....	495	8681.....	447
8251.....	268	8326.....	456	8374.....	495	8682.....	447
8252.....	268	8327.....	456	8375.....	497	8683.....	446
8253.....	268	8330.....	563	8376.....	497	8684.....	446
8254.....	268	8331.....	563	8377.....	598	8685.....	446
8262.....	179	8333.....	143	8378.....	598	8686.....	446
8263.....	179	8334.....	143	8380.....	97	8687.....	447
8264.....	178	8335.....	143	8381.....	97	8688.....	447
8265.....	178	8337.....	143	8382.....	469	8690.....	446
8266.....	178	8340.....	143	8383.....	469	8691.....	446
8267.....	179	8343.....	143	8384.....	473	8692.....	444
8268.....	179	8344.....	143	8385.....	473	8693.....	444
8270.....	178	8345.....	142	8397.....	535	8694.....	444
8271.....	178	8346.....	142	8398.....	535	8695.....	444
8272.....	178	8347.....	597	8404.....	302	8696.....	441
8280.....	298	8348.....	597	8427.....	157	8697.....	441
8281.....	439	8351.....	55	8428.....	157	8698.....	443

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8700.....	443	8737.....	360	8776.....	380	8842.....	343
8701.....	443	8738.....	360	8777.....	380	8843.....	125
8702.....	443	8740.....	360	8778.....	380	8845.....	603
8703.....	443	8741.....	360	8780.....	380	8846.....	603
8704.....	443	8742.....	360	8781.....	380	8847.....	240
8705.....	442	8743.....	360	8782.....	380	8850.....	240
8706.....	442	8744.....	360	8794.....	93	8851.....	240
8707.....	442	8745.....	432	8795.....	554	8853.....	240
8708.....	442	8746.....	432	8795.....	556	8854.....	244
8710.....	443	8747.....	432	8796.....	45	8857.....	241
8711.....	443	8748.....	432	8797.....	45	8858.....	241
8712.....	442	8750.....	431	8798.....	45	8861.....	241
8713.....	442	8751.....	431	8800.....	62	8862.....	243
8714.....	440	8752.....	431	8802.....	113	8863.....	243
8715.....	440	8753.....	431	8805.....	473	8864.....	242
8716.....	440	8754.....	430	8816.....	338	8866.....	242
8717.....	440	8756.....	430	8817.....	338	8870.....	242
8718.....	382	8757.....	430	8818.....	338	8873.....	248
8720.....	382	8758.....	429	8819.....	339	8874.....	248
8721.....	382	8760.....	429	8820.....	339	8895.....	368
8722.....	382	8761.....	429	8821.....	603	8896.....	368
8723.....	362	8762.....	429	8823.....	463	8896.....	368
8724.....	362	8763.....	428	8824.....	465	8897.....	368
8725.....	362	8764.....	428	8825.....	465	8898.....	368
8726.....	362	8765.....	428	8826.....	387	8900.....	368
8727.....	361	8766.....	428	8827.....	295	8901.....	368
8728.....	361	8767.....	383	8828.....	295	8902.....	368
8730.....	361	8768.....	383	8834.....	473	8903.....	368
8731.....	361	8770.....	383	8835.....	473	8911.....	66
8732.....	361	8771.....	383	8836.....	473	8912.....	66
8733.....	361	8772.....	383	8837.....	473	8913.....	66
8734.....	361	8773.....	383	8838.....	343	8914.....	62
8735.....	361	8774.....	380	8840.....	343	8915.....	65
8736.....	360	8775.....	380	8841.....	343	8916.....	65

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8917.....	65	8960.....	114	9013.....	470	9084.....	128
8918.....	48	8962.....	115	9014.....	470	9090.....	131
8920.....	48	8965.....	524	9015.....	470	9091.....	128
8921.....	48	8966.....	524	9018.....	463	9097.....	546
8922.....	48	8967.....	473	9020.....	463	9100.....	542
8923.....	48	8968.....	473	9021.....	236	9101.....	542
8924.....	48	8970.....	473	9022.....	236	9102.....	589
8925.....	369	8971.....	473	9023.....	236	9103.....	589
8926.....	369	8972.....	472	9024.....	236	9104.....	590
8928.....	369	8973.....	472	9025.....	236	9105.....	590
8930.....	369	8974.....	473	9026.....	236	9106.....	590
8931.....	369	8975.....	473	9028.....	156	9107.....	577
8932.....	369	8980.....	132	9032.....	156	9108.....	577
8934.....	68	8981.....	132	9033.....	156	9110.....	577
8935.....	68	8982.....	132	9042.....	165	9111.....	577
8936.....	386	8988.....	498	9043.....	165	9112.....	576
8937.....	386	8990.....	498	9044.....	165	9113.....	576
8938.....	386	8991.....	498	9045.....	202	9115.....	571
8940.....	386	8992.....	498	9046.....	202	9118.....	545
8942.....	118	8993.....	340	9047.....	202	9120.....	545
8943.....	118	8994.....	340	9054.....	54	9121.....	545
8944.....	118	8995.....	454	9055.....	55	9122.....	565
8945.....	112	8996.....	454	9056.....	98	9123.....	566
8946.....	114	8997.....	454	9057.....	98	9124.....	566
8947.....	114	8998.....	454	9058.....	98	9125.....	555
8948.....	117	9000.....	454	9060.....	98	9126.....	216
8950.....	113	9001.....	454	9061.....	245	9127.....	188
8952.....	112	9002.....	454	9067.....	69	9131.....	95
8953.....	114	9003.....	454	9068.....	69	9132.....	95
8954.....	115	9004.....	455	9070.....	69	9135.....	189
8955.....	113	9005.....	455	9071.....	134	9136.....	189
8956.....	117	9006.....	455	9072.....	134	9138.....	195
8957.....	115	9007.....	455	9073.....	134	9140.....	195
8958.....	112	9012.....	470	9074.....	134	9141.....	195

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9142.....	215	9247.....	221	9363.....	92	9453.....	469
9143.....	215	9245.....	462	9364.....	93	9454.....	469
9144.....	214	9246.....	525	9374.....	92	9455.....	469
9145.....	214	9252.....	555	9375.....	161	9456.....	469
9146.....	213	9260.....	173	9377.....	161	9457.....	469
9147.....	213	9261.....	173	9378.....	387	9458.....	469
9150.....	217	9263.....	172	9381.....	205	9460.....	467
9151.....	217	9264.....	172	9382.....	205	9461.....	467
9152.....	97	9266.....	173	9383.....	359	9462.....	468
9153.....	97	9297.....	185	9384.....	358	9463.....	468
9154.....	97	9298.....	132	9385.....	358	9470.....	385
9155.....	97	9300.....	132	9386.....	358	9472.....	385
9158.....	553	9301.....	132	9387.....	358	9481.....	372
9173.....	596	9302.....	133	9388.....	201	9482.....	372
9177.....	598	9303.....	132	9390.....	201	9485.....	372
9178.....	597	9304.....	133	9391.....	196	9486.....	372
9180.....	597	9308.....	93	9392.....	201	9490.....	295
9185.....	550	9316.....	359	9393.....	201	9491.....	295
9186.....	469	9317.....	297	9396.....	340	9495.....	385
9187.....	469	9320.....	297	9400.....	340	9497.....	385
9188.....	469	9321.....	464	9403.....	384	9500.....	507
9190.....	469	9322.....	464	9404.....	384	9501.....	507
9192.....	78	9324.....	462	9407.....	384	9502.....	505
9197.....	596	9325.....	462	9408.....	384	9503.....	505
9211.....	599	9332.....	462	9412.....	384	9505.....	490
9212.....	599	9337.....	463	9413.....	384	9506.....	491
9213.....	599	9338.....	463	9416.....	384	9507.....	551
9214.....	599	9341.....	603	9417.....	384	9508.....	551
9218.....	133	9342.....	599	9420.....	555	9510.....	573
9237.....	467	9343.....	599	9426.....	525	9513.....	572
9238.....	467	9344.....	599	9448.....	466	9514.....	572
9240.....	359	9345.....	599	9450.....	466	9515.....	567
9241.....	359	9353.....	482	9451.....	466	9516.....	567
9244.....	462	9362.....	92	9452.....	466	9517.....	567

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9518.....	567	9685.....	120	9766.....	135	10067	356
9551.....	569	9687.....	121	9768.....	135	10068	356
9552.....	569	9695.....	196	9847.....	168	10070	356
9554.....	591	9696.....	196	9890.....	218	10071	356
9555.....	537	9700.....	162	10034	585	10105	513
9557.....	537	9704.....	275	10035	585	10142	407
9561.....	536	9705.....	275	10036	585	10143	405
9562.....	536	9706.....	275	10037	585	10144	399
9563.....	536	9707.....	275	10038	585	10145	401
9564.....	577	9708.....	275	10040	585	10146	410
9565.....	577	9710.....	275	10042	355	10147	406
9570.....	385	9711.....	522	10043	355	10148	404
9571.....	385	9712.....	522	10044	585	10150	398
9574.....	385	9713.....	522	10045	355	10151	400
9575.....	385	9714.....	520	10046	355	10152	416
9592.....	343	9715.....	521	10047	351	10153	416
9593.....	343	9716.....	164	10048	348	10154	415
9594.....	343	9717.....	164	10050	348	10155	415
9595.....	343	9718.....	164	10051	351	10156	422
9596.....	342	9721.....	200	10052	348	10157	422
9597.....	342	9733.....	186	10053	348	10158	425
9598.....	342	9734.....	186	10054	351	10160	425
9600.....	342	9736.....	138	10055	348	10161	420
9605.....	120	9737.....	138	10056	348	10162	418
9606.....	120	9738.....	191	10057	351	10163	418
9607.....	521	9740.....	190	10058	348	10164	421
9672.....	119	9741.....	190	10060	348	10165	421
9673.....	119	9742.....	190	10061	352	10166	421
9675.....	78	9743.....	194	10062	352	10167	421
9677.....	78	9744.....	194	10063	352	10168	421
9680.....	78	9745.....	194	10064	352	10170	419
9682.....	121	9751.....	521	10065	352	10171	421
9683.....	121	9758.....	139	10065	352	10175	292
9684.....	120	9764.....	139	10066	352	10176	292

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10177	292	10281	278	10316	277	10375	453
10178	292	10282	278	10317	277	10376	450
10180	292	10283	556	10318	235	10377	451
10181	292	10284	256	10320	235	10378	452
10182	292	10285	256	10321	235	10380	453
10183	292	10286	256	10322	234	10381	450
10184	292	10287	256	10323	235	10382	451
10185	292	10288	256	10324	235	10383	452
10186	292	10289	256	10325	235	10384	453
10206	272	10290	256	10326	234	10385	450
10207	272	10291	256	10334	228	10386	451
10208	270	10292	256	10335	228	10387	452
10210	270	10293	228	10347	277	10388	453
10211	270	10294	228	10348	277	10390	434
10212	270	10295	228	10350	277	10391	435
10213	271	10296	299	10351	277	10392	436
10214	271	10297	299	10352	277	10393	434
10215	271	10298	229	10353	277	10394	435
10216	271	10299	83	10354	75	10395	436
10225	468	10300	83	10355	75	10396	434
10226	468	10301	83	10356	158	10397	435
10227	472	10302	82	10358	464	10398	436
10228	472	10303	80	10362	31	10399	434
10230	597	10304	80	10363	41	10400	435
10231	597	10305	80	10364	41	10401	436
10235	438	10306	82	10365	41	10402	289
10236	438	10307	82	10366	37	10403	289
10237	438	10308	82	10367	37	10404	289
10238	438	10310	82	10368	33	10405	289
10239	438	10311	34	10370	33	10406	289
10276	281	10312	36	10371	33	10407	289
10277	281	10313	34	10372	450	10408	289
10278	281	10314	36	10373	451	10410	289
10280	278	10315	277	10374	452	10411	289

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10412	289	10457	275	10495	579	10556	379
10413	289	7992	135	10496	579	10557	379
10414	289	10458	332	10497	579	10558	379
10415	289	10460	332	10498	579	10562	53
10416	289	10461	332	10499	578	10563	53
10417	289	10462	333	10500	578	10564	53
10418	289	10463	333	10501	578	10570	166
10420	290	10464	332	10502	578	10571	166
10421	290	10465	332	10503	526	10572	166
10422	290	10466	332	10504	526	10573	166
10423	290	10467	333	10523	269	10574	166
10424	290	10468	333	10524	269	10575	166
10425	290	10470	294	10525	476	10576	151
10426	290	10471	294	10526	478	10577	151
10427	290	10472	294	10527	478	10578	151
10428	290	10473	294	10535	378	10579	516
10430	290	10476	374	10536	378	10580	516
10431	290	10477	374	10537	378	10581	516
10432	290	10478	374	10538	378	10587	601
10433	290	10480	374	10540	378	10588	601
10434	290	10481	493	10541	378	10589	601
10435	290	10482	493	10542	378	10592	600
10436	290	10483	493	10543	378	10593	600
10444	44	10484	493	10544	378	10594	600
10445	44	10485	375	10545	378	10595	600
10446	44	10486	375	10546	379	10596	600
10447	44	10487	375	10547	379	10597	419
10448	44	10488	375	10548	379	10616	229
10450	44	10489	374	10550	379	10617	229
10451	44	10490	374	10551	379	10618	229
10452	44	10491	375	10552	379	10620	33
10453	44	10492	375	10553	379	10621	33
10455	275	10493	374	10554	379	10622	33
10456	275	10494	374	10555	379	10623	82

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10633	556	10684	503	10728	479	10791	377
10637	177	10685	503	10729	483	10792	377
10638	177	10686	558	10730	483	10793	377
10641	557	10687	558	10734	58	10794	377
10642	557	10688	558	10735	58	10795	335
10643	398	10690	269	10746	60	10796	335
10644	399	10691	269	10747	60	10797	335
10645	400	10693	230	10748	60	10798	335
10646	401	10694	230	10752	60	10799	335
10647	416	10695	231	10753	60	10800	335
10648	416	10696	231	10754	60	10801	335
10650	404	10697	230	10758	61	10802	335
10651	405	10698	230	10759	61	10803	335
10652	410	10700	230	10760	61	10804	335
10653	415	10701	230	10764	59	10805	335
10654	415	10702	225	10765	59	10806	335
10655	406	10703	225	10766	59	10807	335
10656	407	10704	48	10770	59	10808	23
10665	503	10705	48	10771	59	10810	20
10666	503	10711	499	10772	59	10811	20
10667	503	10712	499	10776	313	10812	21
10668	503	10713	492	10777	313	10813	21
10670	503	10714	492	10778	313	10814	26
10671	503	10715	492	10779	313	10815	23
10672	503	10716	492	10780	313	10816	28
10673	503	10717	492	10781	313	10817	27
10674	503	10718	492	10782	313	10820	58
10676	503	10719	492	10783	313	10821	58
10677	503	10720	492	10784	313	10822	58
10678	503	10723	479	10785	313	10823	58
10680	503	10724	479	10786	313	10824	58
10681	503	10725	479	10788	377	10825	58
10682	503	10726	479	10789	377	10826	52
10683	503	10727	479	10790	377	10827	52


INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ




INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10828	52	10858	23	10887	58	10907	51
10830	52	10860	20	10888	60	10908	51
10831	52	10861	20	10889	60	10910	51
10832	52	10862	21	10890	60	10911	51
10840	376	10863	21	10891	60	10912	51
10841	376	10864	26	10892	61	10913	51
10842	376	10865	23	10893	61	10914	51
10843	376	10866	28	10894	58	10915	51
10844	376	10867	27	10895	58	10916	51
10845	376	10872	210	10896	58	10917	51
10847	41	10873	210	10897	58	10918	51
10848	41	10878	210	10898	58	10920	51
10850	41	10879	210	10889	58	10921	51
10851	34	10880	210	10899	58	10922	51
10852	34	10881	210	10900	59	10923	51
10853	36	10882	58	10901	59	10928	23
10854	36	10883	58	10902	59	10930	23
10855	37	10884	58	10903	59	10933	596
10856	37	10885	58	10905	209	10934	81
10857	31	10886	58	10906	209		

NOTATKI / NOTES / ЗАМЕТКИ



Nowodvorski
LIGHTING

 Nowodvorski Lighting sp. z o.o.
ul. Bojemskiego 11
42-202 Częstochowa
POLAND

 +48 34 344 91 10 / 11
 nowodvorski@nowodvorski.com
 www.nowodvorski.com

